

**Treatment Without an Aquatic Nuisance Control Permit Investigation
Water, Sediment, and Plant Tissue Sampling and Analysis
Bass Lake, Gogebic County
September 2025 – April 2026**

Contents

Introduction	2
Site Locations and Description	2
Sampling Methods and Procedures	3
Lake Water Column Characterization.....	3
Lake Surface Water Samples.....	3
Lake Sediment Samples	4
Lake Plant Samples	4
Results	5
Conclusion	8
Citations	9
Appendix A	12
Attachment A	33
Attachment B	45

Introduction

On September 10, 2025, Many Waters LLC notified the Michigan Department of Environment, Great Lakes, and Energy (EGLE), Water Resources Division (WRD), Aquatic Nuisance Control (ANC) that they suspected non-native watermilfoil in Bass Lake, Gogebic County had been treated using a pesticide. ANC staff confirmed no ANC permit had been issued for Bass Lake, Gogebic County. ANC staff immediately began an investigation to gather information from residents, local officials, and Lac Vieux Desert Tribe. Sampling of water, sediment, and plant tissue took place on October 16, 2025. Samples of water, sediment, and plant tissue were delivered to the Michigan Department of Agriculture and Rural Development (MDARD) Pesticide Laboratory and Eurofins Scientific Laboratory on October 17, 2025. Samples submitted to MDARD were analyzed for specific common aquatic herbicide active ingredients and general pesticide panels. Sample submitted to Eurofins Scientific Laboratory were analyzed for endothall. Results were received from Eurofins Scientific Laboratory on November 2, 2025. Sample results for all other pesticides were received from the MDARD Pesticide Laboratory in December of 2025. Sample results confirmed the presence of fluridone, an aquatic herbicide active ingredient commonly used to treat non-native watermilfoil. To date, ANC has not been able to identify an individual responsible for treatment. There is no ongoing risk to public health from an unpermitted chemical treatment in Bass Lake.

Site Locations and Description

Bass Lake is a 191-acre waterbody located in Watersmeet Township, Gogebic County, Michigan (Appendix I). The area of suspected impact was in the north central portion of the lake, just west of the island (46.3059040, -89.1732230). The suspected area of impact was up to 30 acres.

As a comparison for control purposes, samples were also taken from one location in a nearby lake with no known history of aquatic herbicide use, Crooked Lake, Gogebic County (46.248911, -89.287411). Based on aerial imagery and staff observation, Crooked Lake is less developed than Bass Lake. Crooked Lake is a United States Department of Agriculture Forest Service lake.

Site History with ANC

This waterbody was alleged to have been treated without a permit in 2011. Investigation by ANC Program staff in 2011 did not result in identification of a suspected herbicide or individual(s) who may have treated the lake.

The waterbody was treated with fluridone under an ANC permit in 2014. That permit was issued to PLM Lake & Land Management Corp. ANC permits were also issued in 2015, 2016, and 2017. However, no treatments were conducted under 2015, 2016, and 2017 permits according to treatment reports. No ANC permits have been issued for Bass Lake, Gogebic County since 2017.

Sampling Methods and Procedures

The scope of field work for this investigation was based, in large part, on United States Environmental Protection Agency (USEPA), EGLE, and MDARD protocols and procedures. The activities included completing a water column profile and collecting surface water, lake sediment, and plant tissue samples for pesticide analysis. Field sampling was conducted by EGLE WRD staff. Sampling sites were preloaded into ANC field team iPhones before field sampling. Pesticide analysis was completed by the MDARD Pesticide Laboratory and Eurofins Scientific Laboratory. The workplan is included as Attachment A.

Lake Water Column Characterization

A water column profile was collected at the deepest area of Bass Lake using an EXO water monitoring sonde. The water column profile included sample depth, water temperature, dissolved oxygen (measured in milligrams per liter [mg/L]), specific conductivity, and chlorophyll. The water monitoring sonde was calibrated according to specifications in the EGLE WRD Quality Assurance Manual for Ambient Water, Sediment, and Biological Sampling (Page 42-43). The water column profile site can be found in Appendix I (i.e., Sampling Site 3). Water monitoring sonde readings were collected at the water's surface and at 1-meter intervals until the sonde was just above the lake bottom.

Lake Surface Water Samples

Surface water was sampled at two sites in the suspected treatment area and at two sites outside of the suspected treatment area (four total surface water samples at Bass Lake). One surface water sample was collected in Crooked Lake to serve as a control sample. Surface water samples were collected as grab samples. Samples were collected using a clean one-liter amber glass bottle with an aluminum foil seal under a screw cap. To collect a sample, a glass bottle was lowered to 0.5 meters below the surface of the water with the cap on. The cap was then removed under water, and the bottle was allowed to fill. Bottles were filled completely to the rim, with no air space between the lid and the bottle contents so pesticides could not volatilize. The cap was

replaced and the bottle was lifted out of the water. Bottles were dried, labeled, and placed in a cooler with ice.

Lake Sediment Samples

Lake sediment was sampled at two sites in the suspected treatment area and at two sites outside of the suspected treatment area (four total lake sediment samples at Bass Lake) using methods adapted from the EGLE WRD Quality Assurance Manual for Ambient Water, Sediment, and Biological Sampling (Page 150-151). One lake sediment sample was collected in Crooked Lake to serve as a control sample.

At Crooked Lake, the ANC field team waded to the sample location to collect the sediment sample. The Ponar dredge sampler (also known as a grab sampler) was deployed while facing the sampling location so that the sample was not waded through.

At Bass Lake, the ANC field team anchored the boat over each sample location and deployed the Ponar dredge sampler to the lake bottom. The Ponar dredge sampler was activated to collect the lake sediment sample and retrieved to the boat deck. Water was decanted off the top of the sampler, and the contents were emptied into a decontaminated stainless-steel bowl. The sediment was mixed to ensure a consistent sample and transferred into a clear glass jar covered with foil. The glass jar was placed in a cooler with ice. The Ponar dredge sampler and collection container were rinsed with isopropyl alcohol and allowed to air dry prior to collecting additional sediment samples.

Lake Plant Samples

On site, the ANC field team determined collection of plant material was viable. Plant material was sampled at two sites in the suspected treatment area and at two sites outside of the suspected treatment area (four total plant material samples collected at Bass Lake). One plant sample was collected in Crooked Lake to serve as a control sample.

If targeted plants were reachable by wading or lying near the surface, a rake was used to collect plant tissue to fill the sample bag. All plant tissue was collected except for the roots. The bags were sealed with sampling tape, labelled, and placed in a cooler with ice.

If aquatic plants were not reachable by hand, a rake was used to collect foliage. The rake was lowered vertically to the bottom of the waterbody. While in contact with the bottom, the rake was gently dragged to collect plant tissue. The rake was gently pulled straight up to the surface to keep the vegetation on the rake during retrieval. The plants collected were thoroughly rinsed using water from where the plant was collected to

remove excess mud and other organisms. Plants were placed in a sample bag and excess water was drained. The bags were sealed with sampling tape, labelled, and placed in a cooler with ice.

Results

Following the review of results from both laboratories, WRD concluded that the aquatic herbicide fluridone was applied to Bass Lake sometime in 2025 and likely caused the observed impacts to the aquatic plants in the lake. Fluridone was detected in plant tissue collected at all four sample locations and in sediment samples collected at two sample locations (Table A). Fluridone was not detected in the water samples. The concentration of fluridone in the plant tissue and sediment samples is not expected to present human health concerns (USEPA Human Health Benchmarks).

Beyond fluridone, the testing detected seven other pesticides at concentrations that are not expected to present human health concerns (Table A). The presence of these seven pesticides is most likely due to run off from terrestrial use in the watershed and not from the suspected herbicide treatment in Bass Lake. Each chemical was found at levels below human health concern values (Table A).

One of the seven is an herbicide (2,4-D) commonly used for control of both terrestrial and aquatic plant species. 2,4-D was detected in sediment in Bass Lake. 2,4-D was detected at levels below USEPA Benchmark value and human health concern value (Table A).

The remaining six pesticides are insecticides and fungicides associated with agricultural use or insect repellent (USEPA Human Health Benchmarks, USEPA Technical Factsheet for Carbofuran). These six pesticides were found either in plant tissue or water (Table A). Two fungicides, Cyprodinil and Flutolanil in one of the water samples. Cyprodinil and Flutolanil were detected at levels below USEPA Benchmark values and values of human health concerns (Table A). Four pesticides were found in plant tissue in the waterbody: Azoxystrobin (fungicide), Bifenthrin and Carbofuran (insecticide), DEET (insecticide/insect repellent) (Table A). All four pesticides were detected at levels below the values for human health concern (Table A). However, Bifenthrin was detected at levels above the USEPA Benchmark values. As these four pesticides were found in plant tissue and not sediment or water samples, there is minimal concern for human health impacts (Personal communication; Kevin Cox, Supervisor, EGLE WRD Water Toxics Unit; 2026).

Samples from Crooked Lake did not have detectable concentrations of Fluridone in plant tissue, sediment or water samples. Crooked Lake had detectable concentrations

Treatment Without an ANC Permit Investigation
Bass Lake, Gogebic County

of Insecticide/insect repellants DEET and picaridin in sediment and plant tissue. Land use at Crooked may explain the difference in samples results from Bass Lake and Crooked Lake. As noted in the site description, Crooked Lake is less developed than Bass Lake. Laboratory sample reports are included in Attachment B, with values shown in parts per billion (PPB).

Table A: Summary of sample results from Bass and Crooked Lakes.

Pesticide Name	Pesticide Type	Sample Site	Sample Type	Amount Detected (PPB)	Aquatic Life Chronic Impact Benchmark (PPB)	Human Health Value (PPB)
Bass Lake						
Fluridone	Herbicide	2	Plant Tissue	0.44	1	80000
Fluridone	Herbicide	1	Sediment	0.66	1	80000
Fluridone	Herbicide	4	Plant Tissue	0.78	1	80000
Fluridone	Herbicide	1	Plant Tissue	1.1	1	80000
Fluridone	Herbicide	3	Plant Tissue	1.3	1	80000
Fluridone	Herbicide	2	Sediment	6.4	1	80000
2,4-D	Herbicide	3	Sediment	1.1	270	4700
Cyprodinil	Fungicide	1	Water	1.2	8	270
Flutolanil	Fungicide	1	Water	2.9	230	5000
Azoxystrobin	Fungicide	3	Plant Tissue	0.092	44	180
Azoxystrobin	Fungicide	4	Plant Tissue	0.29	44	180
Carbofuran	Insecticide	2	Plant Tissue	0.26	0.75	40
Bifenthrin	Insecticide	2	Plant Tissue	0.69	0.0013	13
DEET	Insecticide/Insect Repellant	2	Plant Tissue	2.8	10000	100
DEET	Insecticide/Insect	1	Plant	4.4	10000	100

Treatment Without an ANC Permit Investigation
Bass Lake, Gogebic County

Pesticide Name	Pesticide Type	Sample Site	Sample Type	Amount Detected (PPB)	Aquatic Life Chronic Impact Benchmark (PPB)	Human Health Value (PPB)
	Repellant		Tissue			
DEET	Insecticide/Insect Repellant	3	Plant Tissue	4.7	10000	100
DEET	Insecticide/Insect Repellant	4	Plant Tissue	10.0	10000	100
Crooked Lake						
DEET	Insecticide/Insect Repellant	5	Plant Tissue	3.5	10000	100
DEET	Insecticide/Insect Repellant	5	Sediment	6.4	10000	100
Picaridin	Insecticide/Insect Repellant	5	Plant Tissue	0.45	*	*

* There have been no established aquatic life or human health benchmark values for picaridin. Toxicity testing in mammals shows an exposure value of 2,000,000 PPB.

Conclusion

The WRD has not identified any public health concerns based on the results of the screening for pesticides in the plant tissue, water, and sediment samples.

The initial concentration of fluridone applied to Bass Lake is unknown. Fluridone is degraded by physical, chemical, and biological processes following application to freshwater systems (Biology and Control of Aquatic Plants, 4th edition). The monitoring of permitted fluridone treatments in other ANC permitted Michigan inland lakes indicates that fluridone concentrations in water samples decrease to non-detect levels several months following treatment. Both native plant species and non-native watermilfoil can be impacted by fluridone, depending on the concentration of the initial application (Biology and Control of Aquatic Plants, 4th edition).

Field Work by: Ryan Crouch, Environmental Quality Analyst
Permits Section
Water Resources Division

Report by: Ryan Crouch, Environmental Quality Analyst
Permits Section
Water Resources Division

This publication is intended for guidance only and may be impacted by changes in legislation, rules, policies, and procedures adopted after the date of publication. Although this publication makes every effort to teach users how to meet applicable compliance obligations, use of this publication does not constitute the rendering of legal advice.

EGLÉ does not discriminate on the basis of race, sex, religion, age, national origin, color, marital status, disability, political beliefs, height, weight, genetic information, or sexual orientation in the administration of any of its programs or activities, and prohibits intimidation and retaliation, as required by applicable laws and regulations.

To request this material in an alternative format, contact EGLÉ-Accessibility@Michigan.gov or call 800-662-9278.

Citations

Aquatic Ecosystem Restoration Foundation. *Biology and Control of Aquatic Plants: A Best Management Practices Handbook*. Edited by L.A. Gettys et al., 4th ed., Aquatic Ecosystem Restoration Foundation, July 2020, pp. 172, 173, 177.
<https://aquatics.org/resources/>.

Gervais, J. A.; Wegner, P.; Luukinen, B.; Buhl, K.; Stone, D. 2009. *Picaridin Technical Fact Sheet*; National Pesticide Information Center, Oregon State University Extension Services. <http://npic.orst.edu/factsheets/archive/Picaridin.html>

US DHHS. *Toxicological Profile for DEET (N,N-Diethyl-meta-toluamide)*. US DHHS, Agency for Toxic Substances and Disease Registry, Aug. 2017.
<https://wwwn.cdc.gov/TSP/ToxProfiles/ToxProfiles.aspx?id=1451&tid=201>.

US EPA. “2021 Human Health Benchmarks for Pesticides.” *Safe Drinking Water Act*, 29 Dec. 2025, www.epa.gov/sdwa/2021-human-health-benchmarks-pesticides.

US EPA. “Aquatic Life Benchmarks and Ecological Risk Assessments for Registered Pesticides.” *Pesticide Science and Assessing Pesticide Risks*, 2 Feb. 2026, <https://www.epa.gov/pesticide-science-and-assessing-pesticide-risks/aquatic-life-benchmarks-and-ecological-risk#aquatic-benchmarks>.

US EPA “Technical Factsheet on Carbofuran”. 1994.
<https://archive.epa.gov/water/archive/web/pdf/archived-technical-fact-sheet-on-carbofuran.pdf>

US EPA. “National Primary Drinking Water Regulations.” *Ground Water and Drinking Water*, 1 Dec. 2025, <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulations>.

Wassell, W.D., et al. *Bifenthrin; Revised Human-Health Risk Assessment*. US EPA Office of Prevention, Pesticides and Toxic Substances, 14 May 2008.
<https://www.regulations.gov/>.

Treatment Without an ANC Permit Investigation
Bass Lake, Gogebic County



Figure 1. Sites for sampling surface water, lake sediment, and plant material at Bass Lake, Gogebic County, Michigan. Sampling Site 1 and 2 were identified as suspected treatment areas in a report received by ANC staff. The water column profile will be conducted at Sampling Site 3. Sampling Site 4 is adjacent to a public use area owned by Watersmeet Township.

Sampling Site 1 Latitude and Longitude: 46.306127, -89.173523

Sampling Site 2 Latitude and Longitude: 46.305198, -89.174929

Sampling Site 3 Latitude and Longitude: 46.302878, -89.175685

Sampling Site 4 Latitude and Longitude: 46.299500, -89.171810

Treatment Without an ANC Permit Investigation
Bass Lake, Gogebic County



Figure 2. Site for sampling surface water, lake sediment, and plant material at Crooked Lake, Gogebic County, Michigan. Sampling Site 5 is adjacent to a public access site owned by the United States Department of Agriculture Forest Service.

Sampling Site 5 Latitude and Longitude: 46.24894, -89.28726

Appendix A

2025 Water Quality Monitoring Plan for Targeted National Pollutant Discharge Elimination System (NPDES) Permitted Facilities

Watershed ID (Hydrologic Unit Code)

Lower Peninsula Watersheds

Upper St Joseph River Watershed (04050001), Maumee River Tributaries Watershed (04100001/04100003/04100006), Rouge River Watershed (04090004), Macatawa River Watershed (04050002), Shiawassee River Watershed (04080203), Wiscoggin River Watershed (04080103), Kawkawlin-Pine River Watershed (04080102), Pentwater River Watershed (04060101), Pere Marquette River Watershed (04060101), Thunder Bay River Watershed (04070006), Swan Creek Watershed (04070003), Ocqueoc River Watershed (04070003), Black River Watershed (04070005), and the Cheboygan River Watershed (04070004)

Upper Peninsula Watersheds

Fishdam River Watershed (04030112), Sturgeon River Watershed (04030112), Au Train-Chocolay River Watershed (04020201), Whitefish River Watershed (04030111), Rapid River Watersheds (04030111), Escanaba River Watershed (04030110), Ford River Watershed (04030109), and the Cedar River Watershed (040030109)

Introduction

Michigan Department of Environment, Great Lakes, and Energy (EGLE) Permits Section staff are proposing to monitor targeted sites in Lakes Michigan, Superior, Erie, and Huron Watersheds to collect water chemistry samples for total hardness at several sites upstream of permitted facilities. Results will be used during Water Quality-Based Effluent Limit (WQBEL) development. Macroinvertebrate community, habitat quality, visual observations, and nutrient expression determinations may also be conducted based on best professional judgement and if site conditions warrant. If conducted, macroinvertebrate community, habitat quality, and visual observations will utilize the Great Lakes Watersheds Assessment, Restoration, and Management Section (GLWARMS) Procedure 51 (P-51) Qualitative Biological and Habitat Survey Protocols for Wadeable Streams and Rivers. Table 1 lists the Lakes Michigan and Superior Watershed proposed sampling locations. Table 2 lists the Lakes Erie and Huron Watershed proposed sampling locations. Table 3 includes a summary of the estimated laboratory costs, estimated days of work, number of sites, and level of effort. Figure 1, Figure 2, and Figure 3 illustrate the total hardness and P-51 monitoring survey locations proposed in Lower Michigan and Upper Michigan, respectively.

Monitoring Objectives

Support water quality-based effluent limit development for NPDES permits.

This objective will be accomplished primarily through water chemistry sampling but may include visual observations and aquatic macroinvertebrate community assessments at

select locations using P-51. Tables 1 and 2 describe the monitoring locations and the type of monitoring proposed. Water chemistry monitoring is not proposed for any sites other than those listed in Tables 1 and 2. However, additional water chemistry monitoring may be conducted if site conditions indicate water quality impairments.

Identify nonpoint sources (NPS) of water quality impairment.

This objective will be accomplished primarily through visual observation and if determined appropriate, biological community and habitat condition assessments performed at selected sites listed in Tables 1 and 2.

Evaluate the effectiveness of specific NPS water quality improvement projects.

There are no known NPS water quality improvement projects that will be targeted for monitoring as part of this study plan.

Satisfy water quality monitoring requests submitted by internal and external customers.

As part of the Targeted Monitoring Meetings, there were no internal or external requests related to NPDES permits other than what was proposed by Permits Section. It is intended that the targeted monitoring proposed by Permits Section staff will be completed unless circumstances prevent otherwise. Permits Section staff will work with GLWARMS staff to determine which targeted requests have been completed.

Support the development of a Total Maximum Daily Load (TMDL).

This study plan does not propose any monitoring to support the development of a TMDL. The 2024 Water Quality and Pollution Control in Michigan Sections 303(d), 305(b), and 314 Integrated Report (Integrated Report) describes the designated uses for all the Assessment Unit Identifications (AUIDs) listed in Tables 1 and 2 as either not supporting, fully supporting, have insufficient information or not assessed. In addition, the Integrated Report will list TMDLs that have been approved or scheduled.

Assess the current status and condition of individual assessment units in these watersheds and determine whether water quality standards are being met.

Biological community assessments and/or water chemistry data at select sites will be shared with the appropriate watershed biologist.

Evaluate biological integrity temporal trends.

This study plan does not propose any monitoring to support temporal trends.

Evaluate the effectiveness of specific contaminated site remediation projects.

There are no contaminated site remediation projects that will be targeted for monitoring as part of this study plan.

Previous Water Quality Monitoring

Below is a summary of the most recent water quality monitoring where GLWARMS conducted P-51.

Upper St Joseph River Watersheds

Habitat quality and biological community surveys were conducted in the Upper St. Joseph Watershed in Summer 2015. These surveys found the macroinvertebrate community scores in these watersheds ranged from Poor to Excellent with 4 out of 40 sites rating Poor. Habitat quality ranged from Marginal to Excellent (Matousek, 2020).

Maumee River Tributaries Watershed

A watershed-wide survey of the Maumee River Tributaries Watershed was conducted from June through September 2010. This survey found the macroinvertebrate community scores in these watersheds ranged from Poor to Excellent with 4 out of 40 sites rating Poor. Habitat quality ranged from Marginal to Good (Alwin et al., 2015).

Rouge River Watershed

Biological and habitat quality surveys were conducted in the Rouge River Watershed from June through September 2010 and June – September 2015. These surveys found the macroinvertebrate community scores in these watersheds ranged from Poor to Acceptable in both 2010 and 2015. Habitat quality ranged from Poor to Good. The staff report concluded that urban storm water runoff continued to impact water quality, while channelization, flashy hydrology, and siltation also limited the potential of biological communities (Schoen, 2020).

Macatawa River Watershed

Biological and habitat quality surveys were conducted in the Macatawa River Watershed in July through September 2015. Habitat quality rated Marginal to Good. The macroinvertebrate community rated Poor to Acceptable. Fish community was assessed at seven sites with the fish community rating Poor to Acceptable. The fish community was assessed and had poor ratings for individual metrics related to the number of intolerant taxa, the number of sucker taxa, and the percentage of tolerant fish collected. There were no specific nonpoint sources of water quality impairments identified in the surveys beyond the broad scale impacts of agricultural and residential nonpoint source pollution and storm water runoff (Holden, 2016).

Shiawassee River Watershed

Biological and habitat quality surveys were conducted in the Shiawassee River Watershed in July through August 2015. Habitat quality rated Marginal to Excellent. The macroinvertebrate community rated Poor to Excellent. The staff report concluded that the mainstem of the Shiawassee River had very good macroinvertebrate scores and habitat conditions, while the majority of tributaries were highly altered, channelized, and agricultural ditches with Marginal to Acceptable scores. (Turek, 2016).

Wiscoggin and Kawkawlin-Pine River Watersheds

Biological and habitat quality surveys were conducted in the Wiscoggin and Kawkawlin-Pine River Watershed in June through August 2015. Habitat quality rated Fair to Excellent. The macroinvertebrate community rated Poor to Acceptable. The staff report concluded that the sites scoring lower are generally agricultural drains that are impacted by riparian removal, channelization, and poor bank stability. Stagnant flows also impacted a large area of the watershed (Schoen, 2020).

Pentwater River Watershed

Biological and habitat quality surveys were conducted in the Pentwater River Watershed in June through July 2015. Habitat quality was all rated as Good. The macroinvertebrate community rated Poor to Acceptable (Knoll Wilmes, 2017).

Pere Marquette River Watershed

A watershed-wide survey of the Pere Marquette River Watershed was conducted in August 2015. Habitat quality rated from Marginal to Excellent. The macroinvertebrate community rated Poor to Excellent. The staff report concluded that the macroinvertebrate community and habitat in the Pere Marquette Watershed as a whole is acceptable to excellent with some tributaries where problems are evident due to land use (e.g. agriculture) and storm water practices (Rippke, 2017).

Thunder Bay River, Swan Creek, Ocqueoc River, Black River, and Cheboygan River Watersheds

Watershed-wide surveys of these watersheds were completed in August and September 2015. Habitat quality rated from Good to Excellent. The macroinvertebrate community rated Acceptable to Excellent (Noffke, 2017).

Au Train-Chocolay, Cedar, Ford, Whitefish, Escanaba, Rapid, Fishdam, and Sturgeon River Watersheds

Watershed-wide surveys of these watersheds were completed in June and July 2015. Habitat quality rated from Marginal to Excellent. The macroinvertebrate community rated Poor to Excellent (Parker, 2016).

Literature Cited

- Alwin, T., Keiper, B., and Kohlhepp, G. 2015. Biological Survey of the St. Joseph River Watershed (Maumee River), Bean Creek Watershed, and Tributaries to Lake Eire Hillsdale, Lenawee, and Monroe Counties, Michigan, June-September 2010. Michigan Department of Environmental Quality, Water Resources Division. Staff Report # MI/DEQ/WRD-15/009.
- Holden, S. 2016. Biological Survey of the Lake Macatawa and Pigeon River Watersheds in Allegan and Ottawa Counties, Michigan, July-September 2015. Michigan Department of Environmental Quality, Water Resources Division. Staff Report # MI/DEQ/WRD-16/030.
- Knoll Wilmes, M. 2017. Biological and water chemistry surveys in the Pentwater River watershed in Oceana County, Michigan, June-July 2015. Michigan Department of Environmental Quality, Water Resources Division. Staff Report # MI/DEQ/WRD-17/019.
- Matousek, J. 2020. St. Joseph River Watershed Report. Upper and Lower St. Joseph River Watersheds. Berrien, Branch, Calhoun, Cass, Hillsdale, Kalamazoo, St. Joseph, and Van Buren Counties. Michigan Department of Environmental Quality, Water Resources Division. Surface Water Assessment Section. Staff Report # MI/EGLE/WRD-20/001.
- Noffke, S. 2017. Biological Surveys from the Cheboygan, Black, Thunder Bay, Swan, Ocqueoc, and Little Black Rivers Watersheds within Michigan's Northeastern Lower Peninsula, located in Alpena, Alcona, Cheboygan, Emmet, Montmorency, Oscoda, Otsego, and Presque Isle Counties, August and September 2015. Michigan Department of Environmental Quality, Water Resources Division. Staff Report # MI/DEQ/WRD-17/020.
- Parker, A. 2016. A Biological Survey of the Central Upper Peninsula Watersheds of the Au Train-Chocolay, Cedar-Ford, Escanaba, Rapid-Whitefish, and Fish Dam-Sturgeon Rivers, Marquette, Alger, Dickinson, Delta, and Menominee Counties, June and July 2015. Michigan Department of Environmental Quality, Water Resources Division. Staff Report # MI/DEQ/WRD-17/006EGLE/WRD-22/006.
- Rippke, M. 2017. Biological Surveys of Selected Sites in the Pere Marquette River Watershed in Lake, Mason, Newaygo, and Oceana Counties, Michigan, August 2015. Michigan Department of Environmental Quality, Water Resources Division. Staff Report # MI/DEQ/WRD-17/007.
- Schoen, L. 2020. Biological and Water Chemistry Surveys of Selected Stations in the Rouge River Watershed in Wayne, Washtenaw, and Oakland Counties, Michigan, June-September 2010 and June-September 2015. Michigan Department of Environment, Great Lakes, and Energy, Water Resources Division. Staff Report # MI/EGLE/WRD-20/007.

Treatment Without an ANC Permit Investigation
Bass Lake, Gogebic County – Appendix A

Schoen, L. 2020. Biological Survey of the Kawkawlin-Wiscoggin Watershed and Selected Saginaw Bay Tributaries in Arenac, Bay, Gladwin, and Tuscola, Counties, June-September 2015. Michigan Department of Environment, Great Lakes, and Energy, Water Resources Division. Staff Report # MI/EGLE/WRD-20/008.

Turek, K. 2016. Biological Survey of the Shiawassee River Watershed, Midland, Gratiot, Saginaw, Shiawassee, Genesee, and Livingston Counties, June-September 2015. Michigan Department of Environmental Quality, Water Resources Division. Staff Report # MI/DEQ/WRD-16/021.

2024 Water Quality Monitoring Plan for Targeted NPDES Permitted Facilities

Lower Peninsula Watersheds

Upper St Joseph River Watershed (04050001), Maumee River Tributaries Watershed (04100001/04100003/04100006), Rouge River Watershed (04090004), Macatawa River Watershed (04050002), Shiawassee River Watershed (04080203), Wiscoggin River Watershed (04080103), Kawkawlin-Pine River Watershed (04080102), Pentwater River Watershed (04060101), Pere Marquette River Watershed (04060101), Thunder Bay River Watershed (04070006), Swan Creek Watershed (04070003), Ocqueoc River Watershed (04070003), Black River Watershed (04070005), and the Cheboygan River Watershed (04070004)

Upper Peninsula Watersheds

Fishdam River Watershed (04030112), Sturgeon River Watershed (04030112), Au Train-Chocolay River Watershed (04020201), Whitefish River Watershed (04030111), Rapid River Watersheds (040301111), Escanaba River Watershed (04030110), Ford River Watershed (04030109), and the Cedar River Watershed (040030109)

There are three proposed P-51 surveys for 2025. When a P-51 is conducted and the macroinvertebrate community and habitat quality indicate degraded conditions, the aquatic biologist will use best professional judgement to determine if an upstream P-51 survey should be completed. In addition, aquatic invasive plants, fish, and animals will also be identified and recorded at each P-51 site.

Staff will use best professional judgement to determine if a P-51 survey is necessary at any other sites based on conditions at the time of a site visit. If a P-51 survey is performed, it will be conducted downstream of an outfall at one of the proposed targeted sites listed in Table 1 and Table 2.

Water chemistry for total hardness will be collected at select sites listed in Tables 1 and 2. Visual observations will be made at all sites. Observations for nutrient expression will be performed at the sites listed in Table 1 and 2. Staff will use the Nutrient Expression Applications (Apps) developed by the Nuisance Nutrient Workgroup in GLWARMS to determine if nuisance plant conditions are occurring. Staff will determine the type of plants present, spatial coverage, length of algae, if stream flow is altered, and substrate information. The information collected using the apps will be used to determine if additional monitoring should occur. Any additional monitoring would be coordinated by the Nuisance Nutrient Workgroup.

Sites for total hardness and estimated cost for water chemistry analysis is provided below in Figures 1, 2, and 3 and Tables 1, 2, and 3, respectively. Permits Section will coordinate some of the collection of total hardness samples with District and/or GLWARMS staff where appropriate. There are a total of 50 water chemistry samples proposed to be collected and analyzed for total hardness (including Quality Assurance/Quality Control

(QA/QC) samples). No other water chemistry samples are proposed at this time but may occur if staff determine a need.

Sites without United States Environmental Protectional Agency (USEPA) “STOrage and RETrieval” (STORET) system numbers will be assigned numbers after the work has been completed at each site.

Additional Water Quality Monitoring Methods and Activities

Macroinvertebrate community and habitat quality assessments will be performed, unless otherwise indicated, according to GLWARMS P-51 at wadeable streams.

Water chemistry samples will be collected, preserved, and transported according to procedures contained in the Water Resources Division Quality Assurance Manual for Ambient Water, Sediment, and Biological Sampling unless otherwise indicated. All chemical analyses will be conducted at the EGLE Environmental Laboratory, using USEPA promulgated methods. Quality Assurance samples (field blanks, trip blanks, and duplicates) will be collected and analyzed consistent with the requirements set forth in the Water Resources Division Quality Assurance Manual for Ambient Water, Sediment, and Biological Sampling.

Latitude and longitude coordinates will be determined using Global Positioning System technology and recorded for all monitoring sites.

Photographs of all monitoring sites will be taken and filed, except for the water chemistry sites for total hardness.

Causes and sources of water quality impairment observed during the 2025 monitoring effort will be identified, described, and recorded whenever possible.

Data Management

All P-51 biological and habitat data will be entered in the Survey123 application before being uploaded into the P-51 biosurvey database.

All water chemistry data will be entered into the USEPA’s Water Quality Exchange database.

All biological data collected using procedures other than P-51 will be stored in the GLWARMS Lakes and Streams file.

All field notes and data sheets will be maintained in the GLWARMS biological survey raw data file.

Reporting

Permits Section biologists will summarize the biological assessments and water quality data to be included in the final watershed report prepared by the biologists in GLWARMS. The watershed report will be distributed to interested individuals upon request.

All biological and water chemistry data collected will be made available to the public via online through the Water Quality Portal.

Health and Safety Plan

The primary goals of executing the activities set forth in this work plan are to have zero incidents/near misses, zero accidents, and cause zero harm to human health or the environment. These goals can be accomplished by creating a culture of safe work practices which include the selection and use of appropriate personal protective equipment (PPE); identifying, communicating, and correcting potential hazards; remaining attentive to changing conditions and the task at hand; and taking ownership of personal safety and the safety of coworkers.

Although a single hazard may not be significant under normal working conditions, the potential for injury increases dramatically when combined with other hazards and long working hours, fatigue, and/or challenging environmental conditions. Task-specific hazards should be identified and discussed before work begins at each site (e.g., tailgate meeting, 2-minute rule). Discussion should include not only potential hazards, but ways in which to prevent, avoid, and mitigate those hazards.

There are four major categories of hazards that may be associated with the planned sampling activities: (1) *biological hazards*, (2) *chemical exposures*, (3) *physical hazards*, and (4) *behavioral hazards*.

Biological hazards include exposure to bacterial, fungal, and viral diseases in contaminated water or sediments, vector-borne diseases from mosquitos or ticks, and skin rashes or systemic ailments resulting from contact with poisonous plants or animals. These hazards may be mitigated by using appropriate PPE, insect repellents, immunizations, and contact avoidance behaviors.

Chemical hazards include exposure to chemicals related to sample preservation or in the air, water, or soil/sediment. These hazards may be mitigated by using appropriate PPE, using safe handling/storage methods, and avoidance behaviors.

Physical hazards can be associated with things like vehicular traffic, boating, machinery and tools, fatigue, and weather hazards. Physical hazards can be further subdivided in the following categories:

Kinetic/Mechanical	Uneven, slippery surfaces cause slip/trip/fall injuries, falling objects cause 'struck-by' injuries.
Thermal	Fire, explosions, hot or cold environments cause burns, heat stress, hypothermia.
Electrical	Electrofishing units and overhead/underground power lines can cause electrical shock, burns, and fires.
Acoustic	Loud machinery (boat motors, road noise, generators) can prevent proper communication, distractions, fatigue, and hearing loss.
Radiological	Ionizing radiation, UV/IR light or microwaves from equipment/instruments or sunlight could cause vision problems, burns, or tissue damage.

Physical hazards can be mitigated by using appropriate PPE, safety conscious processes/work practices, and avoidance behaviors.

Behavioral hazards include acting without thinking, planning, or communicating, distracted attention, continuing with an activity when questions or concerns arise, groupthink (not exercising freedom of thought, reluctance to ask questions or speak up, assuming someone else will act), multi-tasking (cell phone usage while driving, side conversations during a critical action or meeting).

Resource Estimates

Table 3 includes a summary of the number of field days, staff resources, and costs estimates. The breakdown of this information is further described below:

Number of field days needed to execute the water quality monitoring plan:

Lakes Michigan and Superior Watershed = two days (by two Aquatic Biologists) with no overnights proposed.


Lakes Erie and Huron Watersheds = four days (by two Aquatic Biologists) with one overnight proposed.

Water Chemistry Cost Estimate: \$1,071

- Total Hardness Samples are \$25.50 per sample analyzed at the EGLE Environmental Laboratory
- A total of 50 total hardness samples are proposed to be collected (50 total hardness sites plus 6 QA/QC samples [3 Duplicate samples and 3 Field Blank Samples]).
- Special Equipment/Supply Needs: WRD Vehicle from Filley Street, YSI Sonde, work cell phones, water chemistry preservative kit, cooler, ice, and P-51 gear.


Documentation of Water Quality Monitoring Study Plan Development and Approval

Water quality monitoring plan prepared by: Jack Farrelly

 _____ DATE 04/07/2025

(Sign Name & Date): Aquatic Biologist, Permits Section, WRD, EGLE

Water quality monitoring plan approved by: Amanda Bosak

 _____ DATE 04/07/2025

(Sign Name & Date): Supervisor, Water Quality and Aquatic Nuisance Control Unit, WRD, EGLE

Treatment Without an ANC Permit Investigation
Bass Lake, Gogebic County – Appendix A

Table 1. 2024 Water Quality Monitoring and Biosurvey Locations in Lakes Michigan and Superior Watershed.

Site	Facility & Permit Number	Proposed Monitoring	Waterbody Name	Latitude	Longitude	AUID & STORET
1	Billerud Escanaba LLC MI0000027	Total Hardness	Escanaba River	45.840604	-87.089061	MI040301100308-02 STORET 210100
2	Coldwater WRRF MI0020117	Total Hardness	Coldwater River	41.927229	-85.048205	MI040500010107-01 STORET 120146
3	Coldwater WRRF MI0020117	Total Hardness	Sauk River	41.941699	-85.024062	MI040500010108-02 STORET 120225
4	Coldwater WRRF MI0020117	Total Hardness	South Lake Outlet	41.944601	-85.03114	MI040500010111-01 STORET 120144
5	Constantine WWTP MI0060273	Total Hardness	St. Joseph River	41.847634	-85.669454	MI040500010904-01 STORET – Need
6	Empire Iron Mining Partnership MI0000094	Total Hardness	Green Creek	46.372383	-87.606034	MI040301100109-01 STORET 520262
7	Empire Iron Mining Partnership MI0000094	Total Hardness	Schweitzer Reservoir	46.41112	-87.624323	MI040301100106-01 STORET 520252
8	Hillsdale WWTP MI0022136	Total Hardness	St. Joseph River	41.934482	-84.640515	MI040500010203-02 STORET 300132
9	Holland BPW-Energy Park	Total Hardness	Maplewood Drain	42.791879	-86.090542	MI040500020406-01 STORET - Need

Treatment Without an ANC Permit Investigation
 Bass Lake, Gogebic County – Appendix A

Site	Facility & Permit Number	Proposed Monitoring	Waterbody Name	Latitude	Longitude	AUID & STORET
	MI0060274					
10	Holland WWTP MI0023108	Total Hardness	Lake Macatawa	42.79593	-86.11784	MI040500020408-01 STORET 700716
11	KI Sawyer WWTP- Marquette Co MI0021423	Total Hardness	Silver Lead Creek	46.329406	-87.381223	MI040202010101-05 STORET 520467
12	Ludington WWTP MI0021334	Total Hardness	Pere Marquette River	43.932622	-86.417416	MI040601010509-06 STORET 530033
13	Mead Johnson Nutrition MI0000175	Total Hardness	Brower Drain	42.815650	-85.999815	MI040500020405-01 STORET - Need
14	Michigan Power Limited Partnership MI0053767	Total Hardness	Pere Marquette River	43.932622	-86.417416	MI04060101509-06 STORET 530033
15	MMPA-Constantine Plant MI0001414	Total Hardness	Fawn River	41.845938	-85.664193	MI040500010809-01 STORET 750010
16	MMPA-Constantine Plant MI0001414	Total Hardness	St. Joseph River	41.847634	-85.669454	MI040500010904-01 STORET - Need
17	Munising WWTP MI0020044	Total Hardness	Anna River	46.403154	-86.648391	MI040202010202-02 STORET 020015

Treatment Without an ANC Permit Investigation
 Bass Lake, Gogebic County – Appendix A

Site	Facility & Permit Number	Proposed Monitoring	Waterbody Name	Latitude	Longitude	AUID & STORET
18	Occidental Chem Corp-Ludington MI0003026	Total Hardness	Pere Marquette Lake	43.952784	-86.454318	MI040601010509-05 STORET 530014
19	Ottawa CRC-SW County LF GWCU MI0044130	Total Hardness	Winstrom Creek	42.804122	-86.179064	MI040500020408-NA STORET - Need
20	Quincy WWSL MI0055751	Total Hardness	Bagley Creek	41.952835	-84.867268	MI040500010109-01 STORET 120268
21	Randall Foods Inc MI0028215	Temperature	St. Joseph River	42.0891707	-84.9870687	MI040500010208-01 STORET - Need
22	Sturgis WWTP MI0020451	Total Hardness	Fawn River	41.760042	-85.475791	MI040500010806-02 STORET 750155
23	Three Rivers WWTP MI0020991	Total Hardness	St. Joseph River	41.93295	-85.635986	MI040500010904-03 STORET 750353
24	Tilden Mining Co MI0038369	Total Hardness	Goose Lake Outlet	46.45542	-87.49695	MI040301100107-01 STORET 520475
25	Zeeland WWTP MI0020524	Total Hardness	Bosch and Hulst Drain	42.808029	-86.038301	040500020405-01 STORET 700604

Treatment Without an ANC Permit Investigation
Bass Lake, Gogebic County – Appendix A

Table 2. 2024 Water Quality Monitoring and Biosurvey Locations in Lakes Erie and Huron Watersheds.

Site	Facility & Permit Number	Proposed Monitoring	Waterbody Name	Latitude	Longitude	AUID & STORET
26	Alpena WWTP MI0022195	Total Hardness	Thunder Bay River	45.063760	-83.430988	MI040700060605-02 STORET 040101
27	Arbor Hills Remediation Area MI0045713	Total Hardness	Unnamed tributary to Johnson Drain	42.396961	-83.549823	MI040900040201-03 STORET 821661
28	Beford Twp WWTP MI0020761	Total Hardness	Indian Creek	41.7363	-83.546132	MI041000010302-NA STORET 580622
29	Carmeuse Lime & St-Rogers City MI0004111	P51	Swan Creek	45.383527	-83.729722	MI040700030303-01 STORET – Need
30	Cleveland-Cliffs Steel Corporation-Dearborn Works MI0043524	Total Hardness	Rouge River	42.294557	-83.179394	MI040900040407-01 STORET 820072
31	Diamond Chrome Plating Inc MI0058204	Total Hardness	Marion & Genoa Drain	42.583498	-83.913975	MI040802030101-02 STORET 470186
32	DTE Nitro Station Napier Road & 5 Mile Conduit MI0060368	Total Hardness	Johnson Drain	42.393268	-83.534634	MI040900040201-03 STORET 821514
33	DTE Nitro	Total	Unnamed	42.396961	-83.549823	MI040900040201-03

Treatment Without an ANC Permit Investigation
 Bass Lake, Gogebic County – Appendix A

Site	Facility & Permit Number	Proposed Monitoring	Waterbody Name	Latitude	Longitude	AUID & STORET
	Station Napier Road & 5 Mile Conduit MI0060368	Hardness	tributary to Johnson Drain			STORET 821661
34	Genesee Co #3 WRRF MI0022993	Total Hardness	Shiawassee River	42.815657	-83.80222	MI040802030108-13 STORET 250462
35	Genoa-Oceola WWTP MI0055654	Total Hardness	Marion & Genoa Drain	42.583498	-83.913975	MI040802030101-02 STORET 470186
36	Holly WWTP MI0020184	Total Hardness	Shiawassee River	42.792199	-83.635288	MI040802030107-02 STORET 630288
37	Howell WWTP MI0021113	Total Hardness, P-51	Marion & Genoa Drain	42.583498	-83.913975	MI040802030101-02 STORET 470186
38	Howell Twp WWTP MI0055727	Total Hardness	South Branch Shiawassee River	42.599977	-83.963581	MI040802030101-01 STORET 470110
39	HSC MI0027375	Total Hardness	McClellan Run	43.430759	-84.155635	MI040802030407-05 STORET - Need
40	Hudson WWTP MI0021377	Nutrient Expression Survey	Bean Creek	41.848252	-84.351041	MI041000060106-01 STORET – Need
41	Ithaca WWSL MI0056928	Total Hardness	Unnamed tributary of Brady Creek	43.287525 or 43.280217	-84.589274 or -84.601004	MI040802030301-01 STORET - Need
42	Luna Pier	Total	LaPointe	41.802330	-83.44995	MI041000010202-02

Treatment Without an ANC Permit Investigation
 Bass Lake, Gogebic County – Appendix A

Site	Facility & Permit Number	Proposed Monitoring	Waterbody Name	Latitude	Longitude	AUID & STORET
	WWTP MI0058821	Hardness	Drain			STORET – Need
43	Oakland Co Walled Lk Novi WWTP MI0024287	Total Hardness	Unnamed tributary to Walled Lake Branch	42.514667	-83.495399	MI040900040203-02 STORET 631317
44	Owosso/Mid Shiawassee Co WWTP MI0023752	Total Hardness	Shiawassee River	43.014947	-84.180147	MI040802030207-02 STORET 780145
45	Rollin- Woodstock WWTP MI0027669	Total Hardness	Bean Creek	41.9775	-84.354722	MI041000060103-01 STORET 460396
46	Stoneco Inc- Denniston MI0048721	Total Hardness	Davis Swale	41.8997	-83.441314	MI041000010202-NA STORET 580621
47	Stoneco Inc- Ottawa Lake MI0026514	Total Hardness	Halfway Creek	41.749	-83.650522	MI041000010302-01 STORET 580623
48	UM Biological Station MI0050598	P51	East Branch of the Maple River	45.551022	-84.751288	MI040700040207-01 STORET – Need

Treatment Without an ANC Permit Investigation
 Bass Lake, Gogebic County – Appendix A

Table 3. 2024 Water Quality Monitoring Cost Projections.

	Lake Michigan and Superior	Lake Erie and Huron	Total
P-51	0	3	3
Total Hardness	24	20	50*
Nutrient Site Visits	0	1	1
Temperature Visit	1	0	1
Field Days w/ 2 Biologists	2	4	6
Sample Cost	\$612.00	\$510.00	\$1,122.00
Food Cost	\$39.00	\$78.00	\$117.00
Hotel Costs	\$0.00	\$200.00	\$200.00
Total	\$651.00	\$788.00	\$1,3439.00

*Includes three duplicate and three field blank samples for QA/QC sampling.

-Individual Meal Allowance for Lunch for Michigan Non-Select City Rate is \$9.75.

2025 Targeted Monitoring - Southern Lower Peninsula




Figure 1: 2024 Total Hardness and P-51 Survey Locations in Lower Michigan.

2025 Targeted Monitoring - Northern Lower Peninsula



Figure 2: 2024 Total Hardness and P-51 Survey Locations in Lower Michigan.

2025 Targeted Monitoring - Upper Peninsula




Figure 3: 2024 Total Hardness and P-51 Survey Locations in the Upper Peninsula.

Attachment A

Investigation Work Plan for the Suspected Unpermitted Herbicide Use in Bass Lake, Gogebic County, Michigan October 2025

1. Background

The Michigan Department of Environment, Great Lakes, and Energy (EGLE), Water Resources Division (WRD), Aquatic Nuisance Control Program (ANC) received a report of potential unpermitted herbicide use to control aquatic plants in Bass Lake, Gogebic County, Michigan in September 2025. Based on observations provided by a resident of the lake, an estimated treatment date of mid-August 2025 is currently suspected. The objectives of this investigation are to 1) assess surface water, lake sediment, and plant material to determine if a pesticide may have been applied to Bass Lake and 2) determine if there is an ongoing public health and/or environmental risk at Bass Lake. Fulfillment of these objectives may require collaboration with other EGLE WRD staff, the Michigan Department of Agriculture and Rural Development (MDARD), and/or the Michigan Department of Health and Human Services (MDHHS).

2. Site Location and Description

Bass Lake is a 191-acre waterbody located in Watersmeet Township, Gogebic County, Michigan (Appendix I). There is a township access site with a boat launch on the southeast corner of the lake (5503 Bass Lake Road, Watersmeet, MI 49969). The area of suspected impact is in the north central portion of the lake, just west of the island (46.3059040, -89.1732230). The suspected area of impact is up to 30 acres in area.

3. Work Plan

The scope of field work for this investigation is based, in large part, on U.S. Environmental Protection Agency (EPA), EGLE, and MDARD protocols and procedures. The activities include completing a water column profile and collecting surface water, lake sediment, and plant material samples for pesticide analysis. Field sampling will be conducted by an ANC field team with assistance from other EGLE WRD staff. Pesticide analysis will be conducted by MDARD.

Sampling site locations will be predetermined by ANC staff and included in Appendices I and II. Additionally, sampling site locations will be uploaded to ANC field team iPhones and/or the ANC boat navigation system.

3.1. Water Column Characterization

A water column profile will be collected at the deepest area of Bass Lake using an EXO water monitoring sonde. The water column profile will include sample depth, water temperature, dissolved oxygen (mg/L), specific conductivity, and chlorophyll. The water monitoring sonde will be calibrated according to specifications in the EGLE WRD Quality Assurance Manual for Ambient Water, Sediment, and Biological Sampling (Page 42-43). The water column profile site can be found in Appendix I (i.e., Sampling Site 3) and will be preloaded into ANC field team iPhones and/or the ANC boat navigation system before field sampling. A bathymetry map of Bass Lake is available in Appendix III.

Collect water monitoring sonde readings at the water's surface and at 1-meter intervals until the sonde is just above the lake bottom. A general overview of water monitoring sonde use is available in the EGLE WRD Quality Assurance Manual for Ambient Water, Sediment, and Biological Sampling (Page 42).

Specific instructions on water monitoring sonde use can be found in the EXO user manual (<https://www.y.si.com/file%20library/documents/manuals/exo-user-manual-web.pdf>).

3.2. Water Characterization

Surface water will be sampled at two sites in the suspected treatment area and at two sites outside of the suspected treatment area (four total surface water samples at Bass Lake). One surface water sample will also be collected in Crooked Lake. Surface water samples will be collected using the direct method (i.e., grab sample method; Table 5.1, EGLE WRD Quality Assurance Manual for Ambient Water, Sediment, and Biological Sampling). The MDARD Laboratory requires that a water sample include one liter of water. Sampling sites can be found in Appendices I and II and will be preloaded into ANC field team iPhones and/or the ANC boat navigation system before field sampling.

The following instructions were adapted from the U.S. EPA Office of Enforcement and Compliance Assurance Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) Inspection Manual (Page 20) and EGLE WRD Quality

Assurance Manual for Ambient Water, Sediment, and Biological Sampling (Page 35):

Use a clean one-liter amber glass bottle with an aluminum foil or Teflon seal under a screw cap. If amber glass bottles are not available, use two one-quart large mouth bottles and wrap each bottle with aluminum foil to exclude light. Lower the glass bottle to 0.5 meter below the surface of the water with the cap on. Remove the cap under water and allow the bottle to fill. Bottles must be filled completely to the rim, with no air space between the lid and the bottle contents so pesticides cannot volatilize. Replace the cap and lift the bottle out of the water. Place the glass bottle in a cooler with ice.

3.3. Lake Sediment Characterization

Lake sediment will be sampled at two sites in the suspected treatment area and at two sites outside of the suspected treatment area (four total lake sediment samples at Bass Lake). One lake sediment sample will also be collected in Crooked Lake. Sediment samples can be collected using the bowl and spoon technique in shallow water (Page 150, EGLE WRD Quality Assurance Manual for Ambient Water, Sediment, and Biological Sampling) or with a Ponar dredge sampler in deeper water (Page 150-151, EGLE WRD Quality Assurance Manual for Ambient Water, Sediment, and Biological Sampling). Sampling sites can be found in Appendices I and II and will be preloaded into ANC field team iPhones and/or the ANC boat navigation system before field sampling. The MDARD Laboratory requires that samples include a minimum of five grams of sediment, but extra is preferred to allow for sufficient material especially when multiple analytes are being requested.

Bowl and Spoon Technique

The following instructions were adapted from the EGLE WRD Quality Assurance Manual for Ambient Water, Sediment, and Biological Sampling (Page 150):

Wade to the sample location and proceed to collect the sample facing the location (so that the sample location has not been waded through). Use the metal spoon to scoop surface sediment into the stainless steel bowl. Excess water may be removed/drained from the spoon if needed to prevent excess water from entering the sample. Care should be taken so that fine material does not drift off of spoon. If collection is not conducted

with care, fine material may be lost when raising the sample through the water column and draining excess water. After collection, composite the material by mixing with a stainless-steel spoon and let settle. Decant any excess water, then transfer the sediment into an amber glass jar (or glass jar covered with foil). Staff should collect enough sediment to ensure that the glass jar will be filled with the composited material. Place the glass jar in a cooler with ice. Dispose of or clean sampling tools. Rinse the collection spoon and container, if used, with hexane or isopropyl alcohol and allow to air dry prior to collecting additional sediment samples.

3.3.1. Ponar Dredge

The following instructions were adapted from the EGLE WRD Quality Assurance Manual for Ambient Water, Sediment, and Biological Sampling (Page 150-151):

Anchor boat over sample location and deploy Ponar dredge sampler to lake bottom. Activate Ponar dredge sampler to collect lake sediment sample and retrieve closed sampler to boat deck. Decant water off the top of the sampler and empty contents into a decontaminated stainless-steel bowl or pan. Mix sediment in bowl or pan to ensure consistent sample and transfer lake sediment into amber glass jar (or glass jar covered with foil). Place the glass jar in a cooler with ice. Dispose of or clean sampling tools. Rinse the Ponar dredge sampler and collection container, if used, with hexane or isopropyl alcohol and allow to air dry prior to collecting additional sediment samples.

3.4. Plant Characterization

On site, the ANC field team will assess if collection of plant material is viable at this time of year using visual observation and rake tosses. If plant material is found, plant material will be sampled at two sites in the suspected treatment area and at two sites outside of the suspected treatment area (four total plant material samples collected at Bass Lake). One plant sample will also be collected in Crooked Lake. Sampling sites can be found in Appendices I and II and will be preloaded into ANC field team iPhones and/or the ANC boat navigation system before field sampling.

The following instructions were adapted from the MDARD Pesticide and Pest Management Division Sampling Protocol for Aquatic Vegetation (Page 1-2):

Clean collection tool with isopropyl alcohol. If targeted plants are reachable by wading or lying near the surface, use scissors to cut enough tissue to fill the sample bag. Collect entire plant except for the roots. Seal bag with sampling tape and place a sampling sticker on the bag.

If aquatic plants are not reachable by hand, use a rake to collect foliage. Lower rake vertically to the bottom of the waterbody. While in contact with the bottom, turn the rake three times on its axis. Keep the rake straight up and down as much as possible to avoid dragging the rake on the bottom. Pull the rake straight up, twisting it 360 degrees as you pull it up. The goal is to keep the vegetation on the rake during retrieval. Rinse plants thoroughly using water from where the plant was collected to remove excess mud and other organisms. Place plants in sample bag and drain excess water. Seal bag with sampling tape and place a sampling sticker on the bag.

3.5. Materials

- 1x YSI Sonde Kit
- 5x 1 liter amber glass bottles or clear glass bottles wrapped in aluminum foil (minimum, consider bringing additional)
- 5x Amber glass jars or clear glass jars wrapped in aluminum foil (minimum, consider bringing additional)
- 1x Case of aluminum foil
- 1x Stainless steel spoon
- 1x Stainless steel bowl
- 1x Ponar dredge
- 1x Squirt bottle for decontamination
- 1x Bottle of hexane or isopropyl alcohol for decontamination
- 1x Paper towels
- 1x Container of DI water
- 1x Scissors
- 1x Rake on long pole
- 1x Box 1 gallon Zip Lock bags
- 1x Roll of tape
- 2x Coolers
- Ice (purchase close to sampling location and top off as needed as field trip progresses)
- 2x Staff iPhones
- 1x Pack of sample labels

Writing utensils (pencils, pens, sharpies)

Datasheets

Map of lake

Chain of custody forms

U.S. EPA Office of Enforcement and Compliance Assurance FIFRA Inspection Manual

EGLE WRD Quality Assurance Manual for Ambient Water, Sediment, and Biological Sampling

MDARD Pesticide and Pest Management Division Sampling Protocol for Aquatic Vegetation

3.6. Samples for Comparison

Surface water, lake sediment, and plant samples will be collected from Crooked Lake, Gogebic County (46.2497809, -89.2863312) for comparison with the Bass Lake samples. There is no recent history of aquatic pesticide use in Crooked Lake based on the information available to the ANC Program.

3.7. Data Collection and Management

Data will be recorded on field datasheets.

Sample information will be recorded on labels and attached to sample containers. Please record all information on sample labels required by the EGLE WRD Quality Assurance Manual for Ambient Water, Sediment, and Biological Sampling (Page 19): Sample Location, Sampling Site ID, Date and Time, and Sample Type.

Data collected from Bass Lake and Crooked Lake will be transcribed from field datasheets to an Excel spreadsheet. Results of pesticide residue analysis will be provided by MDARD.

4. Laboratory Analysis of Water, Sediment, and Plant Samples

Samples will be kept chilled but not frozen. Cooler will be checked and ice replaced as needed to maintain consistent cold temperatures.

Samples will be brought to MDARD's Geagley Laboratory, located at 615 S. Harrison Rd., E. Lansing, MI 48823. The ANC field team will contact the MDARD Laboratory (517-284-0471) on the morning of sample collection to give an ETA on when samples will be dropped off at the lab.

5. Reporting

ANC staff will include summarized water quality and pesticide residue data in a final investigation report. The investigation report will be distributed to interested individuals upon request.

All data collected will be made available to the public through MiEnviro Portal.

6. Health and Safety Plan

Adopted from the 2025 Water Quality Monitoring Plan for Targeted National Pollutant Discharge Elimination System (NPDES) Permitted Facilities:

The primary goals of executing the activities set forth in this work plan are to have zero incidents/near misses, zero accidents, and cause zero harm to human health or the environment. These goals can be accomplished by creating a culture of safe work practices which include the selection and use of appropriate personal protective equipment (PPE); identifying, communicating, and correcting potential hazards; remaining attentive to changing conditions and the task at hand; and taking ownership of personal safety and the safety of coworkers.

Although a single hazard may not be significant under normal working conditions, the potential for injury increases dramatically when combined with other hazards and long working hours, fatigue, and/or challenging environmental conditions. Task-specific hazards should be identified and discussed before work begins at each site (e.g., tailgate meeting, 2-minute rule). Discussion should include not only potential hazards, but ways in which to prevent, avoid, and mitigate those hazards.

There are four major categories of hazards that may be associated with the planned sampling activities: (1) biological hazards, (2) chemical exposures, (3) physical hazards, and (4) behavioral hazards.

Biological hazards include exposure to bacterial, fungal, and viral diseases in contaminated water or sediments, vector-borne diseases from mosquitos or ticks, and skin rashes or systemic ailments resulting from contact with poisonous plants or animals. These hazards may be mitigated by using appropriate PPE, insect repellents, immunizations, and contact avoidance behaviors.

Chemical hazards include exposure to chemicals related to sample preservation or in the air, water, or soil/sediment. These hazards may be mitigated by using appropriate PPE, using safe handling/storage methods, and avoidance behaviors.

Physical hazards can be associated with things like vehicular traffic, boating, machinery and tools, fatigue, and weather hazards. Physical hazards can be further subdivided in the following categories:

Kinetic/Mechanical	Uneven, slippery surfaces cause slip/trip/fall injuries, falling objects cause 'struck-by' injuries.
Thermal	Fire, explosions, hot or cold environments cause burns, heat stress, hypothermia.
Electrical	Electrofishing units and overhead/underground power lines can cause electrical shock, burns, and fires.
Acoustic	Loud machinery (boat motors, road noise, generators) can prevent proper communication, distractions, fatigue, and hearing loss.
Radiological	Ionizing radiation, UV/IR light or microwaves from equipment/instruments or sunlight could cause vision problems, burns, or tissue damage.

Physical hazards can be mitigated by using appropriate PPE, safety conscious processes/work practices, and avoidance behaviors.

Behavioral hazards include acting without thinking, planning, or communicating, distracted attention, continuing with an activity when questions or concerns arise, groupthink (not exercising freedom of thought, reluctance to ask questions or speak up, assuming someone else will act), multi-tasking (cell phone usage while driving, side conversations during a critical action or meeting).

7. Literature Cited

[Quality Assurance Manual.pdf](#)

[Federal Insecticide, Fungicide, and Rodenticide Act \(FIFRA\) Inspection Manual](#)

[Permits Section WQANC Monitoring Plan 2025 4-7-2025.docx](#)


MDARD Pesticide and Plant Pest Management Division General Inspection and Investigation Procedures, Appendix D: Sampling Protocol for Aquatic Vegetation
Documentation of Work Plan Development and Approval

Work Plan prepared by: Blake Cahill and Ryan Crouch



DATE 10/14/2025

(Sign Name & Date): Environmental Quality Analyst, Permits Section, WRD, EGLE



DATE 10/14/2025

(Sign Name & Date): Environmental Quality Analyst, Permits Section, WRD, EGLE

Work Plan approved by: Amanda Bosak



DATE 10/14/2025

(Sign Name & Date): Supervisor, Water Quality and Aquatic Nuisance Control Unit, WRD, EGLE

Appendix I




Figure 1. Sites for sampling surface water, lake sediment, and plant material at Bass Lake, Gogebic County, Michigan. Sampling Site 1 and 2 were identified as suspected treatment areas in a report received by ANC staff. The water column profile will be conducted at Sampling Site 3. Sampling Site 4 is adjacent to a public use area owned by Watersmeet Township.

Sampling Site 1 Latitude and Longitude: 46.306127, -89.173523

Sampling Site 2 Latitude and Longitude: 46.305198, -89.174929

Sampling Site 3 Latitude and Longitude: 46.302878, -89.175685

Sampling Site 4 Latitude and Longitude: 46.299500, -89.171810

Appendix II



Figure 2. Site for sampling surface water, lake sediment, and plant material at Crooked Lake, Gogebic County, Michigan. Sampling Site 5 is adjacent to a public access site owned by the U.S. Forest Service.

Sampling Site 5 Latitude and Longitude: 46.24894, -89.28726

Appendix III




Figure 3. Bathymetry map of Bass Lake, Gogebic County, Michigan. Source: [i-Boating : Free Marine Navigation Charts & Fishing Maps.](#)

Attachment B

Michigan Department of Agriculture and Rural Development (MDARD) Laboratory Test Results

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Samples in this Report

Lab ID	Sample	Matrix	Date Sampled	Date Received
25J0154-01	5 Crooked Water	Water	10/15/2025	10/17/2025
25J0154-02	Crooked 5 Sediment	Soil	10/15/2025	10/17/2025
25J0154-03	Crooked 5 Plant Tissue	Foliage	10/15/2025	10/17/2025
25J0154-04	Bass 1 Water	Water	10/16/2025	10/17/2025
25J0154-05	Bass 2 Water	Water	10/16/2025	10/17/2025
25J0154-06	Bass 3 Water	Water	10/16/2025	10/17/2025
25J0154-07	Bass 4 Water	Water	10/16/2025	10/17/2025
25J0154-08	Bass 1 Sediment	Soil	10/16/2025	10/17/2025
25J0154-09	Bass 2 Sediment	Soil	10/16/2025	10/17/2025
25J0154-10	Bass 3 Sediment	Soil	10/16/2025	10/17/2025
25J0154-11	Bass 4 Sediment	Soil	10/16/2025	10/17/2025
25J0154-12	Bass 1 Plant Tissue Rake	Foliage	10/16/2025	10/17/2025
25J0154-13	Bass 2 Plant Tissue	Foliage	10/16/2025	10/17/2025
25J0154-14	Bass 3 Plant Tissue	Foliage	10/16/2025	10/17/2025
25J0154-15	Bass 4 Plant Tissue	Foliage	10/16/2025	10/17/2025
25J0154-16	Bass 1 Plant Tissue Anchor	Foliage	10/16/2025	10/17/2025

Containers Received

Lab ID	Container
25J0154-01 (A)	Bottle
25J0154-02 (A)	Glass Jar
25J0154-03 (A)	Plastic Bag
25J0154-04 (A)	Bottle
25J0154-05 (A)	Bottle
25J0154-06 (A)	Bottle
25J0154-07 (A)	Bottle
25J0154-08 (A)	Glass Jar
25J0154-09 (A)	Glass Jar
25J0154-10 (A)	Glass Jar
25J0154-11 (A)	Glass Jar
25J0154-12 (A)	Plastic Bag
25J0154-13 (A)	Plastic Bag
25J0154-14 (A)	Plastic Bag

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer


Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

25J0154-15 (A)

Plastic Bag

25J0154-16 (A)

Plastic Bag

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

** Information Provided by Customer*

Brian Regan

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* 5 Crooked Water

Lab Number: 25J0154-01 (Water)

Analyte	Result	Qual	LOD	Units	Method
2,4-DB	Not Detected		0.11	ug/g	SOP-PEMTA - QuEChERS
5-OH Dicamba	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
Bromoxynil	Not Detected		0.012	ug/g	SOP-PEMTA - QuEChERS
Chloramben	Not Detected		0.11	ug/g	SOP-PEMTA - QuEChERS
Clopyralid	Not Detected		0.11	ug/g	SOP-PEMTA - QuEChERS
DCSA	Not Detected		0.051	ug/g	SOP-PEMTA - QuEChERS
Dicamba	Not Detected		0.051	ug/g	SOP-PEMTA - QuEChERS
Fluroxypyr	Not Detected		0.051	ug/g	SOP-PEMTA - QuEChERS
MCPA	Not Detected		0.013	ug/g	SOP-PEMTA - QuEChERS
MCPP	Not Detected		0.011	ug/g	SOP-PEMTA - QuEChERS
Picloram	Not Detected		0.11	ug/g	SOP-PEMTA - QuEChERS
Triclopyr	Not Detected		0.0071	ug/g	SOP-PEMTA - QuEChERS
2,4-D	Not Detected		0.0061	ug/g	SOP-PEMTA - QuEChERS
1-Naphthol	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
2,6-DIPN	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Acequinocyl	Not Detected		1.0	ug/g	SOP-PEST-0048 QuEChERS
Acetochlor	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Acibenzolar-S-Methyl	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Alachlor	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Aldrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Allethrin	Not Detected		0.16	ug/g	SOP-PEST-0048 QuEChERS
Anthraquinone	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Benoxacor	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
BHC, alpha-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
BHC, delta-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* 5 Crooked Water (Continued)

Lab Number: 25J0154-01 (Water)

Analyte	Result	Qual	LOD	Units	Method
BHC, epsilon-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Bifenthrin	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Biphenyl	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Boscalid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Broflanilide	Not Detected		0.14	ug/g	SOP-PEST-0048 QuEChERS
Captan	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Chlorantraniliprole	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Chlordane, cis-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Chlordane, trans-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Chlorfenapyr	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Chlorpropham	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Chlorpyrifos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Clomazone	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyantraniliprole	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Cyflumetofen	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Cyfluthrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyhalothrin (Total)	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Cypermethrin	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Cyphenothrin	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Cyprodinil	Not Detected	LOD Est	0.0012	ug/g	SOP-PEST-0048 QuEChERS
DCPA	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
DDD, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDD, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDE, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDE, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* 5 Crooked Water (Continued)

Lab Number: 25J0154-01 (Water)

Analyte	Result	Qual	LOD	Units	Method
DDT, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDT, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DEET	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Deltamethrin	Not Detected		0.14	ug/g	SOP-PEST-0048 QuEChERS
Desmedipham	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Diazinon	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Diazinon Oxon	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dichlobenil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dichlormid	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Dichlorvos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dicloran	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Dicofol (Total)	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Dieldrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Dimethenamid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dimethomorph	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Diphenylamine	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan I	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan II	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan Sulfate	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Endrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
EPN	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Esfenvalerate	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Ethalfuralin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Ethion	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Ethofumesate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* 5 Crooked Water (Continued)

Lab Number: 25J0154-01 (Water)

Analyte	Result	Qual	LOD	Units	Method
Etofenprox	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Etoxazole	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Etridiazole	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Famoxadone	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Fenamidone	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fenarimol	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenoxycarb	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Fenpropathrin	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fipronil	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fluensulfone	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Fluopicolide	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flupyradifurone	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Flutianil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flutolanil	Not Detected		0.0026	ug/g	SOP-PEST-0048 QuEChERS
Flutriafol	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluvalinate	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Folpet	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Fonofos	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Heptachlor	Not Detected		0.051	ug/g	SOP-PEST-0048 QuEChERS
Heptachlor Epoxide (Total)	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Hexachlorobenzene	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Hydroprene	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Imiprothrin	Not Detected		0.092	ug/g	SOP-PEST-0048 QuEChERS
Iprodione	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Isoxaflutole	Not Detected		0.82	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*


Sample Seal:* 5 Crooked Water (Continued)

Lab Number: 25J0154-01 (Water)

Analyte	Result	Qual	LOD	Units	Method
Kinoprene	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Lindane (BHC, gamma-)	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Metalaxyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Methoprene	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Methoxychlor (Total)	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Metolachlor	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Metrafenone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
MGK-264	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
MGK-326	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Napropamide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Nitrapyrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
o-Phenylphenol	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Oxyfluorfen	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Parathion Ethyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Parathion Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
PCNB (Quintozone)	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pendimethalin	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Pentachloroaniline	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pentachlorobenzene	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pentachlorophenyl Methyl Sulfide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Permethrin, cis-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Permethrin, trans-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Phenothrin	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Picaridin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Piperonyl Butoxide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer


Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* 5 Crooked Water (Continued)

Lab Number: 25J0154-01 (Water)

Analyte	Result	Qual	LOD	Units	Method
Pirimiphos Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Prallethrin	Not Detected		0.093	ug/g	SOP-PEST-0048 QuEChERS
Prochloraz	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Procymidone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Prodiamine	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Profenofos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pronamide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Propargite	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Pyraflufen Ethyl	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Pyrasulfotole	Not Detected		2.1	ug/g	SOP-PEST-0048 QuEChERS
Pyrethrins (Total)	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Pyridalyl	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Resmethrin	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Rimsulfuron	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Tefluthrin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tetradifon	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Tetrahydrophthalimide (THPI)	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Tetramethrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Tolfenpyrad	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Tolyfluanid	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Trifluralin	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Vinclazolin	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Acephate	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Acetamiprid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Aldicarb	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* 5 Crooked Water (Continued)

Lab Number: 25J0154-01 (Water)

Analyte	Result	Qual	LOD	Units	Method
Atrazine	Not Detected		0.0021	ug/g	SOP-PEST-0048 QuEChERS
Azadirachtin	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Azinphos-Me	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Azoxystrobin	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Bentazon	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Bifenazate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Bromacil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Carbaryl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Carbendazim	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Carbofuran	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Carfentrazone ethyl	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Chlorpyrifos OA	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Clethodim	Not Detected		0.071	ug/g	SOP-PEST-0048 QuEChERS
Clofentezine	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Clothianidin	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Cyclaniliprole	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyflufenamid	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cymoxanil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Cyproconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Daminozide	Not Detected		0.58	ug/g	SOP-PEST-0048 QuEChERS
Difenoconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Diflubenzuron	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Dimethoate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Dinotefuran	Not Detected		0.030	ug/g	SOP-PEST-0048 QuEChERS
Dithiopyr	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* 5 Crooked Water (Continued)

Lab Number: 25J0154-01 (Water)

Analyte	Result	Qual	LOD	Units	Method
Diuron	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
EPTC (Eptam)	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Fenbuconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenhexamid	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fenpyroximate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenthion	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Flonicamid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluazifop-P-Butyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluazinam	Not Detected		0.051	ug/g	SOP-PEST-0048 QuEChERS
Flubendiamide	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fludioxonil	Not Detected		0.13	ug/g	SOP-PEST-0048 QuEChERS
Flumioxazin	Not Detected		0.081	ug/g	SOP-PEST-0048 QuEChERS
Fluopyram	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluridone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluthiacet Methyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluxapyroxad	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Halosulfuron methyl	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Hexazinone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Imazalil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Imidacloprid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Kresoxim-Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Lactofen	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Linuron	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Malathion	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Malathion oxon	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* 5 Crooked Water (Continued)

Lab Number: 25J0154-01 (Water)

Analyte	Result	Qual	LOD	Units	Method
Mandipropamid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Mefentrifluconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Mesotrione	Not Detected		0.16	ug/g	SOP-PEST-0048 QuEChERS
Metconazole	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Methamidiphos	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Methiocarb	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Methomyl	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Methoxyfenozide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Metribuzin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Myclobutanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Naled	Not Detected		0.82	ug/g	SOP-PEST-0048 QuEChERS
Oryzalin	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Oxamyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Oxamyl Oxime	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Paclbutrazol	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Phorate	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Phosmet	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Picoxystrobin	Not Detected		0.0021	ug/g	SOP-PEST-0048 QuEChERS
Prometon	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Prometryn	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Propamacarb HCl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Propiconazole	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Prothioconazole - desthio	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Pydiflumetofen	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pymetrozine	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*


Sample Seal:* 5 Crooked Water (Continued)

Lab Number: 25J0154-01 (Water)

Analyte	Result	Qual	LOD	Units	Method
Pyraclostrobin	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyrimethanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyriproxyfen	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyrooxasulfone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Simazine	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spinetoram (Total)	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spinosad (Total)	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Spirodiclofen	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spiromesifen	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Spirotetramat	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Spiroxamine	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Sulfentrazone	Not Detected		0.071	ug/g	SOP-PEST-0048 QuEChERS
Tebuconazole	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tebuthiuron	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Terbacil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tetraconazole	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Thiacloprid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Thiamethoxam	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Thiencarbazone Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Trifloxystrobin	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Aminopyralid	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
Imazamox	Not Detected		0.0051	ug/g	SOP-PEMTA - QuEChERS
Imazapic	Not Detected		0.0051	ug/g	SOP-PEMTA - QuEChERS
Imazaquin	Not Detected		0.0051	ug/g	SOP-PEMTA - QuEChERS
Imazethapyr	Not Detected		0.0051	ug/g	SOP-PEMTA - QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer


Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* 5 Crooked Water (Continued)

Lab Number: 25J0154-01 (Water)

Analyte	Result	Qual	LOD	Units	Method
Naphthalene Acetic Acid	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
Quinclorac	Not Detected		0.0092	ug/g	SOP-PEMTA - QuEChERS
Imazapyr	Not Detected		0.0051	ug/g	SOP-PEMTA - QuEChERS
Diquat	Not Detected		0.0050	ug/g	SOP-PEMTL - Paraquat/Diquat
Paraquat	Not Detected		0.0050	ug/g	SOP-PEMTL - Paraquat/Diquat

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

** Information Provided by Customer*

Brian Regan

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*


Sample Seal:* Crooked 5 Sediment

Lab Number: 25J0154-02 (Soil)

Analyte	Result	Qual	LOD	Units	Method
2,4-DB	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
5-OH Dicamba	Not Detected		0.20	ug/g	SOP-PEMTA - QuEChERS
Bromoxynil	Not Detected		0.023	ug/g	SOP-PEMTA - QuEChERS
Chloramben	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
Clopyralid	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
DCSA	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
Dicamba	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
Fluroxypyr	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
MCPA	Not Detected		0.026	ug/g	SOP-PEMTA - QuEChERS
MCPP	Not Detected		0.021	ug/g	SOP-PEMTA - QuEChERS
Picloram	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
Triclopyr	Not Detected		0.014	ug/g	SOP-PEMTA - QuEChERS
2,4-D	Not Detected		0.0011	ug/g	SOP-PEMTA - QuEChERS
1-Naphthol	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
2,6-DIPN	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Acequinocyl	Not Detected		1.0	ug/g	SOP-PEST-0048 QuEChERS
Acetochlor	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Acibenzolar-S-Methyl	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Alachlor	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Aldrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Allethrin	Not Detected		0.16	ug/g	SOP-PEST-0048 QuEChERS
Anthraquinone	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Benoxacor	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
BHC, alpha-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
BHC, delta-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer


Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Crooked 5 Sediment (Continued)

Lab Number: 25J0154-02 (Soil)

Analyte	Result	Qual	LOD	Units	Method
BHC, epsilon-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Bifenthrin	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Biphenyl	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Boscalid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Broflanilide	Not Detected		0.14	ug/g	SOP-PEST-0048 QuEChERS
Captan	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Chlorantraniliprole	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Chlordane, cis-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Chlordane, trans-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Chlorfenapyr	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Chlorpropham	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Chlorpyrifos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Clomazone	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyantraniliprole	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Cyflumetofen	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Cyfluthrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyhalothrin (Total)	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Cypermethrin	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Cyphenothrin	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Cyprodinil	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
DCPA	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
DDD, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDD, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDE, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDE, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Crooked 5 Sediment (Continued)

Lab Number: 25J0154-02 (Soil)

Analyte	Result	Qual	LOD	Units	Method
DDT, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDT, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DEET	0.0094		0.0065	ug/g	SOP-PEST-0048 QuEChERS
Deltamethrin	Not Detected		0.14	ug/g	SOP-PEST-0048 QuEChERS
Desmedipham	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Diazinon	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Diazinon Oxon	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dichlobenil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dichlormid	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Dichlorvos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dicloran	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Dicofol (Total)	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Dieldrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Dimethenamid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dimethomorph	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Diphenylamine	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan I	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan II	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan Sulfate	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Endrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
EPN	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Esfenvalerate	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Ethalfuralin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Ethion	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Ethofumesate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Crooked 5 Sediment (Continued)

Lab Number: 25J0154-02 (Soil)

Analyte	Result	Qual	LOD	Units	Method
Etofenprox	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Etoxazole	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Etridiazole	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Famoxadone	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Fenamidone	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fenarimol	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenoxycarb	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Fenpropathrin	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fipronil	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fluensulfone	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Fluopicolide	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flupyradifurone	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Flutianil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flutolanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flutriafol	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluvalinate	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Folpet	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Fonofos	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Heptachlor	Not Detected		0.051	ug/g	SOP-PEST-0048 QuEChERS
Heptachlor Epoxide (Total)	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Hexachlorobenzene	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Hydroprene	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Imiprothrin	Not Detected		0.092	ug/g	SOP-PEST-0048 QuEChERS
Iprodione	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Isoxaflutole	Not Detected		0.82	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Crooked 5 Sediment (Continued)

Lab Number: 25J0154-02 (Soil)

Analyte	Result	Qual	LOD	Units	Method
Kinoprene	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Lindane (BHC, gamma-)	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Metalaxyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Methoprene	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Methoxychlor (Total)	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Metolachlor	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Metrafenone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
MGK-264	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
MGK-326	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Napropamide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Nitrapyrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
o-Phenylphenol	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Oxyfluorfen	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Parathion Ethyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Parathion Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
PCNB (Quintozone)	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pendimethalin	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Pentachloroaniline	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pentachlorobenzene	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pentachlorophenyl Methyl Sulfide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Permethrin, cis-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Permethrin, trans-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Phenothrin	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Picaridin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Piperonyl Butoxide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Crooked 5 Sediment (Continued)

Lab Number: 25J0154-02 (Soil)

Analyte	Result	Qual	LOD	Units	Method
Pirimiphos Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Prallethrin	Not Detected		0.093	ug/g	SOP-PEST-0048 QuEChERS
Prochloraz	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Procymidone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Prodiamine	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Profenofos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pronamide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Propargite	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Pyraflufen Ethyl	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Pyrasulfotole	Not Detected		2.1	ug/g	SOP-PEST-0048 QuEChERS
Pyrethrins (Total)	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Pyridalyl	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Resmethrin	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Rimsulfuron	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Tefluthrin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tetradifon	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Tetrahydrophthalimide (THPI)	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Tetramethrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Tolfenpyrad	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Tolyfluanid	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Trifluralin	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Vinclazolin	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Acephate	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Acetamiprid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Aldicarb	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*


Sample Seal:* Crooked 5 Sediment (Continued)

Lab Number: 25J0154-02 (Soil)

Analyte	Result	Qual	LOD	Units	Method
Atrazine	Not Detected		0.0021	ug/g	SOP-PEST-0048 QuEChERS
Azadirachtin	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Azinphos-Me	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Azoxystrobin	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Bentazon	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Bifenazate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Bromacil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Carbaryl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Carbendazim	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Carbofuran	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Carfentrazone ethyl	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Chlorpyrifos OA	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Clethodim	Not Detected		0.071	ug/g	SOP-PEST-0048 QuEChERS
Clofentezine	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Clothianidin	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Cyclaniliprole	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyflufenamid	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cymoxanil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Cyproconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Daminozide	Not Detected		0.58	ug/g	SOP-PEST-0048 QuEChERS
Difenoconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Diflubenzuron	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Dimethoate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Dinotefuran	Not Detected		0.030	ug/g	SOP-PEST-0048 QuEChERS
Dithiopyr	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer


Brian Regan

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Crooked 5 Sediment (Continued)

Lab Number: 25J0154-02 (Soil)

Analyte	Result	Qual	LOD	Units	Method
Diuron	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
EPTC (Eptam)	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Fenbuconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenhexamid	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fenpyroximate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenthion	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Flonicamid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluazifop-P-Butyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluazinam	Not Detected		0.051	ug/g	SOP-PEST-0048 QuEChERS
Flubendiamide	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fludioxonil	Not Detected		0.13	ug/g	SOP-PEST-0048 QuEChERS
Flumioxazin	Not Detected		0.081	ug/g	SOP-PEST-0048 QuEChERS
Fluopyram	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluridone	Not Detected	LOD Est	0.00028	ug/g	SOP-PEST-0048 QuEChERS
Fluthiacet Methyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluxapyroxad	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Halosulfuron methyl	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Hexazinone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Imazalil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Imidacloprid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Kresoxim-Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Lactofen	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Linuron	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Malathion	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Malathion oxon	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Crooked 5 Sediment (Continued)

Lab Number: 25J0154-02 (Soil)

Analyte	Result	Qual	LOD	Units	Method
Mandipropamid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Mefentrifluconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Mesotrione	Not Detected		0.16	ug/g	SOP-PEST-0048 QuEChERS
Metconazole	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Methamidiphos	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Methiocarb	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Methomyl	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Methoxyfenozide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Metribuzin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Myclobutanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Naled	Not Detected		0.82	ug/g	SOP-PEST-0048 QuEChERS
Oryzalin	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Oxamyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Oxamyl Oxime	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Paclbutrazol	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Phorate	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Phosmet	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Picoxystrobin	Not Detected		0.0021	ug/g	SOP-PEST-0048 QuEChERS
Prometon	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Prometryn	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Propamacarb HCl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Propiconazole	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Prothioconazole - desthio	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Pydiflumetofen	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pymetrozine	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Crooked 5 Sediment (Continued)

Lab Number: 25J0154-02 (Soil)

Analyte	Result	Qual	LOD	Units	Method
Pyraclostrobin	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyrimethanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyriproxyfen	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyroxasulfone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Simazine	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spinetoram (Total)	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spinosad (Total)	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Spirodiclofen	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spiromesifen	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Spirotetramat	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Spiroxamine	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Sulfentrazone	Not Detected		0.071	ug/g	SOP-PEST-0048 QuEChERS
Tebuconazole	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tebuthiuron	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Terbacil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tetraconazole	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Thiacloprid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Thiamethoxam	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Thiencarbazone Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Trifloxystrobin	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Aminopyralid	Not Detected		0.20	ug/g	SOP-PEMTA - QuEChERS
Imazamox	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Imazapic	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Imazaquin	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Imazethapyr	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Crooked 5 Sediment (Continued)

Lab Number: 25J0154-02 (Soil)

Analyte	Result	Qual	LOD	Units	Method
Naphthalene Acetic Acid	Not Detected		0.42	ug/g	SOP-PEMTA - QuEChERS
Quinclorac	Not Detected		0.018	ug/g	SOP-PEMTA - QuEChERS
Imazapyr	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Diquat	Not Detected		0.52	ug/g	SOP-PEMTL - Paraquat/Diquat
Paraquat	Not Detected		0.52	ug/g	SOP-PEMTL - Paraquat/Diquat

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

** Information Provided by Customer*

Brian Regan
Brian Regan

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Crooked 5 Plant Tissue

Lab Number: 25J0154-03 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
2,4-DB	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
5-OH Dicamba	Not Detected		0.20	ug/g	SOP-PEMTA - QuEChERS
Bromoxynil	Not Detected		0.023	ug/g	SOP-PEMTA - QuEChERS
Chloramben	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
Clopyralid	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
DCSA	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
Dicamba	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
Fluroxypyr	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
MCPA	Not Detected		0.026	ug/g	SOP-PEMTA - QuEChERS
MCPP	Not Detected		0.021	ug/g	SOP-PEMTA - QuEChERS
Picloram	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
Triclopyr	Not Detected		0.014	ug/g	SOP-PEMTA - QuEChERS
2,4-D	Not Detected	LOD Est	0.00020	ug/g	SOP-PEMTA - QuEChERS
1-Naphthol	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
2,6-DIPN	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Acequinocyl	Not Detected		1.0	ug/g	SOP-PEST-0048 QuEChERS
Acetochlor	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Acibenzolar-S-Methyl	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Alachlor	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Aldrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Allethrin	Not Detected		0.16	ug/g	SOP-PEST-0048 QuEChERS
Antraquinone	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Benoxacor	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
BHC, alpha-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
BHC, delta-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Crooked 5 Plant Tissue (Continued)

Lab Number: 25J0154-03 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
BHC, epsilon-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Bifenthrin	Not Detected	LOD Est	0.00069	ug/g	SOP-PEST-0048 QuEChERS
Biphenyl	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Boscalid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Broflanilide	Not Detected		0.14	ug/g	SOP-PEST-0048 QuEChERS
Captan	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Chlorantraniliprole	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Chlordane, cis-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Chlordane, trans-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Chlorfenapyr	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Chlorpropham	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Chlorpyrifos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Clomazone	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyantraniliprole	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Cyflumetofen	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Cyfluthrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyhalothrin (Total)	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Cypermethrin	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Cyphenothrin	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Cyprodinil	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
DCPA	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
DDD, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDD, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDE, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDE, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Crooked 5 Plant Tissue (Continued)

Lab Number: 25J0154-03 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
DDT, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDT, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DEET	0.0035	Est Range, LOD Est	0.0028	ug/g	SOP-PEST-0048 QuEChERS
Deltamethrin	Not Detected		0.14	ug/g	SOP-PEST-0048 QuEChERS
Desmedipham	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Diazinon	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Diazinon Oxon	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dichlobenil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dichlormid	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Dichlorvos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dicloran	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Dicofol (Total)	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Dieldrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Dimethenamid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dimethomorph	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Diphenylamine	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan I	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan II	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan Sulfate	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Endrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
EPN	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Esfenvalerate	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Ethalfuralin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Ethion	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Ethofumesate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*


Sample Seal:* Crooked 5 Plant Tissue (Continued)

Lab Number: 25J0154-03 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Etofenprox	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Etoxazole	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Etridiazole	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Famoxadone	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Fenamidone	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fenarimol	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenoxycarb	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Fenpropathrin	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fipronil	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fluensulfone	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Fluopicolide	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flupyradifurone	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Flutianil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flutolanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flutriafol	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluvalinate	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Folpet	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Fonofos	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Heptachlor	Not Detected		0.051	ug/g	SOP-PEST-0048 QuEChERS
Heptachlor Epoxide (Total)	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Hexachlorobenzene	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Hydroprene	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Imiprothrin	Not Detected		0.092	ug/g	SOP-PEST-0048 QuEChERS
Iprodione	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Isoxaflutole	Not Detected		0.82	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer


Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*


Sample Seal:* Crooked 5 Plant Tissue (Continued)

Lab Number: 25J0154-03 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Kinoprene	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Lindane (BHC, gamma-)	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Metalaxyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Methoprene	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Methoxychlor (Total)	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Metolachlor	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Metrafenone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
MGK-264	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
MGK-326	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Napropamide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Nitrapyrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
o-Phenylphenol	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Oxyfluorfen	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Parathion Ethyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Parathion Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
PCNB (Quintozene)	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pendimethalin	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Pentachloroaniline	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pentachlorobenzene	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pentachlorophenyl Methyl Sulfide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Permethrin, cis-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Permethrin, trans-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Phenothrin	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Picaridin	0.00045	LOD Est	0.00045	ug/g	SOP-PEST-0048 QuEChERS
Piperonyl Butoxide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer


Brian Regan

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Crooked 5 Plant Tissue (Continued)

Lab Number: 25J0154-03 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Pirimiphos Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Prallethrin	Not Detected		0.093	ug/g	SOP-PEST-0048 QuEChERS
Prochloraz	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Procymidone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Prodiamine	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Profenofos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pronamide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Propargite	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Pyraflufen Ethyl	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Pyrasulfotole	Not Detected		2.1	ug/g	SOP-PEST-0048 QuEChERS
Pyrethrins (Total)	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Pyridalyl	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Resmethrin	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Rimsulfuron	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Tefluthrin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tetradifon	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Tetrahydrophthalimide (THPI)	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Tetramethrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Tolfenpyrad	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Tolyfluanid	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Trifluralin	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Vinclazolin	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Acephate	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Acetamiprid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Aldicarb	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Crooked 5 Plant Tissue (Continued)

Lab Number: 25J0154-03 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Atrazine	Not Detected		0.0021	ug/g	SOP-PEST-0048 QuEChERS
Azadirachtin	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Azinphos-Me	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Azoxystrobin	Not Detected	LOD Est	0.000092	ug/g	SOP-PEST-0048 QuEChERS
Bentazon	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Bifenazate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Bromacil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Carbaryl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Carbendazim	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Carbofuran	Not Detected	LOD Est	0.00026	ug/g	SOP-PEST-0048 QuEChERS
Carfentrazone ethyl	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Chlorpyrifos OA	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Clethodim	Not Detected		0.071	ug/g	SOP-PEST-0048 QuEChERS
Clofentezine	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Clothianidin	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Cyclaniliprole	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyflufenamid	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cymoxanil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Cyproconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Daminozide	Not Detected		0.58	ug/g	SOP-PEST-0048 QuEChERS
Difenoconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Diflubenzuron	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Dimethoate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Dinotefuran	Not Detected		0.030	ug/g	SOP-PEST-0048 QuEChERS
Dithiopyr	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Crooked 5 Plant Tissue (Continued)

Lab Number: 25J0154-03 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Diuron	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
EPTC (Eptam)	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Fenbuconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenhexamid	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fenpyroximate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenthion	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Flonicamid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluazifop-P-Butyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluazinam	Not Detected		0.051	ug/g	SOP-PEST-0048 QuEChERS
Flubendiamide	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fludioxonil	Not Detected		0.13	ug/g	SOP-PEST-0048 QuEChERS
Flumioxazin	Not Detected		0.081	ug/g	SOP-PEST-0048 QuEChERS
Fluopyram	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluridone	Not Detected	LOD Est	0.00044	ug/g	SOP-PEST-0048 QuEChERS
Fluthiacet Methyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluxapyroxad	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Halosulfuron methyl	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Hexazinone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Imazalil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Imidacloprid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Kresoxim-Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Lactofen	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Linuron	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Malathion	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Malathion oxon	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Crooked 5 Plant Tissue (Continued)

Lab Number: 25J0154-03 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Mandipropamid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Mefentrifluconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Mesotrione	Not Detected		0.16	ug/g	SOP-PEST-0048 QuEChERS
Metconazole	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Methamidiphos	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Methiocarb	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Methomyl	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Methoxyfenozide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Metribuzin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Myclobutanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Naled	Not Detected		0.82	ug/g	SOP-PEST-0048 QuEChERS
Oryzalin	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Oxamyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Oxamyl Oxime	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Paclbutrazol	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Phorate	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Phosmet	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Picoxystrobin	Not Detected		0.0021	ug/g	SOP-PEST-0048 QuEChERS
Prometon	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Prometryn	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Propamacarb HCl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Propiconazole	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Prothioconazole - desthio	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Pydiflumetofen	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pymetrozine	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Crooked 5 Plant Tissue (Continued)

Lab Number: 25J0154-03 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Pyraclostrobin	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyrimethanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyriproxyfen	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyroxasulfone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Simazine	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spinetoram (Total)	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spinosad (Total)	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Spirodiclofen	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spiromesifen	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Spirotetramat	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Spiroxamine	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Sulfentrazone	Not Detected		0.071	ug/g	SOP-PEST-0048 QuEChERS
Tebuconazole	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tebuthiuron	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Terbacil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tetraconazole	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Thiacloprid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Thiamethoxam	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Thiencarbazone Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Trifloxystrobin	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Aminopyralid	Not Detected		0.20	ug/g	SOP-PEMTA - QuEChERS
Imazamox	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Imazapic	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Imazaquin	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Imazethapyr	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Crooked 5 Plant Tissue (Continued)

Lab Number: 25J0154-03 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Naphthalene Acetic Acid	Not Detected		0.42	ug/g	SOP-PEMTA - QuEChERS
Quinclorac	Not Detected		0.018	ug/g	SOP-PEMTA - QuEChERS
Imazapyr	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Diquat	Not Detected		0.099	ug/g	SOP-PEMTL - Paraquat/Diquat
Paraquat	Not Detected		0.099	ug/g	SOP-PEMTL - Paraquat/Diquat

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 1 Water

Lab Number: 25J0154-04 (Water)

Analyte	Result	Qual	LOD	Units	Method
2,4-DB	Not Detected		0.11	ug/g	SOP-PEMTA - QuEChERS
5-OH Dicamba	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
Bromoxynil	Not Detected		0.012	ug/g	SOP-PEMTA - QuEChERS
Chloramben	Not Detected		0.11	ug/g	SOP-PEMTA - QuEChERS
Clopyralid	Not Detected		0.11	ug/g	SOP-PEMTA - QuEChERS
DCSA	Not Detected		0.051	ug/g	SOP-PEMTA - QuEChERS
Dicamba	Not Detected		0.051	ug/g	SOP-PEMTA - QuEChERS
Fluroxypyr	Not Detected		0.051	ug/g	SOP-PEMTA - QuEChERS
MCPA	Not Detected		0.013	ug/g	SOP-PEMTA - QuEChERS
MCPP	Not Detected		0.011	ug/g	SOP-PEMTA - QuEChERS
Picloram	Not Detected		0.11	ug/g	SOP-PEMTA - QuEChERS
Triclopyr	Not Detected		0.0071	ug/g	SOP-PEMTA - QuEChERS
2,4-D	Not Detected		0.0061	ug/g	SOP-PEMTA - QuEChERS
1-Naphthol	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
2,6-DIPN	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Acequinocyl	Not Detected		1.0	ug/g	SOP-PEST-0048 QuEChERS
Acetochlor	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Acibenzolar-S-Methyl	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Alachlor	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Aldrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Allethrin	Not Detected		0.16	ug/g	SOP-PEST-0048 QuEChERS
Anthraquinone	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Benoxacor	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
BHC, alpha-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
BHC, delta-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 1 Water (Continued)

Lab Number: 25J0154-04 (Water)

Analyte	Result	Qual	LOD	Units	Method
BHC, epsilon-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Bifenthrin	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Biphenyl	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Boscalid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Broflanilide	Not Detected		0.14	ug/g	SOP-PEST-0048 QuEChERS
Captan	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Chlorantraniliprole	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Chlordane, cis-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Chlordane, trans-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Chlorfenapyr	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Chlorpropham	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Chlorpyrifos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Clomazone	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyantraniliprole	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Cyflumetofen	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Cyfluthrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyhalothrin (Total)	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Cypermethrin	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Cyphenothrin	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Cyprodinil	0.0012	Est Range, LOD Est	0.0012	ug/g	SOP-PEST-0048 QuEChERS
DCPA	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
DDD, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDD, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDE, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDE, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 1 Water (Continued)

Lab Number: 25J0154-04 (Water)

Analyte	Result	Qual	LOD	Units	Method
DDT, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDT, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DEET	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Deltamethrin	Not Detected		0.14	ug/g	SOP-PEST-0048 QuEChERS
Desmedipham	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Diazinon	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Diazinon Oxon	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dichlobenil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dichlormid	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Dichlorvos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dicloran	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Dicofol (Total)	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Dieldrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Dimethenamid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dimethomorph	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Diphenylamine	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan I	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan II	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan Sulfate	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Endrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
EPN	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Esfenvalerate	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Ethalfuralin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Ethion	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Ethofumesate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 1 Water (Continued)

Lab Number: 25J0154-04 (Water)

Analyte	Result	Qual	LOD	Units	Method
Etofenprox	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Etoxazole	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Etridiazole	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Famoxadone	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Fenamidone	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fenarimol	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenoxycarb	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Fenpropathrin	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fipronil	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fluensulfone	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Fluopicolide	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flupyradifurone	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Flutianil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flutolanil	0.0029		0.0026	ug/g	SOP-PEST-0048 QuEChERS
Flutriafol	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluvalinate	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Folpet	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Fonofos	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Heptachlor	Not Detected		0.051	ug/g	SOP-PEST-0048 QuEChERS
Heptachlor Epoxide (Total)	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Hexachlorobenzene	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Hydroprene	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Imiprothrin	Not Detected		0.092	ug/g	SOP-PEST-0048 QuEChERS
Iprodione	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Isoxaflutole	Not Detected		0.82	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 1 Water (Continued)

Lab Number: 25J0154-04 (Water)

Analyte	Result	Qual	LOD	Units	Method
Kinoprene	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Lindane (BHC, gamma-)	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Metalaxyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Methoprene	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Methoxychlor (Total)	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Metolachlor	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Metrafenone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
MGK-264	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
MGK-326	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Napropamide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Nitrapyrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
o-Phenylphenol	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Oxyfluorfen	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Parathion Ethyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Parathion Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
PCNB (Quintozone)	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pendimethalin	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Pentachloroaniline	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pentachlorobenzene	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pentachlorophenyl Methyl Sulfide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Permethrin, cis-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Permethrin, trans-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Phenothrin	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Picaridin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Piperonyl Butoxide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 1 Water (Continued)

Lab Number: 25J0154-04 (Water)

Analyte	Result	Qual	LOD	Units	Method
Pirimiphos Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Prallethrin	Not Detected		0.093	ug/g	SOP-PEST-0048 QuEChERS
Prochloraz	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Procymidone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Prodiamine	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Profenofos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pronamide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Propargite	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Pyraflufen Ethyl	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Pyrasulfotole	Not Detected		2.1	ug/g	SOP-PEST-0048 QuEChERS
Pyrethrins (Total)	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Pyridalyl	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Resmethrin	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Rimsulfuron	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Tefluthrin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tetradifon	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Tetrahydrophthalimide (THPI)	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Tetramethrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Tolfenpyrad	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Tolyfluanid	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Trifluralin	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Vinclozolin	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Acephate	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Acetamiprid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Aldicarb	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 1 Water (Continued)

Lab Number: 25J0154-04 (Water)

Analyte	Result	Qual	LOD	Units	Method
Atrazine	Not Detected		0.0021	ug/g	SOP-PEST-0048 QuEChERS
Azadirachtin	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Azinphos-Me	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Azoxystrobin	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Bentazon	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Bifenazate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Bromacil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Carbaryl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Carbendazim	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Carbofuran	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Carfentrazone ethyl	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Chlorpyrifos OA	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Clethodim	Not Detected		0.071	ug/g	SOP-PEST-0048 QuEChERS
Clofentezine	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Clothianidin	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Cyclaniliprole	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyflufenamid	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cymoxanil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Cyproconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Daminozide	Not Detected		0.58	ug/g	SOP-PEST-0048 QuEChERS
Difenoconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Diflubenzuron	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Dimethoate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Dinotefuran	Not Detected		0.030	ug/g	SOP-PEST-0048 QuEChERS
Dithiopyr	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 1 Water (Continued)

Lab Number: 25J0154-04 (Water)

Analyte	Result	Qual	LOD	Units	Method
Diuron	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
EPTC (Eptam)	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Fenbuconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenhexamid	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fenpyroximate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenthion	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Flonicamid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluazifop-P-Butyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluazinam	Not Detected		0.051	ug/g	SOP-PEST-0048 QuEChERS
Flubendiamide	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fludioxonil	Not Detected		0.13	ug/g	SOP-PEST-0048 QuEChERS
Flumioxazin	Not Detected		0.081	ug/g	SOP-PEST-0048 QuEChERS
Fluopyram	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluridone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluthiacet Methyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluxapyroxad	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Halosulfuron methyl	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Hexazinone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Imazalil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Imidacloprid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Kresoxim-Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Lactofen	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Linuron	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Malathion	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Malathion oxon	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 1 Water (Continued)

Lab Number: 25J0154-04 (Water)

Analyte	Result	Qual	LOD	Units	Method
Mandipropamid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Mefentrifluconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Mesotrione	Not Detected		0.16	ug/g	SOP-PEST-0048 QuEChERS
Metconazole	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Methamidiphos	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Methiocarb	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Methomyl	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Methoxyfenozide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Metribuzin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Myclobutanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Naled	Not Detected		0.82	ug/g	SOP-PEST-0048 QuEChERS
Oryzalin	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Oxamyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Oxamyl Oxime	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Paclbutrazol	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Phorate	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Phosmet	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Picoxystrobin	Not Detected		0.0021	ug/g	SOP-PEST-0048 QuEChERS
Prometon	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Prometryn	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Propamacarb HCl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Propiconazole	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Prothioconazole - desthio	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Pydiflumetofen	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pymetrozine	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*


Sample Seal:* Bass 1 Water (Continued)

Lab Number: 25J0154-04 (Water)

Analyte	Result	Qual	LOD	Units	Method
Pyraclostrobin	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyrimethanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyriproxyfen	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyroxasulfone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Simazine	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spinetoram (Total)	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spinosad (Total)	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Spirodiclofen	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spiromesifen	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Spirotetramat	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Spiroxamine	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Sulfentrazone	Not Detected		0.071	ug/g	SOP-PEST-0048 QuEChERS
Tebuconazole	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tebuthiuron	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Terbacil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tetraconazole	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Thiacloprid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Thiamethoxam	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Thiencarbazone Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Trifloxystrobin	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Aminopyralid	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
Imazamox	Not Detected		0.0051	ug/g	SOP-PEMTA - QuEChERS
Imazapic	Not Detected		0.0051	ug/g	SOP-PEMTA - QuEChERS
Imazaquin	Not Detected		0.0051	ug/g	SOP-PEMTA - QuEChERS
Imazethapyr	Not Detected		0.0051	ug/g	SOP-PEMTA - QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer


Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 1 Water (Continued)

Lab Number: 25J0154-04 (Water)

Analyte	Result	Qual	LOD	Units	Method
Naphthalene Acetic Acid	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
Quinclorac	Not Detected		0.0092	ug/g	SOP-PEMTA - QuEChERS
Imazapyr	Not Detected		0.0051	ug/g	SOP-PEMTA - QuEChERS
Diquat	Not Detected		0.0050	ug/g	SOP-PEMTL - Paraquat/Diquat
Paraquat	Not Detected		0.0050	ug/g	SOP-PEMTL - Paraquat/Diquat

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

** Information Provided by Customer*

Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 2 Water

Lab Number: 25J0154-05 (Water)

Analyte	Result	Qual	LOD	Units	Method
2,4-DB	Not Detected		0.11	ug/g	SOP-PEMTA - QuEChERS
5-OH Dicamba	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
Bromoxynil	Not Detected		0.012	ug/g	SOP-PEMTA - QuEChERS
Chloramben	Not Detected		0.11	ug/g	SOP-PEMTA - QuEChERS
Clopyralid	Not Detected		0.11	ug/g	SOP-PEMTA - QuEChERS
DCSA	Not Detected		0.051	ug/g	SOP-PEMTA - QuEChERS
Dicamba	Not Detected		0.051	ug/g	SOP-PEMTA - QuEChERS
Fluroxypyr	Not Detected		0.051	ug/g	SOP-PEMTA - QuEChERS
MCPA	Not Detected		0.013	ug/g	SOP-PEMTA - QuEChERS
MCPP	Not Detected		0.011	ug/g	SOP-PEMTA - QuEChERS
Picloram	Not Detected		0.11	ug/g	SOP-PEMTA - QuEChERS
Triclopyr	Not Detected		0.0071	ug/g	SOP-PEMTA - QuEChERS
2,4-D	Not Detected		0.0061	ug/g	SOP-PEMTA - QuEChERS
1-Naphthol	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
2,6-DIPN	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Acequinocyl	Not Detected		1.0	ug/g	SOP-PEST-0048 QuEChERS
Acetochlor	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Acibenzolar-S-Methyl	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Alachlor	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Aldrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Allethrin	Not Detected		0.16	ug/g	SOP-PEST-0048 QuEChERS
Anthraquinone	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Benoxacor	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
BHC, alpha-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
BHC, delta-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 2 Water (Continued)

Lab Number: 25J0154-05 (Water)

Analyte	Result	Qual	LOD	Units	Method
BHC, epsilon-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Bifenthrin	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Biphenyl	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Boscalid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Broflanilide	Not Detected		0.14	ug/g	SOP-PEST-0048 QuEChERS
Captan	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Chlorantraniliprole	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Chlordane, cis-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Chlordane, trans-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Chlorfenapyr	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Chlorpropham	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Chlorpyrifos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Clomazone	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyantraniliprole	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Cyflumetofen	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Cyfluthrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyhalothrin (Total)	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Cypermethrin	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Cyphenothrin	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Cyprodinil	Not Detected	LOD Est	0.0012	ug/g	SOP-PEST-0048 QuEChERS
DCPA	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
DDD, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDD, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDE, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDE, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*


Sample Seal:* Bass 2 Water (Continued)

Lab Number: 25J0154-05 (Water)

Analyte	Result	Qual	LOD	Units	Method
DDT, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDT, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DEET	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Deltamethrin	Not Detected		0.14	ug/g	SOP-PEST-0048 QuEChERS
Desmedipham	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Diazinon	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Diazinon Oxon	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dichlobenil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dichlormid	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Dichlorvos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dicloran	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Dicofol (Total)	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Dieldrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Dimethenamid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dimethomorph	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Diphenylamine	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan I	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan II	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan Sulfate	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Endrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
EPN	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Esfenvalerate	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Ethalfuralin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Ethion	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Ethofumesate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer


Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 2 Water (Continued)

Lab Number: 25J0154-05 (Water)

Analyte	Result	Qual	LOD	Units	Method
Etofenprox	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Etoxazole	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Etridiazole	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Famoxadone	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Fenamidone	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fenarimol	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenoxycarb	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Fenpropathrin	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fipronil	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fluensulfone	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Fluopicolide	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flupyradifurone	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Flutianil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flutolanil	Not Detected		0.0026	ug/g	SOP-PEST-0048 QuEChERS
Flutriafol	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluvalinate	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Folpet	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Fonofos	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Heptachlor	Not Detected		0.051	ug/g	SOP-PEST-0048 QuEChERS
Heptachlor Epoxide (Total)	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Hexachlorobenzene	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Hydroprene	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Imiprothrin	Not Detected		0.092	ug/g	SOP-PEST-0048 QuEChERS
Iprodione	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Isoxaflutole	Not Detected		0.82	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*


Sample Seal:* Bass 2 Water (Continued)

Lab Number: 25J0154-05 (Water)

Analyte	Result	Qual	LOD	Units	Method
Kinoprene	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Lindane (BHC, gamma-)	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Metalaxyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Methoprene	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Methoxychlor (Total)	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Metolachlor	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Metrafenone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
MGK-264	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
MGK-326	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Napropamide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Nitrapyrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
o-Phenylphenol	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Oxyfluorfen	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Parathion Ethyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Parathion Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
PCNB (Quintozone)	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pendimethalin	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Pentachloroaniline	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pentachlorobenzene	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pentachlorophenyl Methyl Sulfide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Permethrin, cis-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Permethrin, trans-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Phenothrin	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Picaridin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Piperonyl Butoxide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer


Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*


Sample Seal:* Bass 2 Water (Continued)

Lab Number: 25J0154-05 (Water)

Analyte	Result	Qual	LOD	Units	Method
Pirimiphos Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Prallethrin	Not Detected		0.093	ug/g	SOP-PEST-0048 QuEChERS
Prochloraz	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Procymidone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Prodiamine	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Profenofos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pronamide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Propargite	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Pyraflufen Ethyl	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Pyrasulfotole	Not Detected		2.1	ug/g	SOP-PEST-0048 QuEChERS
Pyrethrins (Total)	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Pyridalyl	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Resmethrin	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Rimsulfuron	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Tefluthrin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tetradifon	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Tetrahydrophthalimide (THPI)	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Tetramethrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Tolfenpyrad	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Tolyfluanid	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Trifluralin	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Vinclozolin	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Acephate	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Acetamiprid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Aldicarb	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer


Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 2 Water (Continued)

Lab Number: 25J0154-05 (Water)

Analyte	Result	Qual	LOD	Units	Method
Atrazine	Not Detected		0.0021	ug/g	SOP-PEST-0048 QuEChERS
Azadirachtin	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Azinphos-Me	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Azoxystrobin	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Bentazon	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Bifenazate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Bromacil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Carbaryl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Carbendazim	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Carbofuran	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Carfentrazone ethyl	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Chlorpyrifos OA	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Clethodim	Not Detected		0.071	ug/g	SOP-PEST-0048 QuEChERS
Clofentezine	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Clothianidin	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Cyclaniliprole	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyflufenamid	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cymoxanil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Cyproconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Daminozide	Not Detected		0.58	ug/g	SOP-PEST-0048 QuEChERS
Difenoconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Diflubenzuron	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Dimethoate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Dinotefuran	Not Detected		0.030	ug/g	SOP-PEST-0048 QuEChERS
Dithiopyr	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 2 Water (Continued)

Lab Number: 25J0154-05 (Water)

Analyte	Result	Qual	LOD	Units	Method
Diuron	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
EPTC (Eptam)	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Fenbuconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenhexamid	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fenpyroximate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenthion	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Flonicamid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluazifop-P-Butyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluazinam	Not Detected		0.051	ug/g	SOP-PEST-0048 QuEChERS
Flubendiamide	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fludioxonil	Not Detected		0.13	ug/g	SOP-PEST-0048 QuEChERS
Flumioxazin	Not Detected		0.081	ug/g	SOP-PEST-0048 QuEChERS
Fluopyram	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluridone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluthiacet Methyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluxapyroxad	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Halosulfuron methyl	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Hexazinone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Imazalil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Imidacloprid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Kresoxim-Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Lactofen	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Linuron	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Malathion	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Malathion oxon	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 2 Water (Continued)

Lab Number: 25J0154-05 (Water)

Analyte	Result	Qual	LOD	Units	Method
Mandipropamid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Mefentrifluconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Mesotrione	Not Detected		0.16	ug/g	SOP-PEST-0048 QuEChERS
Metconazole	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Methamidiphos	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Methiocarb	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Methomyl	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Methoxyfenozide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Metribuzin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Myclobutanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Naled	Not Detected		0.82	ug/g	SOP-PEST-0048 QuEChERS
Oryzalin	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Oxamyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Oxamyl Oxime	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Paclbutrazol	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Phorate	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Phosmet	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Picoxystrobin	Not Detected		0.0021	ug/g	SOP-PEST-0048 QuEChERS
Prometon	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Prometryn	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Propamacarb HCl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Propiconazole	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Prothioconazole - desthio	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Pydiflumetofen	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pymetrozine	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*


Sample Seal:* Bass 2 Water (Continued)

Lab Number: 25J0154-05 (Water)

Analyte	Result	Qual	LOD	Units	Method
Pyraclostrobin	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyrimethanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyriproxyfen	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyrooxulfone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Simazine	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spinetoram (Total)	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spinosad (Total)	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Spirodiclofen	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spiromesifen	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Spirotetramat	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Spiroxamine	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Sulfentrazone	Not Detected		0.071	ug/g	SOP-PEST-0048 QuEChERS
Tebuconazole	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tebuthiuron	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Terbacil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tetraconazole	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Thiacloprid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Thiamethoxam	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Thiencarbazone Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Trifloxystrobin	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Aminopyralid	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
Imazamox	Not Detected		0.0051	ug/g	SOP-PEMTA - QuEChERS
Imazapic	Not Detected		0.0051	ug/g	SOP-PEMTA - QuEChERS
Imazaquin	Not Detected		0.0051	ug/g	SOP-PEMTA - QuEChERS
Imazethapyr	Not Detected		0.0051	ug/g	SOP-PEMTA - QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer


Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 2 Water (Continued)

Lab Number: 25J0154-05 (Water)

Analyte	Result	Qual	LOD	Units	Method
Naphthalene Acetic Acid	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
Quinclorac	Not Detected		0.0092	ug/g	SOP-PEMTA - QuEChERS
Imazapyr	Not Detected		0.0051	ug/g	SOP-PEMTA - QuEChERS
Diquat	Not Detected		0.0050	ug/g	SOP-PEMTL - Paraquat/Diquat
Paraquat	Not Detected		0.0050	ug/g	SOP-PEMTL - Paraquat/Diquat

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

** Information Provided by Customer*

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 3 Water

Lab Number: 25J0154-06 (Water)

Analyte	Result	Qual	LOD	Units	Method
2,4-DB	Not Detected		0.11	ug/g	SOP-PEMTA - QuEChERS
5-OH Dicamba	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
Bromoxynil	Not Detected		0.012	ug/g	SOP-PEMTA - QuEChERS
Chloramben	Not Detected		0.11	ug/g	SOP-PEMTA - QuEChERS
Clopyralid	Not Detected		0.11	ug/g	SOP-PEMTA - QuEChERS
DCSA	Not Detected		0.051	ug/g	SOP-PEMTA - QuEChERS
Dicamba	Not Detected		0.051	ug/g	SOP-PEMTA - QuEChERS
Fluroxypyr	Not Detected		0.051	ug/g	SOP-PEMTA - QuEChERS
MCPA	Not Detected		0.013	ug/g	SOP-PEMTA - QuEChERS
MCPP	Not Detected		0.011	ug/g	SOP-PEMTA - QuEChERS
Picloram	Not Detected		0.11	ug/g	SOP-PEMTA - QuEChERS
Triclopyr	Not Detected		0.0071	ug/g	SOP-PEMTA - QuEChERS
2,4-D	Not Detected		0.0061	ug/g	SOP-PEMTA - QuEChERS
1-Naphthol	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
2,6-DIPN	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Acequinocyl	Not Detected		1.0	ug/g	SOP-PEST-0048 QuEChERS
Acetochlor	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Acibenzolar-S-Methyl	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Alachlor	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Aldrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Allethrin	Not Detected		0.16	ug/g	SOP-PEST-0048 QuEChERS
Anthraquinone	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Benoxacor	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
BHC, alpha-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
BHC, delta-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 3 Water (Continued)

Lab Number: 25J0154-06 (Water)

Analyte	Result	Qual	LOD	Units	Method
BHC, epsilon-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Bifenthrin	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Biphenyl	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Boscalid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Broflanilide	Not Detected		0.14	ug/g	SOP-PEST-0048 QuEChERS
Captan	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Chlorantraniliprole	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Chlordane, cis-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Chlordane, trans-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Chlorfenapyr	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Chlorpropham	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Chlorpyrifos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Clomazone	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyantraniliprole	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Cyflumetofen	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Cyfluthrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyhalothrin (Total)	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Cypermethrin	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Cyphenothrin	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Cyprodinil	Not Detected	LOD Est	0.0012	ug/g	SOP-PEST-0048 QuEChERS
DCPA	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
DDD, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDD, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDE, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDE, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 3 Water (Continued)

Lab Number: 25J0154-06 (Water)

Analyte	Result	Qual	LOD	Units	Method
DDT, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDT, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DEET	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Deltamethrin	Not Detected		0.14	ug/g	SOP-PEST-0048 QuEChERS
Desmedipham	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Diazinon	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Diazinon Oxon	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dichlobenil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dichlormid	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Dichlorvos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dicloran	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Dicofol (Total)	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Dieldrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Dimethenamid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dimethomorph	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Diphenylamine	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan I	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan II	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan Sulfate	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Endrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
EPN	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Esfenvalerate	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Ethalfuralin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Ethion	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Ethofumesate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 3 Water (Continued)

Lab Number: 25J0154-06 (Water)

Analyte	Result	Qual	LOD	Units	Method
Etofenprox	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Etoxazole	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Etridiazole	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Famoxadone	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Fenamidone	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fenarimol	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenoxycarb	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Fenpropathrin	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fipronil	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fluensulfone	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Fluopicolide	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flupyradifurone	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Flutianil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flutolanil	Not Detected		0.0026	ug/g	SOP-PEST-0048 QuEChERS
Flutriafol	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluvalinate	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Folpet	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Fonofos	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Heptachlor	Not Detected		0.051	ug/g	SOP-PEST-0048 QuEChERS
Heptachlor Epoxide (Total)	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Hexachlorobenzene	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Hydroprene	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Imiprothrin	Not Detected		0.092	ug/g	SOP-PEST-0048 QuEChERS
Iprodione	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Isoxaflutole	Not Detected		0.82	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 3 Water (Continued)

Lab Number: 25J0154-06 (Water)

Analyte	Result	Qual	LOD	Units	Method
Kinoprene	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Lindane (BHC, gamma-)	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Metalaxyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Methoprene	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Methoxychlor (Total)	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Metolachlor	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Metrafenone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
MGK-264	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
MGK-326	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Napropamide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Nitrapyrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
o-Phenylphenol	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Oxyfluorfen	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Parathion Ethyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Parathion Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
PCNB (Quintozone)	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pendimethalin	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Pentachloroaniline	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pentachlorobenzene	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pentachlorophenyl Methyl Sulfide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Permethrin, cis-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Permethrin, trans-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Phenothrin	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Picaridin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Piperonyl Butoxide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 3 Water (Continued)

Lab Number: 25J0154-06 (Water)

Analyte	Result	Qual	LOD	Units	Method
Pirimiphos Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Prallethrin	Not Detected		0.093	ug/g	SOP-PEST-0048 QuEChERS
Prochloraz	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Procymidone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Prodiamine	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Profenofos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pronamide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Propargite	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Pyraflufen Ethyl	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Pyrasulfotole	Not Detected		2.1	ug/g	SOP-PEST-0048 QuEChERS
Pyrethrins (Total)	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Pyridalyl	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Resmethrin	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Rimsulfuron	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Tefluthrin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tetradifon	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Tetrahydrophthalimide (THPI)	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Tetramethrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Tolfenpyrad	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Tolyfluanid	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Trifluralin	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Vinclozolin	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Acephate	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Acetamiprid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Aldicarb	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 3 Water (Continued)

Lab Number: 25J0154-06 (Water)

Analyte	Result	Qual	LOD	Units	Method
Atrazine	Not Detected		0.0021	ug/g	SOP-PEST-0048 QuEChERS
Azadirachtin	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Azinphos-Me	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Azoxystrobin	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Bentazon	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Bifenazate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Bromacil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Carbaryl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Carbendazim	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Carbofuran	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Carfentrazone ethyl	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Chlorpyrifos OA	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Clethodim	Not Detected		0.071	ug/g	SOP-PEST-0048 QuEChERS
Clofentezine	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Clothianidin	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Cyclaniliprole	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyflufenamid	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cymoxanil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Cyproconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Daminozide	Not Detected		0.58	ug/g	SOP-PEST-0048 QuEChERS
Difenoconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Diflubenzuron	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Dimethoate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Dinotefuran	Not Detected		0.030	ug/g	SOP-PEST-0048 QuEChERS
Dithiopyr	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 3 Water (Continued)

Lab Number: 25J0154-06 (Water)

Analyte	Result	Qual	LOD	Units	Method
Diuron	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
EPTC (Eptam)	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Fenbuconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenhexamid	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fenpyroximate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenthion	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Flonicamid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluazifop-P-Butyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluazinam	Not Detected		0.051	ug/g	SOP-PEST-0048 QuEChERS
Flubendiamide	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fludioxonil	Not Detected		0.13	ug/g	SOP-PEST-0048 QuEChERS
Flumioxazin	Not Detected		0.081	ug/g	SOP-PEST-0048 QuEChERS
Fluopyram	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluridone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluthiacet Methyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluxapyroxad	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Halosulfuron methyl	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Hexazinone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Imazalil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Imidacloprid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Kresoxim-Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Lactofen	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Linuron	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Malathion	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Malathion oxon	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 3 Water (Continued)

Lab Number: 25J0154-06 (Water)

Analyte	Result	Qual	LOD	Units	Method
Mandipropamid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Mefentrifluconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Mesotrione	Not Detected		0.16	ug/g	SOP-PEST-0048 QuEChERS
Metconazole	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Methamidiphos	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Methiocarb	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Methomyl	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Methoxyfenozide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Metribuzin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Myclobutanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Naled	Not Detected		0.82	ug/g	SOP-PEST-0048 QuEChERS
Oryzalin	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Oxamyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Oxamyl Oxime	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Paclbutrazol	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Phorate	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Phosmet	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Picoxystrobin	Not Detected		0.0021	ug/g	SOP-PEST-0048 QuEChERS
Prometon	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Prometryn	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Propamacarb HCl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Propiconazole	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Prothioconazole - desthio	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Pydiflumetofen	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pymetrozine	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 3 Water (Continued)

Lab Number: 25J0154-06 (Water)

Analyte	Result	Qual	LOD	Units	Method
Pyraclostrobin	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyrimethanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyriproxyfen	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyrooxulfone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Simazine	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spinetoram (Total)	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spinosad (Total)	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Spirodiclofen	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spiromesifen	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Spirotetramat	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Spiroxamine	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Sulfentrazone	Not Detected		0.071	ug/g	SOP-PEST-0048 QuEChERS
Tebuconazole	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tebuthiuron	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Terbacil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tetraconazole	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Thiacloprid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Thiamethoxam	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Thiencarbazone Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Trifloxystrobin	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Aminopyralid	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
Imazamox	Not Detected		0.0051	ug/g	SOP-PEMTA - QuEChERS
Imazapic	Not Detected		0.0051	ug/g	SOP-PEMTA - QuEChERS
Imazaquin	Not Detected		0.0051	ug/g	SOP-PEMTA - QuEChERS
Imazethapyr	Not Detected		0.0051	ug/g	SOP-PEMTA - QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 3 Water (Continued)

Lab Number: 25J0154-06 (Water)

Analyte	Result	Qual	LOD	Units	Method
Naphthalene Acetic Acid	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
Quinclorac	Not Detected		0.0092	ug/g	SOP-PEMTA - QuEChERS
Imazapyr	Not Detected		0.0051	ug/g	SOP-PEMTA - QuEChERS
Diquat	Not Detected		0.0050	ug/g	SOP-PEMTL - Paraquat/Diquat
Paraquat	Not Detected		0.0050	ug/g	SOP-PEMTL - Paraquat/Diquat

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

** Information Provided by Customer*

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 4 Water

Lab Number: 25J0154-07 (Water)

Analyte	Result	Qual	LOD	Units	Method
2,4-DB	Not Detected		0.11	ug/g	SOP-PEMTA - QuEChERS
5-OH Dicamba	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
Bromoxynil	Not Detected		0.012	ug/g	SOP-PEMTA - QuEChERS
Chloramben	Not Detected		0.11	ug/g	SOP-PEMTA - QuEChERS
Clopyralid	Not Detected		0.11	ug/g	SOP-PEMTA - QuEChERS
DCSA	Not Detected		0.051	ug/g	SOP-PEMTA - QuEChERS
Dicamba	Not Detected		0.051	ug/g	SOP-PEMTA - QuEChERS
Fluroxypyr	Not Detected		0.051	ug/g	SOP-PEMTA - QuEChERS
MCPA	Not Detected		0.013	ug/g	SOP-PEMTA - QuEChERS
MCPP	Not Detected		0.011	ug/g	SOP-PEMTA - QuEChERS
Picloram	Not Detected		0.11	ug/g	SOP-PEMTA - QuEChERS
Triclopyr	Not Detected		0.0071	ug/g	SOP-PEMTA - QuEChERS
2,4-D	Not Detected		0.0061	ug/g	SOP-PEMTA - QuEChERS
1-Naphthol	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
2,6-DIPN	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Acequinocyl	Not Detected		1.0	ug/g	SOP-PEST-0048 QuEChERS
Acetochlor	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Acibenzolar-S-Methyl	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Alachlor	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Aldrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Allethrin	Not Detected		0.16	ug/g	SOP-PEST-0048 QuEChERS
Anthraquinone	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Benoxacor	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
BHC, alpha-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
BHC, delta-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965, as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 4 Water (Continued)

Lab Number: 25J0154-07 (Water)

Analyte	Result	Qual	LOD	Units	Method
BHC, epsilon-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Bifenthrin	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Biphenyl	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Boscalid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Broflanilide	Not Detected		0.14	ug/g	SOP-PEST-0048 QuEChERS
Captan	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Chlorantraniliprole	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Chlordane, cis-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Chlordane, trans-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Chlorfenapyr	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Chlorpropham	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Chlorpyrifos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Clomazone	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyantraniliprole	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Cyflumetofen	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Cyfluthrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyhalothrin (Total)	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Cypermethrin	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Cyphenothrin	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Cyprodinil	Not Detected	LOD Est	0.0012	ug/g	SOP-PEST-0048 QuEChERS
DCPA	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
DDD, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDD, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDE, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDE, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 4 Water (Continued)

Lab Number: 25J0154-07 (Water)

Analyte	Result	Qual	LOD	Units	Method
DDT, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDT, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DEET	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Deltamethrin	Not Detected		0.14	ug/g	SOP-PEST-0048 QuEChERS
Desmedipham	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Diazinon	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Diazinon Oxon	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dichlobenil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dichlormid	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Dichlorvos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dicloran	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Dicofol (Total)	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Dieldrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Dimethenamid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dimethomorph	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Diphenylamine	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan I	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan II	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan Sulfate	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Endrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
EPN	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Esfenvalerate	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Ethalfuralin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Ethion	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Ethofumesate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 4 Water (Continued)

Lab Number: 25J0154-07 (Water)

Analyte	Result	Qual	LOD	Units	Method
Etofenprox	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Etoxazole	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Etridiazole	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Famoxadone	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Fenamidone	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fenarimol	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenoxycarb	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Fenpropathrin	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fipronil	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fluensulfone	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Fluopicolide	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flupyradifurone	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Flutianil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flutolanil	Not Detected		0.0026	ug/g	SOP-PEST-0048 QuEChERS
Flutriafol	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluvalinate	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Folpet	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Fonofos	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Heptachlor	Not Detected		0.051	ug/g	SOP-PEST-0048 QuEChERS
Heptachlor Epoxide (Total)	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Hexachlorobenzene	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Hydroprene	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Imiprothrin	Not Detected		0.092	ug/g	SOP-PEST-0048 QuEChERS
Iprodione	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Isoxaflutole	Not Detected		0.82	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 4 Water (Continued)

Lab Number: 25J0154-07 (Water)

Analyte	Result	Qual	LOD	Units	Method
Kinoprene	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Lindane (BHC, gamma-)	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Metalaxyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Methoprene	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Methoxychlor (Total)	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Metolachlor	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Metrafenone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
MGK-264	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
MGK-326	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Napropamide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Nitrapyrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
o-Phenylphenol	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Oxyfluorfen	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Parathion Ethyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Parathion Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
PCNB (Quintozone)	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pendimethalin	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Pentachloroaniline	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pentachlorobenzene	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pentachlorophenyl Methyl Sulfide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Permethrin, cis-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Permethrin, trans-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Phenothrin	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Picaridin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Piperonyl Butoxide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 4 Water (Continued)

Lab Number: 25J0154-07 (Water)

Analyte	Result	Qual	LOD	Units	Method
Pirimiphos Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Prallethrin	Not Detected		0.093	ug/g	SOP-PEST-0048 QuEChERS
Prochloraz	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Procymidone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Prodiamine	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Profenofos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pronamide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Propargite	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Pyraflufen Ethyl	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Pyrasulfotole	Not Detected		2.1	ug/g	SOP-PEST-0048 QuEChERS
Pyrethrins (Total)	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Pyridalyl	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Resmethrin	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Rimsulfuron	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Tefluthrin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tetradifon	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Tetrahydrophthalimide (THPI)	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Tetramethrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Tolfenpyrad	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Tolyfluanid	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Trifluralin	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Vincllozolin	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Acephate	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Acetamiprid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Aldicarb	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 4 Water (Continued)

Lab Number: 25J0154-07 (Water)

Analyte	Result	Qual	LOD	Units	Method
Atrazine	Not Detected		0.0021	ug/g	SOP-PEST-0048 QuEChERS
Azadirachtin	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Azinphos-Me	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Azoxystrobin	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Bentazon	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Bifenazate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Bromacil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Carbaryl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Carbendazim	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Carbofuran	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Carfentrazone ethyl	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Chlorpyrifos OA	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Clethodim	Not Detected		0.071	ug/g	SOP-PEST-0048 QuEChERS
Clofentezine	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Clothianidin	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Cyclaniliprole	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyflufenamid	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cymoxanil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Cyproconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Daminozide	Not Detected		0.58	ug/g	SOP-PEST-0048 QuEChERS
Difenoconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Diflubenzuron	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Dimethoate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Dinotefuran	Not Detected		0.030	ug/g	SOP-PEST-0048 QuEChERS
Dithiopyr	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 4 Water (Continued)

Lab Number: 25J0154-07 (Water)

Analyte	Result	Qual	LOD	Units	Method
Diuron	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
EPTC (Eptam)	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Fenbuconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenhexamid	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fenpyroximate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenthion	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Flonicamid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluazifop-P-Butyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluazinam	Not Detected		0.051	ug/g	SOP-PEST-0048 QuEChERS
Flubendiamide	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fludioxonil	Not Detected		0.13	ug/g	SOP-PEST-0048 QuEChERS
Flumioxazin	Not Detected		0.081	ug/g	SOP-PEST-0048 QuEChERS
Fluopyram	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluridone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluthiacet Methyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluxapyroxad	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Halosulfuron methyl	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Hexazinone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Imazalil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Imidacloprid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Kresoxim-Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Lactofen	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Linuron	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Malathion	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Malathion oxon	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 4 Water (Continued)

Lab Number: 25J0154-07 (Water)

Analyte	Result	Qual	LOD	Units	Method
Mandipropamid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Mefentrifluconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Mesotrione	Not Detected		0.16	ug/g	SOP-PEST-0048 QuEChERS
Metconazole	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Methamidiphos	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Methiocarb	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Methomyl	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Methoxyfenozide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Metribuzin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Myclobutanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Naled	Not Detected		0.82	ug/g	SOP-PEST-0048 QuEChERS
Oryzalin	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Oxamyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Oxamyl Oxime	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Paclbutrazol	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Phorate	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Phosmet	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Picoxystrobin	Not Detected		0.0021	ug/g	SOP-PEST-0048 QuEChERS
Prometon	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Prometryn	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Propamacarb HCl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Propiconazole	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Prothioconazole - desthio	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Pydiflumetofen	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pymetrozine	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 4 Water (Continued)

Lab Number: 25J0154-07 (Water)

Analyte	Result	Qual	LOD	Units	Method
Pyraclostrobin	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyrimethanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyriproxyfen	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyroxasulfone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Simazine	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spinetoram (Total)	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spinosad (Total)	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Spirodiclofen	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spiromesifen	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Spirotetramat	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Spiroxamine	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Sulfentrazone	Not Detected		0.071	ug/g	SOP-PEST-0048 QuEChERS
Tebuconazole	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tebuthiuron	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Terbacil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tetraconazole	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Thiacloprid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Thiamethoxam	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Thiencarbazone Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Trifloxystrobin	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Aminopyralid	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
Imazamox	Not Detected		0.0051	ug/g	SOP-PEMTA - QuEChERS
Imazapic	Not Detected		0.0051	ug/g	SOP-PEMTA - QuEChERS
Imazaquin	Not Detected		0.0051	ug/g	SOP-PEMTA - QuEChERS
Imazethapyr	Not Detected		0.0051	ug/g	SOP-PEMTA - QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 4 Water (Continued)

Lab Number: 25J0154-07 (Water)

Analyte	Result	Qual	LOD	Units	Method
Naphthalene Acetic Acid	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
Quinclorac	Not Detected		0.0092	ug/g	SOP-PEMTA - QuEChERS
Imazapyr	Not Detected		0.0051	ug/g	SOP-PEMTA - QuEChERS
Diquat	Not Detected		0.0050	ug/g	SOP-PEMTL - Paraquat/Diquat
Paraquat	Not Detected		0.0050	ug/g	SOP-PEMTL - Paraquat/Diquat

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

** Information Provided by Customer*

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 1 Sediment

Lab Number: 25J0154-08 (Soil)

Analyte	Result	Qual	LOD	Units	Method
2,4-DB	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
5-OH Dicamba	Not Detected		0.20	ug/g	SOP-PEMTA - QuEChERS
Bromoxynil	Not Detected		0.023	ug/g	SOP-PEMTA - QuEChERS
Chloramben	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
Clopyralid	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
DCSA	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
Dicamba	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
Fluroxypyr	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
MCPA	Not Detected		0.026	ug/g	SOP-PEMTA - QuEChERS
MCPP	Not Detected		0.021	ug/g	SOP-PEMTA - QuEChERS
Picloram	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
Triclopyr	Not Detected		0.014	ug/g	SOP-PEMTA - QuEChERS
2,4-D	Not Detected	LOD Est	0.0011	ug/g	SOP-PEMTA - QuEChERS
1-Naphthol	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
2,6-DIPN	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Acequinocyl	Not Detected		1.0	ug/g	SOP-PEST-0048 QuEChERS
Acetochlor	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Acibenzolar-S-Methyl	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Alachlor	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Aldrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Allethrin	Not Detected		0.16	ug/g	SOP-PEST-0048 QuEChERS
Anthraquinone	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Benoxacor	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
BHC, alpha-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
BHC, delta-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 1 Sediment (Continued)

Lab Number: 25J0154-08 (Soil)

Analyte	Result	Qual	LOD	Units	Method
BHC, epsilon-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Bifenthrin	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Biphenyl	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Boscalid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Broflanilide	Not Detected		0.14	ug/g	SOP-PEST-0048 QuEChERS
Captan	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Chlorantraniliprole	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Chlordane, cis-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Chlordane, trans-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Chlorfenapyr	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Chlorpropham	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Chlorpyrifos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Clomazone	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyantraniliprole	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Cyflumetofen	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Cyfluthrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyhalothrin (Total)	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Cypermethrin	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Cyphenothrin	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Cyprodinil	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
DCPA	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
DDD, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDD, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDE, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDE, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 1 Sediment (Continued)

Lab Number: 25J0154-08 (Soil)

Analyte	Result	Qual	LOD	Units	Method
DDT, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDT, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DEET	Not Detected		0.0065	ug/g	SOP-PEST-0048 QuEChERS
Deltamethrin	Not Detected		0.14	ug/g	SOP-PEST-0048 QuEChERS
Desmedipham	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Diazinon	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Diazinon Oxon	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dichlobenil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dichlormid	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Dichlorvos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dicloran	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Dicofol (Total)	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Dieldrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Dimethenamid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dimethomorph	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Diphenylamine	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan I	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan II	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan Sulfate	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Endrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
EPN	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Esfenvalerate	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Ethalfuralin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Ethion	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Ethofumesate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 1 Sediment (Continued)

Lab Number: 25J0154-08 (Soil)

Analyte	Result	Qual	LOD	Units	Method
Etofenprox	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Etoxazole	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Etridiazole	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Famoxadone	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Fenamidone	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fenarimol	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenoxycarb	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Fenpropathrin	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fipronil	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fluensulfone	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Fluopicolide	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flupyradifurone	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Flutianil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flutolanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flutriafol	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluvalinate	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Folpet	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Fonofos	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Heptachlor	Not Detected		0.051	ug/g	SOP-PEST-0048 QuEChERS
Heptachlor Epoxide (Total)	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Hexachlorobenzene	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Hydroprene	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Imiprothrin	Not Detected		0.092	ug/g	SOP-PEST-0048 QuEChERS
Iprodione	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Isoxaflutole	Not Detected		0.82	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*


Sample Seal:* Bass 1 Sediment (Continued)

Lab Number: 25J0154-08 (Soil)

Analyte	Result	Qual	LOD	Units	Method
Kinoprene	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Lindane (BHC, gamma-)	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Metalaxyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Methoprene	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Methoxychlor (Total)	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Metolachlor	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Metrafenone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
MGK-264	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
MGK-326	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Napropamide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Nitrapyrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
o-Phenylphenol	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Oxyfluorfen	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Parathion Ethyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Parathion Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
PCNB (Quintozone)	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pendimethalin	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Pentachloroaniline	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pentachlorobenzene	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pentachlorophenyl Methyl Sulfide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Permethrin, cis-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Permethrin, trans-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Phenothrin	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Picaridin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Piperonyl Butoxide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer


Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 1 Sediment (Continued)

Lab Number: 25J0154-08 (Soil)

Analyte	Result	Qual	LOD	Units	Method
Pirimiphos Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Prallethrin	Not Detected		0.093	ug/g	SOP-PEST-0048 QuEChERS
Prochloraz	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Procymidone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Prodiamine	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Profenofos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pronamide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Propargite	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Pyraflufen Ethyl	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Pyrasulfotole	Not Detected		2.1	ug/g	SOP-PEST-0048 QuEChERS
Pyrethrins (Total)	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Pyridalyl	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Resmethrin	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Rimsulfuron	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Tefluthrin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tetradifon	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Tetrahydrophthalimide (THPI)	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Tetramethrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Tolfenpyrad	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Tolyfluanid	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Trifluralin	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Vinclozolin	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Acephate	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Acetamiprid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Aldicarb	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*


Sample Seal:* Bass 1 Sediment (Continued)

Lab Number: 25J0154-08 (Soil)

Analyte	Result	Qual	LOD	Units	Method
Atrazine	Not Detected		0.0021	ug/g	SOP-PEST-0048 QuEChERS
Azadirachtin	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Azinphos-Me	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Azoxystrobin	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Bentazon	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Bifenazate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Bromacil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Carbaryl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Carbendazim	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Carbofuran	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Carfentrazone ethyl	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Chlorpyrifos OA	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Clethodim	Not Detected		0.071	ug/g	SOP-PEST-0048 QuEChERS
Clofentezine	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Clothianidin	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Cyclaniliprole	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyflufenamid	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cymoxanil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Cyproconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Daminozide	Not Detected		0.58	ug/g	SOP-PEST-0048 QuEChERS
Difenoconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Diflubenzuron	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Dimethoate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Dinotefuran	Not Detected		0.030	ug/g	SOP-PEST-0048 QuEChERS
Dithiopyr	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer


Brian Regan

(In Accordance with Act 380.
Public Acts 1965, as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 1 Sediment (Continued)

Lab Number: 25J0154-08 (Soil)

Analyte	Result	Qual	LOD	Units	Method
Diuron	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
EPTC (Eptam)	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Fenbuconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenhexamid	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fenpyroximate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenthion	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Flonicamid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluazifop-P-Butyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluazinam	Not Detected		0.051	ug/g	SOP-PEST-0048 QuEChERS
Flubendiamide	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fludioxonil	Not Detected		0.13	ug/g	SOP-PEST-0048 QuEChERS
Flumioxazin	Not Detected		0.081	ug/g	SOP-PEST-0048 QuEChERS
Fluopyram	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluridone	0.00066	Est Range, LOD Est	0.00028	ug/g	SOP-PEST-0048 QuEChERS
Fluthiacet Methyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluxapyroxad	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Halosulfuron methyl	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Hexazinone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Imazalil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Imidacloprid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Kresoxim-Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Lactofen	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Linuron	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Malathion	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Malathion oxon	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965, as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*


Sample Seal:* Bass 1 Sediment (Continued)

Lab Number: 25J0154-08 (Soil)

Analyte	Result	Qual	LOD	Units	Method
Mandipropamid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Mefentrifluconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Mesotrione	Not Detected		0.16	ug/g	SOP-PEST-0048 QuEChERS
Metconazole	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Methamidiphos	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Methiocarb	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Methomyl	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Methoxyfenozide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Metribuzin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Myclobutanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Naled	Not Detected		0.82	ug/g	SOP-PEST-0048 QuEChERS
Oryzalin	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Oxamyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Oxamyl Oxime	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Paclbutrazol	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Phorate	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Phosmet	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Picoxystrobin	Not Detected		0.0021	ug/g	SOP-PEST-0048 QuEChERS
Prometon	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Prometryn	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Propamacarb HCl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Propiconazole	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Prothioconazole - desthio	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Pydiflumetofen	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pymetrozine	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer


Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*


Sample Seal:* Bass 1 Sediment (Continued)

Lab Number: 25J0154-08 (Soil)

Analyte	Result	Qual	LOD	Units	Method
Pyraclostrobin	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyrimethanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyriproxyfen	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyroxasulfone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Simazine	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spinetoram (Total)	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spinosad (Total)	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Spirodiclofen	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spiromesifen	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Spirotetramat	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Spiroxamine	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Sulfentrazone	Not Detected		0.071	ug/g	SOP-PEST-0048 QuEChERS
Tebuconazole	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tebuthiuron	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Terbacil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tetraconazole	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Thiacloprid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Thiamethoxam	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Thiencarbazone Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Trifloxystrobin	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Aminopyralid	Not Detected		0.20	ug/g	SOP-PEMTA - QuEChERS
Imazamox	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Imazapic	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Imazaquin	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Imazethapyr	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer


Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 1 Sediment (Continued)

Lab Number: 25J0154-08 (Soil)

Analyte	Result	Qual	LOD	Units	Method
Naphthalene Acetic Acid	Not Detected		0.42	ug/g	SOP-PEMTA - QuEChERS
Quinclorac	Not Detected		0.018	ug/g	SOP-PEMTA - QuEChERS
Imazapyr	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Diquat	Not Detected		0.52	ug/g	SOP-PEMTL - Paraquat/Diquat
Paraquat	Not Detected		0.52	ug/g	SOP-PEMTL - Paraquat/Diquat

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

** Information Provided by Customer*

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 2 Sediment

Lab Number: 25J0154-09 (Soil)

Analyte	Result	Qual	LOD	Units	Method
2,4-DB	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
5-OH Dicamba	Not Detected		0.20	ug/g	SOP-PEMTA - QuEChERS
Bromoxynil	Not Detected		0.023	ug/g	SOP-PEMTA - QuEChERS
Chloramben	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
Clopyralid	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
DCSA	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
Dicamba	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
Fluroxypyr	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
MCPA	Not Detected		0.026	ug/g	SOP-PEMTA - QuEChERS
MCPP	Not Detected		0.021	ug/g	SOP-PEMTA - QuEChERS
Picloram	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
Triclopyr	Not Detected		0.014	ug/g	SOP-PEMTA - QuEChERS
2,4-D	Not Detected	LOD Est	0.0011	ug/g	SOP-PEMTA - QuEChERS
1-Naphthol	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
2,6-DIPN	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Acequinocyl	Not Detected		1.0	ug/g	SOP-PEST-0048 QuEChERS
Acetochlor	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Acibenzolar-S-Methyl	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Alachlor	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Aldrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Allethrin	Not Detected		0.16	ug/g	SOP-PEST-0048 QuEChERS
Anthraquinone	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Benoxacor	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
BHC, alpha-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
BHC, delta-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 2 Sediment (Continued)

Lab Number: 25J0154-09 (Soil)

Analyte	Result	Qual	LOD	Units	Method
BHC, epsilon-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Bifenthrin	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Biphenyl	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Boscalid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Broflanilide	Not Detected		0.14	ug/g	SOP-PEST-0048 QuEChERS
Captan	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Chlorantraniliprole	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Chlordane, cis-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Chlordane, trans-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Chlorfenapyr	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Chlorpropham	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Chlorpyrifos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Clomazone	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyantraniliprole	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Cyflumetofen	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Cyfluthrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyhalothrin (Total)	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Cypermethrin	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Cyphenothrin	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Cyprodinil	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
DCPA	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
DDD, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDD, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDE, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDE, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*


Sample Seal:* Bass 2 Sediment (Continued)

Lab Number: 25J0154-09 (Soil)

Analyte	Result	Qual	LOD	Units	Method
DDT, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDT, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DEET	Not Detected		0.0065	ug/g	SOP-PEST-0048 QuEChERS
Deltamethrin	Not Detected		0.14	ug/g	SOP-PEST-0048 QuEChERS
Desmedipham	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Diazinon	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Diazinon Oxon	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dichlobenil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dichlormid	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Dichlorvos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dicloran	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Dicofol (Total)	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Dieldrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Dimethenamid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dimethomorph	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Diphenylamine	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan I	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan II	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan Sulfate	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Endrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
EPN	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Esfenvalerate	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Ethalfuralin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Ethion	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Ethofumesate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer


Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 2 Sediment (Continued)

Lab Number: 25J0154-09 (Soil)

Analyte	Result	Qual	LOD	Units	Method
Etofenprox	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Etoxazole	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Etridiazole	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Famoxadone	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Fenamidone	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fenarimol	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenoxycarb	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Fenpropathrin	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fipronil	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fluensulfone	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Fluopicolide	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flupyradifurone	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Flutianil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flutolanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flutriafol	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluvalinate	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Folpet	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Fonofos	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Heptachlor	Not Detected		0.051	ug/g	SOP-PEST-0048 QuEChERS
Heptachlor Epoxide (Total)	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Hexachlorobenzene	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Hydroprene	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Imiprothrin	Not Detected		0.092	ug/g	SOP-PEST-0048 QuEChERS
Iprodione	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Isoxaflutole	Not Detected		0.82	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 2 Sediment (Continued)

Lab Number: 25J0154-09 (Soil)

Analyte	Result	Qual	LOD	Units	Method
Kinoprene	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Lindane (BHC, gamma-)	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Metalaxyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Methoprene	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Methoxychlor (Total)	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Metolachlor	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Metrafenone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
MGK-264	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
MGK-326	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Napropamide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Nitrapyrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
o-Phenylphenol	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Oxyfluorfen	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Parathion Ethyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Parathion Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
PCNB (Quintozone)	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pendimethalin	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Pentachloroaniline	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pentachlorobenzene	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pentachlorophenyl Methyl Sulfide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Permethrin, cis-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Permethrin, trans-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Phenothrin	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Picaridin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Piperonyl Butoxide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965, as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 2 Sediment (Continued)

Lab Number: 25J0154-09 (Soil)

Analyte	Result	Qual	LOD	Units	Method
Pirimiphos Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Prallethrin	Not Detected		0.093	ug/g	SOP-PEST-0048 QuEChERS
Prochloraz	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Procymidone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Prodiamine	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Profenofos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pronamide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Propargite	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Pyraflufen Ethyl	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Pyrasulfotole	Not Detected		2.1	ug/g	SOP-PEST-0048 QuEChERS
Pyrethrins (Total)	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Pyridalyl	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Resmethrin	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Rimsulfuron	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Tefluthrin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tetradifon	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Tetrahydrophthalimide (THPI)	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Tetramethrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Tolfenpyrad	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Tolyfluanid	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Trifluralin	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Vinclazolin	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Acephate	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Acetamiprid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Aldicarb	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965, as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 2 Sediment (Continued)

Lab Number: 25J0154-09 (Soil)

Analyte	Result	Qual	LOD	Units	Method
Atrazine	Not Detected		0.0021	ug/g	SOP-PEST-0048 QuEChERS
Azadirachtin	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Azinphos-Me	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Azoxystrobin	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Bentazon	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Bifenazate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Bromacil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Carbaryl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Carbendazim	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Carbofuran	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Carfentrazone ethyl	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Chlorpyrifos OA	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Clethodim	Not Detected		0.071	ug/g	SOP-PEST-0048 QuEChERS
Clofentezine	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Clothianidin	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Cyclaniliprole	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyflufenamid	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cymoxanil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Cyproconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Daminozide	Not Detected		0.58	ug/g	SOP-PEST-0048 QuEChERS
Difenoconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Diflubenzuron	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Dimethoate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Dinotefuran	Not Detected		0.030	ug/g	SOP-PEST-0048 QuEChERS
Dithiopyr	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 2 Sediment (Continued)

Lab Number: 25J0154-09 (Soil)

Analyte	Result	Qual	LOD	Units	Method
Diuron	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
EPTC (Eptam)	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Fenbuconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenhexamid	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fenpyroximate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenthion	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Flonicamid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluazifop-P-Butyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluazinam	Not Detected		0.051	ug/g	SOP-PEST-0048 QuEChERS
Flubendiamide	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fludioxonil	Not Detected		0.13	ug/g	SOP-PEST-0048 QuEChERS
Flumioxazin	Not Detected		0.081	ug/g	SOP-PEST-0048 QuEChERS
Fluopyram	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluridone	0.0064	LOD Est	0.00028	ug/g	SOP-PEST-0048 QuEChERS
Fluthiacet Methyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluxapyroxad	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Halosulfuron methyl	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Hexazinone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Imazalil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Imidacloprid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Kresoxim-Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Lactofen	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Linuron	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Malathion	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Malathion oxon	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 2 Sediment (Continued)

Lab Number: 25J0154-09 (Soil)

Analyte	Result	Qual	LOD	Units	Method
Mandipropamid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Mefentrifluconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Mesotrione	Not Detected		0.16	ug/g	SOP-PEST-0048 QuEChERS
Metconazole	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Methamidiphos	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Methiocarb	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Methomyl	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Methoxyfenozide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Metribuzin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Myclobutanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Naled	Not Detected		0.82	ug/g	SOP-PEST-0048 QuEChERS
Oryzalin	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Oxamyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Oxamyl Oxime	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Paclbutrazol	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Phorate	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Phosmet	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Picoxystrobin	Not Detected		0.0021	ug/g	SOP-PEST-0048 QuEChERS
Prometon	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Prometryn	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Propamacarb HCl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Propiconazole	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Prothioconazole - desthio	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Pydiflumetofen	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pymetrozine	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*


Sample Seal:* Bass 2 Sediment (Continued)

Lab Number: 25J0154-09 (Soil)

Analyte	Result	Qual	LOD	Units	Method
Pyraclostrobin	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyrimethanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyriproxyfen	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyroxasulfone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Simazine	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spinetoram (Total)	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spinosad (Total)	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Spirodiclofen	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spiromesifen	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Spirotetramat	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Spiroxamine	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Sulfentrazone	Not Detected		0.071	ug/g	SOP-PEST-0048 QuEChERS
Tebuconazole	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tebuthiuron	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Terbacil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tetraconazole	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Thiacloprid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Thiamethoxam	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Thiencarbazone Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Trifloxystrobin	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Aminopyralid	Not Detected		0.20	ug/g	SOP-PEMTA - QuEChERS
Imazamox	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Imazapic	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Imazaquin	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Imazethapyr	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer


Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 2 Sediment (Continued)

Lab Number: 25J0154-09 (Soil)

Analyte	Result	Qual	LOD	Units	Method
Naphthalene Acetic Acid	Not Detected		0.42	ug/g	SOP-PEMTA - QuEChERS
Quinclorac	Not Detected		0.018	ug/g	SOP-PEMTA - QuEChERS
Imazapyr	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Diquat	Not Detected		0.52	ug/g	SOP-PEMTL - Paraquat/Diquat
Paraquat	Not Detected		0.52	ug/g	SOP-PEMTL - Paraquat/Diquat

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

** Information Provided by Customer*

Brian Regan
Brian Regan

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 3 Sediment

Lab Number: 25J0154-10 (Soil)

Analyte	Result	Qual	LOD	Units	Method
2,4-DB	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
5-OH Dicamba	Not Detected		0.20	ug/g	SOP-PEMTA - QuEChERS
Bromoxynil	Not Detected		0.023	ug/g	SOP-PEMTA - QuEChERS
Chloramben	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
Clopyralid	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
DCSA	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
Dicamba	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
Fluroxypyr	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
MCPA	Not Detected		0.026	ug/g	SOP-PEMTA - QuEChERS
MCPP	Not Detected		0.021	ug/g	SOP-PEMTA - QuEChERS
Picloram	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
Triclopyr	Not Detected		0.014	ug/g	SOP-PEMTA - QuEChERS
2,4-D	0.0011	Est QA/QC, LOD Est	0.0011	ug/g	SOP-PEMTA - QuEChERS
1-Naphthol	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
2,6-DIPN	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Acequinocyl	Not Detected		1.0	ug/g	SOP-PEST-0048 QuEChERS
Acetochlor	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Acibenzolar-S-Methyl	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Alachlor	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Aldrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Allethrin	Not Detected		0.16	ug/g	SOP-PEST-0048 QuEChERS
Anthraquinone	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Benoxacor	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
BHC, alpha-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
BHC, delta-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 3 Sediment (Continued)

Lab Number: 25J0154-10 (Soil)

Analyte	Result	Qual	LOD	Units	Method
BHC, epsilon-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Bifenthrin	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Biphenyl	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Boscalid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Broflanilide	Not Detected		0.14	ug/g	SOP-PEST-0048 QuEChERS
Captan	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Chlorantraniliprole	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Chlordane, cis-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Chlordane, trans-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Chlorfenapyr	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Chlorpropham	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Chlorpyrifos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Clomazone	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyantraniliprole	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Cyflumetofen	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Cyfluthrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyhalothrin (Total)	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Cypermethrin	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Cyphenothrin	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Cyprodinil	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
DCPA	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
DDD, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDD, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDE, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDE, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*


Sample Seal:* Bass 3 Sediment (Continued)

Lab Number: 25J0154-10 (Soil)

Analyte	Result	Qual	LOD	Units	Method
DDT, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDT, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DEET	Not Detected		0.0065	ug/g	SOP-PEST-0048 QuEChERS
Deltamethrin	Not Detected		0.14	ug/g	SOP-PEST-0048 QuEChERS
Desmedipham	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Diazinon	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Diazinon Oxon	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dichlobenil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dichlormid	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Dichlorvos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dicloran	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Dicofol (Total)	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Dieldrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Dimethenamid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dimethomorph	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Diphenylamine	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan I	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan II	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan Sulfate	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Endrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
EPN	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Esfenvalerate	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Ethalfuralin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Ethion	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Ethofumesate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer


Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 3 Sediment (Continued)

Lab Number: 25J0154-10 (Soil)

Analyte	Result	Qual	LOD	Units	Method
Etofenprox	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Etoxazole	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Etridiazole	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Famoxadone	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Fenamidone	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fenarimol	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenoxycarb	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Fenpropathrin	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fipronil	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fluensulfone	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Fluopicolide	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flupyradifurone	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Flutianil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flutolanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flutriafol	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluvalinate	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Folpet	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Fonofos	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Heptachlor	Not Detected		0.051	ug/g	SOP-PEST-0048 QuEChERS
Heptachlor Epoxide (Total)	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Hexachlorobenzene	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Hydroprene	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Imiprothrin	Not Detected		0.092	ug/g	SOP-PEST-0048 QuEChERS
Iprodione	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Isoxaflutole	Not Detected		0.82	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*


Sample Seal:* Bass 3 Sediment (Continued)

Lab Number: 25J0154-10 (Soil)

Analyte	Result	Qual	LOD	Units	Method
Kinoprene	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Lindane (BHC, gamma-)	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Metalaxyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Methoprene	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Methoxychlor (Total)	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Metolachlor	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Metrafenone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
MGK-264	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
MGK-326	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Napropamide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Nitrapyrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
o-Phenylphenol	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Oxyfluorfen	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Parathion Ethyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Parathion Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
PCNB (Quintozone)	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pendimethalin	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Pentachloroaniline	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pentachlorobenzene	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pentachlorophenyl Methyl Sulfide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Permethrin, cis-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Permethrin, trans-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Phenothrin	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Picaridin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Piperonyl Butoxide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer


Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 3 Sediment (Continued)

Lab Number: 25J0154-10 (Soil)

Analyte	Result	Qual	LOD	Units	Method
Pirimiphos Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Prallethrin	Not Detected		0.093	ug/g	SOP-PEST-0048 QuEChERS
Prochloraz	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Procymidone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Prodiamine	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Profenofos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pronamide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Propargite	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Pyraflufen Ethyl	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Pyrasulfotole	Not Detected		2.1	ug/g	SOP-PEST-0048 QuEChERS
Pyrethrins (Total)	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Pyridalyl	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Resmethrin	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Rimsulfuron	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Tefluthrin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tetradifon	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Tetrahydrophthalimide (THPI)	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Tetramethrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Tolfenpyrad	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Tolyfluanid	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Trifluralin	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Vinclazolin	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Acephate	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Acetamiprid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Aldicarb	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965, as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 3 Sediment (Continued)

Lab Number: 25J0154-10 (Soil)

Analyte	Result	Qual	LOD	Units	Method
Atrazine	Not Detected		0.0021	ug/g	SOP-PEST-0048 QuEChERS
Azadirachtin	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Azinphos-Me	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Azoxystrobin	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Bentazon	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Bifenazate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Bromacil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Carbaryl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Carbendazim	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Carbofuran	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Carfentrazone ethyl	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Chlorpyrifos OA	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Clethodim	Not Detected		0.071	ug/g	SOP-PEST-0048 QuEChERS
Clofentezine	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Clothianidin	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Cyclaniliprole	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyflufenamid	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cymoxanil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Cyproconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Daminozide	Not Detected		0.58	ug/g	SOP-PEST-0048 QuEChERS
Difenoconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Diflubenzuron	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Dimethoate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Dinotefuran	Not Detected		0.030	ug/g	SOP-PEST-0048 QuEChERS
Dithiopyr	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 3 Sediment (Continued)

Lab Number: 25J0154-10 (Soil)

Analyte	Result	Qual	LOD	Units	Method
Diuron	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
EPTC (Eptam)	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Fenbuconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenhexamid	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fenpyroximate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenthion	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Flonicamid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluazifop-P-Butyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluazinam	Not Detected		0.051	ug/g	SOP-PEST-0048 QuEChERS
Flubendiamide	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fludioxonil	Not Detected		0.13	ug/g	SOP-PEST-0048 QuEChERS
Flumioxazin	Not Detected		0.081	ug/g	SOP-PEST-0048 QuEChERS
Fluopyram	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluridone	Not Detected	LOD Est	0.00028	ug/g	SOP-PEST-0048 QuEChERS
Fluthiacet Methyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluxapyroxad	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Halosulfuron methyl	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Hexazinone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Imazalil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Imidacloprid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Kresoxim-Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Lactofen	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Linuron	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Malathion	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Malathion oxon	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 3 Sediment (Continued)

Lab Number: 25J0154-10 (Soil)

Analyte	Result	Qual	LOD	Units	Method
Mandipropamid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Mefentrifluconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Mesotrione	Not Detected		0.16	ug/g	SOP-PEST-0048 QuEChERS
Metconazole	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Methamidiphos	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Methiocarb	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Methomyl	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Methoxyfenozide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Metribuzin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Myclobutanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Naled	Not Detected		0.82	ug/g	SOP-PEST-0048 QuEChERS
Oryzalin	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Oxamyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Oxamyl Oxime	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Paclbutrazol	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Phorate	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Phosmet	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Picoxystrobin	Not Detected		0.0021	ug/g	SOP-PEST-0048 QuEChERS
Prometon	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Prometryn	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Propamacarb HCl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Propiconazole	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Prothioconazole - desthio	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Pydiflumetofen	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pymetrozine	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 3 Sediment (Continued)

Lab Number: 25J0154-10 (Soil)

Analyte	Result	Qual	LOD	Units	Method
Pyraclostrobin	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyrimethanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyriproxyfen	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyroxasulfone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Simazine	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spinetoram (Total)	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spinosad (Total)	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Spirodiclofen	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spiromesifen	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Spirotetramat	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Spiroxamine	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Sulfentrazone	Not Detected		0.071	ug/g	SOP-PEST-0048 QuEChERS
Tebuconazole	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tebuthiuron	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Terbacil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tetraconazole	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Thiacloprid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Thiamethoxam	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Thiencarbazone Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Trifloxystrobin	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Aminopyralid	Not Detected		0.20	ug/g	SOP-PEMTA - QuEChERS
Imazamox	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Imazapic	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Imazaquin	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Imazethapyr	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 3 Sediment (Continued)

Lab Number: 25J0154-10 (Soil)

Analyte	Result	Qual	LOD	Units	Method
Naphthalene Acetic Acid	Not Detected		0.42	ug/g	SOP-PEMTA - QuEChERS
Quinclorac	Not Detected		0.018	ug/g	SOP-PEMTA - QuEChERS
Imazapyr	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Diquat	Not Detected		0.52	ug/g	SOP-PEMTL - Paraquat/Diquat
Paraquat	Not Detected		0.52	ug/g	SOP-PEMTL - Paraquat/Diquat

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965, as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 4 Sediment

Lab Number: 25J0154-11 (Soil)

Analyte	Result	Qual	LOD	Units	Method
2,4-DB	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
5-OH Dicamba	Not Detected		0.20	ug/g	SOP-PEMTA - QuEChERS
Bromoxynil	Not Detected		0.023	ug/g	SOP-PEMTA - QuEChERS
Chloramben	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
Clopyralid	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
DCSA	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
Dicamba	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
Fluroxypyr	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
MCPA	Not Detected		0.026	ug/g	SOP-PEMTA - QuEChERS
MCPP	Not Detected		0.021	ug/g	SOP-PEMTA - QuEChERS
Picloram	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
Triclopyr	Not Detected		0.014	ug/g	SOP-PEMTA - QuEChERS
2,4-D	Not Detected	LOD Est	0.0011	ug/g	SOP-PEMTA - QuEChERS
1-Naphthol	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
2,6-DIPN	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Acequinocyl	Not Detected		1.0	ug/g	SOP-PEST-0048 QuEChERS
Acetochlor	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Acibenzolar-S-Methyl	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Alachlor	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Aldrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Allethrin	Not Detected		0.16	ug/g	SOP-PEST-0048 QuEChERS
Anthraquinone	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Benoxacor	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
BHC, alpha-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
BHC, delta-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 4 Sediment (Continued)

Lab Number: 25J0154-11 (Soil)

Analyte	Result	Qual	LOD	Units	Method
BHC, epsilon-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Bifenthrin	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Biphenyl	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Boscalid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Broflanilide	Not Detected		0.14	ug/g	SOP-PEST-0048 QuEChERS
Captan	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Chlorantraniliprole	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Chlordane, cis-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Chlordane, trans-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Chlorfenapyr	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Chlorpropham	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Chlorpyrifos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Clomazone	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyantraniliprole	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Cyflumetofen	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Cyfluthrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyhalothrin (Total)	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Cypermethrin	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Cyphenothrin	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Cyprodinil	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
DCPA	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
DDD, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDD, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDE, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDE, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*


Sample Seal:* Bass 4 Sediment (Continued)

Lab Number: 25J0154-11 (Soil)

Analyte	Result	Qual	LOD	Units	Method
DDT, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDT, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DEET	Not Detected		0.0065	ug/g	SOP-PEST-0048 QuEChERS
Deltamethrin	Not Detected		0.14	ug/g	SOP-PEST-0048 QuEChERS
Desmedipham	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Diazinon	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Diazinon Oxon	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dichlobenil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dichlormid	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Dichlorvos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dicloran	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Dicofol (Total)	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Dieldrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Dimethenamid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dimethomorph	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Diphenylamine	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan I	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan II	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan Sulfate	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Endrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
EPN	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Esfenvalerate	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Ethalfuralin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Ethion	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Ethofumesate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer


Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 4 Sediment (Continued)

Lab Number: 25J0154-11 (Soil)

Analyte	Result	Qual	LOD	Units	Method
Etofenprox	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Etoxazole	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Etridiazole	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Famoxadone	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Fenamidone	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fenarimol	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenoxycarb	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Fenpropathrin	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fipronil	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fluensulfone	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Fluopicolide	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flupyradifurone	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Flutianil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flutolanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flutriafol	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluvalinate	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Folpet	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Fonofos	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Heptachlor	Not Detected		0.051	ug/g	SOP-PEST-0048 QuEChERS
Heptachlor Epoxide (Total)	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Hexachlorobenzene	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Hydroprene	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Imiprothrin	Not Detected		0.092	ug/g	SOP-PEST-0048 QuEChERS
Iprodione	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Isoxaflutole	Not Detected		0.82	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 4 Sediment (Continued)

Lab Number: 25J0154-11 (Soil)

Analyte	Result	Qual	LOD	Units	Method
Kinoprene	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Lindane (BHC, gamma-)	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Metalaxyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Methoprene	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Methoxychlor (Total)	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Metolachlor	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Metrafenone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
MGK-264	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
MGK-326	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Napropamide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Nitrapyrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
o-Phenylphenol	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Oxyfluorfen	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Parathion Ethyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Parathion Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
PCNB (Quintozene)	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pendimethalin	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Pentachloroaniline	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pentachlorobenzene	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pentachlorophenyl Methyl Sulfide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Permethrin, cis-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Permethrin, trans-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Phenothrin	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Picaridin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Piperonyl Butoxide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*


Sample Seal:* Bass 4 Sediment (Continued)

Lab Number: 25J0154-11 (Soil)

Analyte	Result	Qual	LOD	Units	Method
Pirimiphos Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Prallethrin	Not Detected		0.093	ug/g	SOP-PEST-0048 QuEChERS
Prochloraz	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Procymidone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Prodiamine	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Profenofos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pronamide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Propargite	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Pyraflufen Ethyl	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Pyrasulfotole	Not Detected		2.1	ug/g	SOP-PEST-0048 QuEChERS
Pyrethrins (Total)	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Pyridalyl	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Resmethrin	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Rimsulfuron	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Tefluthrin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tetradifon	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Tetrahydrophthalimide (THPI)	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Tetramethrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Tolfenpyrad	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Tolyfluanid	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Trifluralin	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Vinclazolin	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Acephate	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Acetamiprid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Aldicarb	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer


Brian Regan

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 4 Sediment (Continued)

Lab Number: 25J0154-11 (Soil)

Analyte	Result	Qual	LOD	Units	Method
Atrazine	Not Detected		0.0021	ug/g	SOP-PEST-0048 QuEChERS
Azadirachtin	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Azinphos-Me	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Azoxystrobin	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Bentazon	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Bifenazate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Bromacil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Carbaryl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Carbendazim	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Carbofuran	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Carfentrazone ethyl	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Chlorpyrifos OA	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Clethodim	Not Detected		0.071	ug/g	SOP-PEST-0048 QuEChERS
Clofentezine	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Clothianidin	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Cyclaniliprole	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyflufenamid	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cymoxanil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Cyproconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Daminozide	Not Detected		0.58	ug/g	SOP-PEST-0048 QuEChERS
Difenoconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Diflubenzuron	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Dimethoate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Dinotefuran	Not Detected		0.030	ug/g	SOP-PEST-0048 QuEChERS
Dithiopyr	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 4 Sediment (Continued)

Lab Number: 25J0154-11 (Soil)

Analyte	Result	Qual	LOD	Units	Method
Diuron	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
EPTC (Eptam)	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Fenbuconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenhexamid	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fenpyroximate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenthion	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Flonicamid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluazifop-P-Butyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluazinam	Not Detected		0.051	ug/g	SOP-PEST-0048 QuEChERS
Flubendiamide	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fludioxonil	Not Detected		0.13	ug/g	SOP-PEST-0048 QuEChERS
Flumioxazin	Not Detected		0.081	ug/g	SOP-PEST-0048 QuEChERS
Fluopyram	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluridone	Not Detected	LOD Est	0.00028	ug/g	SOP-PEST-0048 QuEChERS
Fluthiacet Methyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluxapyroxad	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Halosulfuron methyl	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Hexazinone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Imazalil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Imidacloprid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Kresoxim-Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Lactofen	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Linuron	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Malathion	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Malathion oxon	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 4 Sediment (Continued)

Lab Number: 25J0154-11 (Soil)

Analyte	Result	Qual	LOD	Units	Method
Mandipropamid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Mefentrifluconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Mesotrione	Not Detected		0.16	ug/g	SOP-PEST-0048 QuEChERS
Metconazole	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Methamidiphos	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Methiocarb	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Methomyl	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Methoxyfenozide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Metribuzin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Myclobutanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Naled	Not Detected		0.82	ug/g	SOP-PEST-0048 QuEChERS
Oryzalin	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Oxamyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Oxamyl Oxime	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Paclbutrazol	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Phorate	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Phosmet	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Picoxystrobin	Not Detected		0.0021	ug/g	SOP-PEST-0048 QuEChERS
Prometon	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Prometryn	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Propamacarb HCl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Propiconazole	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Prothioconazole - desthio	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Pydiflumetofen	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pymetrozine	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 4 Sediment (Continued)

Lab Number: 25J0154-11 (Soil)

Analyte	Result	Qual	LOD	Units	Method
Pyraclostrobin	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyrimethanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyriproxyfen	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyroxasulfone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Simazine	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spinetoram (Total)	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spinosad (Total)	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Spirodiclofen	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spiromesifen	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Spirotetramat	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Spiroxamine	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Sulfentrazone	Not Detected		0.071	ug/g	SOP-PEST-0048 QuEChERS
Tebuconazole	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tebuthiuron	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Terbacil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tetraconazole	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Thiacloprid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Thiamethoxam	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Thiencarbazone Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Trifloxystrobin	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Aminopyralid	Not Detected		0.20	ug/g	SOP-PEMTA - QuEChERS
Imazamox	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Imazapic	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Imazaquin	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Imazethapyr	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 4 Sediment (Continued)

Lab Number: 25J0154-11 (Soil)

Analyte	Result	Qual	LOD	Units	Method
Naphthalene Acetic Acid	Not Detected		0.42	ug/g	SOP-PEMTA - QuEChERS
Quinclorac	Not Detected		0.018	ug/g	SOP-PEMTA - QuEChERS
Imazapyr	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Diquat	Not Detected		0.52	ug/g	SOP-PEMTL - Paraquat/Diquat
Paraquat	Not Detected		0.52	ug/g	SOP-PEMTL - Paraquat/Diquat

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 1 Plant Tissue Rake

Lab Number: 25J0154-12 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
2,4-DB	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
5-OH Dicamba	Not Detected		0.20	ug/g	SOP-PEMTA - QuEChERS
Bromoxynil	Not Detected		0.023	ug/g	SOP-PEMTA - QuEChERS
Chloramben	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
Clopyralid	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
DCSA	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
Dicamba	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
Fluroxypyr	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
MCPA	Not Detected		0.026	ug/g	SOP-PEMTA - QuEChERS
MCPP	Not Detected		0.021	ug/g	SOP-PEMTA - QuEChERS
Picloram	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
Triclopyr	Not Detected		0.014	ug/g	SOP-PEMTA - QuEChERS
2,4-D	Not Detected	LOD Est	0.00020	ug/g	SOP-PEMTA - QuEChERS
1-Naphthol	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
2,6-DIPN	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Acequinocyl	Not Detected		1.0	ug/g	SOP-PEST-0048 QuEChERS
Acetochlor	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Acibenzolar-S-Methyl	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Alachlor	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Aldrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Allethrin	Not Detected		0.16	ug/g	SOP-PEST-0048 QuEChERS
Anthraquinone	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Benoxacor	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
BHC, alpha-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
BHC, delta-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 1 Plant Tissue Rake (Continued)

Lab Number: 25J0154-12 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
BHC, epsilon-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Bifenthrin	Not Detected	LOD Est	0.00069	ug/g	SOP-PEST-0048 QuEChERS
Biphenyl	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Boscalid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Broflanilide	Not Detected		0.14	ug/g	SOP-PEST-0048 QuEChERS
Captan	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Chlorantraniliprole	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Chlordane, cis-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Chlordane, trans-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Chlorfenapyr	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Chlorpropham	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Chlorpyrifos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Clomazone	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyantraniliprole	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Cyflumetofen	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Cyfluthrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyhalothrin (Total)	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Cypermethrin	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Cyphenothrin	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Cyprodinil	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
DCPA	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
DDD, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDD, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDE, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDE, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 1 Plant Tissue Rake (Continued)

Lab Number: 25J0154-12 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
DDT, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDT, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DEET	0.0044	Est Range, LOD Est	0.0028	ug/g	SOP-PEST-0048 QuEChERS
Deltamethrin	Not Detected		0.14	ug/g	SOP-PEST-0048 QuEChERS
Desmedipham	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Diazinon	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Diazinon Oxon	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dichlobenil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dichlormid	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Dichlorvos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dicloran	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Dicofol (Total)	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Dieldrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Dimethenamid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dimethomorph	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Diphenylamine	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan I	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan II	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan Sulfate	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Endrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
EPN	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Esfenvalerate	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Ethalfuralin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Ethion	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Ethofumesate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 1 Plant Tissue Rake (Continued)

Lab Number: 25J0154-12 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Etofenprox	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Etoxazole	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Etridiazole	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Famoxadone	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Fenamidone	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fenarimol	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenoxycarb	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Fenpropathrin	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fipronil	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fluensulfone	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Fluopicolide	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flupyradifurone	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Flutianil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flutolanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flutriafol	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluvalinate	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Folpet	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Fonofos	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Heptachlor	Not Detected		0.051	ug/g	SOP-PEST-0048 QuEChERS
Heptachlor Epoxide (Total)	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Hexachlorobenzene	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Hydroprene	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Imiprothrin	Not Detected		0.092	ug/g	SOP-PEST-0048 QuEChERS
Iprodione	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Isoxaflutole	Not Detected		0.82	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 1 Plant Tissue Rake (Continued)

Lab Number: 25J0154-12 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Kinoprene	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Lindane (BHC, gamma-)	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Metalaxyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Methoprene	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Methoxychlor (Total)	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Metolachlor	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Metrafenone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
MGK-264	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
MGK-326	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Napropamide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Nitrapyrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
o-Phenylphenol	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Oxyfluorfen	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Parathion Ethyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Parathion Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
PCNB (Quintozone)	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pendimethalin	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Pentachloroaniline	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pentachlorobenzene	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pentachlorophenyl Methyl Sulfide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Permethrin, cis-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Permethrin, trans-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Phenothrin	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Picaridin	Not Detected	LOD Est	0.00045	ug/g	SOP-PEST-0048 QuEChERS
Piperonyl Butoxide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 1 Plant Tissue Rake (Continued)

Lab Number: 25J0154-12 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Pirimiphos Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Prallethrin	Not Detected		0.093	ug/g	SOP-PEST-0048 QuEChERS
Prochloraz	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Procymidone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Prodiamine	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Profenofos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pronamide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Propargite	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Pyraflufen Ethyl	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Pyrasulfotole	Not Detected		2.1	ug/g	SOP-PEST-0048 QuEChERS
Pyrethrins (Total)	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Pyridalyl	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Resmethrin	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Rimsulfuron	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Tefluthrin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tetradifon	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Tetrahydrophthalimide (THPI)	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Tetramethrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Tolfenpyrad	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Tolyfluanid	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Trifluralin	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Vinclazolin	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Acephate	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Acetamiprid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Aldicarb	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*


Sample Seal:* Bass 1 Plant Tissue Rake (Continued)

Lab Number: 25J0154-12 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Atrazine	Not Detected		0.0021	ug/g	SOP-PEST-0048 QuEChERS
Azadirachtin	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Azinphos-Me	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Azoxystrobin	Not Detected	LOD Est	0.000092	ug/g	SOP-PEST-0048 QuEChERS
Bentazon	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Bifenazate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Bromacil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Carbaryl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Carbendazim	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Carbofuran	Not Detected	LOD Est	0.00026	ug/g	SOP-PEST-0048 QuEChERS
Carfentrazone ethyl	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Chlorpyrifos OA	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Clethodim	Not Detected		0.071	ug/g	SOP-PEST-0048 QuEChERS
Clofentezine	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Clothianidin	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Cyclaniliprole	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyflufenamid	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cymoxanil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Cyproconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Daminozide	Not Detected		0.58	ug/g	SOP-PEST-0048 QuEChERS
Difenoconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Diflubenzuron	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Dimethoate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Dinotefuran	Not Detected		0.030	ug/g	SOP-PEST-0048 QuEChERS
Dithiopyr	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer


Brian Regan

(In Accordance with Act 380.
Public Acts 1965, as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 1 Plant Tissue Rake (Continued)

Lab Number: 25J0154-12 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Diuron	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
EPTC (Eptam)	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Fenbuconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenhexamid	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fenpyroximate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenthion	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Flonicamid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluazifop-P-Butyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluazinam	Not Detected		0.051	ug/g	SOP-PEST-0048 QuEChERS
Flubendiamide	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fludioxonil	Not Detected		0.13	ug/g	SOP-PEST-0048 QuEChERS
Flumioxazin	Not Detected		0.081	ug/g	SOP-PEST-0048 QuEChERS
Fluopyram	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluridone	0.00071	Est Range, LOD Est	0.00044	ug/g	SOP-PEST-0048 QuEChERS
Fluthiacet Methyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluxapyroxad	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Halosulfuron methyl	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Hexazinone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Imazalil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Imidacloprid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Kresoxim-Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Lactofen	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Linuron	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Malathion	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Malathion oxon	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 1 Plant Tissue Rake (Continued)

Lab Number: 25J0154-12 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Mandipropamid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Mefentrifluconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Mesotrione	Not Detected		0.16	ug/g	SOP-PEST-0048 QuEChERS
Metconazole	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Methamidiphos	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Methiocarb	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Methomyl	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Methoxyfenozide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Metribuzin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Myclobutanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Naled	Not Detected		0.82	ug/g	SOP-PEST-0048 QuEChERS
Oryzalin	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Oxamyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Oxamyl Oxime	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Paclbutrazol	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Phorate	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Phosmet	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Picoxystrobin	Not Detected		0.0021	ug/g	SOP-PEST-0048 QuEChERS
Prometon	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Prometryn	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Propamacarb HCl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Propiconazole	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Prothioconazole - desthio	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Pydiflumetofen	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pymetrozine	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 1 Plant Tissue Rake (Continued)

Lab Number: 25J0154-12 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Pyraclostrobin	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyrimethanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyriproxyfen	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyroxasulfone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Simazine	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spinetoram (Total)	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spinosad (Total)	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Spirodiclofen	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spiromesifen	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Spirotetramat	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Spiroxamine	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Sulfentrazone	Not Detected		0.071	ug/g	SOP-PEST-0048 QuEChERS
Tebuconazole	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tebuthiuron	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Terbacil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tetraconazole	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Thiacloprid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Thiamethoxam	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Thiencarbazone Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Trifloxystrobin	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Aminopyralid	Not Detected		0.20	ug/g	SOP-PEMTA - QuEChERS
Imazamox	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Imazapic	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Imazaquin	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Imazethapyr	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*


Sample Seal:* Bass 1 Plant Tissue Rake (Continued)

Lab Number: 25J0154-12 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Naphthalene Acetic Acid	Not Detected		0.42	ug/g	SOP-PEMTA - QuEChERS
Quinclorac	Not Detected		0.018	ug/g	SOP-PEMTA - QuEChERS
Imazapyr	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Diquat	Not Detected		0.099	ug/g	SOP-PEMTL - Paraquat/Diquat
Paraquat	Not Detected		0.099	ug/g	SOP-PEMTL - Paraquat/Diquat

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer


Brian Regan

(In Accordance with Act 380.
Public Acts 1965, as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 2 Plant Tissue

Lab Number: 25J0154-13 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
2,4-DB	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
5-OH Dicamba	Not Detected		0.20	ug/g	SOP-PEMTA - QuEChERS
Bromoxynil	Not Detected		0.023	ug/g	SOP-PEMTA - QuEChERS
Chloramben	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
Clopyralid	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
DCSA	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
Dicamba	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
Fluroxypyr	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
MCPA	Not Detected		0.026	ug/g	SOP-PEMTA - QuEChERS
MCPP	Not Detected		0.021	ug/g	SOP-PEMTA - QuEChERS
Picloram	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
Triclopyr	Not Detected		0.014	ug/g	SOP-PEMTA - QuEChERS
2,4-D	Not Detected	LOD Est	0.00020	ug/g	SOP-PEMTA - QuEChERS
1-Naphthol	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
2,6-DIPN	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Acequinocyl	Not Detected		1.0	ug/g	SOP-PEST-0048 QuEChERS
Acetochlor	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Acibenzolar-S-Methyl	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Alachlor	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Aldrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Allethrin	Not Detected		0.16	ug/g	SOP-PEST-0048 QuEChERS
Antraquinone	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Benoxacor	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
BHC, alpha-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
BHC, delta-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 2 Plant Tissue (Continued)

Lab Number: 25J0154-13 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
BHC, epsilon-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Bifenthrin	0.00069	LOD Est	0.00069	ug/g	SOP-PEST-0048 QuEChERS
Biphenyl	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Boscalid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Broflanilide	Not Detected		0.14	ug/g	SOP-PEST-0048 QuEChERS
Captan	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Chlorantraniliprole	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Chlordane, cis-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Chlordane, trans-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Chlorfenapyr	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Chlorpropham	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Chlorpyrifos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Clomazone	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyantraniliprole	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Cyflumetofen	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Cyfluthrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyhalothrin (Total)	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Cypermethrin	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Cyphenothrin	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Cyprodinil	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
DCPA	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
DDD, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDD, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDE, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDE, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 2 Plant Tissue (Continued)

Lab Number: 25J0154-13 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
DDT, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDT, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DEET	0.0028	Est Range, LOD Est	0.0028	ug/g	SOP-PEST-0048 QuEChERS
Deltamethrin	Not Detected		0.14	ug/g	SOP-PEST-0048 QuEChERS
Desmedipham	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Diazinon	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Diazinon Oxon	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dichlobenil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dichlormid	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Dichlorvos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dicloran	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Dicofol (Total)	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Dieldrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Dimethenamid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dimethomorph	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Diphenylamine	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan I	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan II	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan Sulfate	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Endrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
EPN	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Esfenvalerate	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Ethalfuralin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Ethion	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Ethofumesate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 2 Plant Tissue (Continued)

Lab Number: 25J0154-13 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Etofenprox	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Etoxazole	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Etridiazole	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Famoxadone	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Fenamidone	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fenarimol	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenoxycarb	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Fenpropathrin	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fipronil	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fluensulfone	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Fluopicolide	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flupyradifurone	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Flutianil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flutolanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flutriafol	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluvalinate	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Folpet	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Fonofos	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Heptachlor	Not Detected		0.051	ug/g	SOP-PEST-0048 QuEChERS
Heptachlor Epoxide (Total)	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Hexachlorobenzene	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Hydroprene	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Imiprothrin	Not Detected		0.092	ug/g	SOP-PEST-0048 QuEChERS
Iprodione	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Isoxaflutole	Not Detected		0.82	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 2 Plant Tissue (Continued)

Lab Number: 25J0154-13 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Kinoprene	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Lindane (BHC, gamma-)	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Metalaxyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Methoprene	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Methoxychlor (Total)	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Metolachlor	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Metrafenone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
MGK-264	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
MGK-326	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Napropamide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Nitrapyrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
o-Phenylphenol	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Oxyfluorfen	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Parathion Ethyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Parathion Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
PCNB (Quintozene)	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pendimethalin	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Pentachloroaniline	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pentachlorobenzene	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pentachlorophenyl Methyl Sulfide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Permethrin, cis-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Permethrin, trans-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Phenothrin	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Picaridin	Not Detected	LOD Est	0.00045	ug/g	SOP-PEST-0048 QuEChERS
Piperonyl Butoxide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 2 Plant Tissue (Continued)

Lab Number: 25J0154-13 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Pirimiphos Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Prallethrin	Not Detected		0.093	ug/g	SOP-PEST-0048 QuEChERS
Prochloraz	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Procymidone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Prodiamine	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Profenofos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pronamide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Propargite	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Pyraflufen Ethyl	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Pyrasulfotole	Not Detected		2.1	ug/g	SOP-PEST-0048 QuEChERS
Pyrethrins (Total)	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Pyridalyl	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Resmethrin	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Rimsulfuron	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Tefluthrin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tetradifon	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Tetrahydrophthalimide (THPI)	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Tetramethrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Tolfenpyrad	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Tolyfluanid	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Trifluralin	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Vinclazolin	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Acephate	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Acetamiprid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Aldicarb	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 2 Plant Tissue (Continued)

Lab Number: 25J0154-13 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Atrazine	Not Detected		0.0021	ug/g	SOP-PEST-0048 QuEChERS
Azadirachtin	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Azinphos-Me	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Azoxystrobin	Not Detected	LOD Est	0.000092	ug/g	SOP-PEST-0048 QuEChERS
Bentazon	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Bifenazate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Bromacil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Carbaryl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Carbendazim	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Carbofuran	0.00026	Est Range, LOD Est	0.00026	ug/g	SOP-PEST-0048 QuEChERS
Carfentrazone ethyl	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Chlorpyrifos OA	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Clethodim	Not Detected		0.071	ug/g	SOP-PEST-0048 QuEChERS
Clofentezine	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Clothianidin	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Cyfluprol	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyflufenamid	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cymoxanil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Cyproconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Daminozide	Not Detected		0.58	ug/g	SOP-PEST-0048 QuEChERS
Difenoconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Diflubenzuron	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Dimethoate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Dinotefuran	Not Detected		0.030	ug/g	SOP-PEST-0048 QuEChERS
Dithiopyr	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 2 Plant Tissue (Continued)

Lab Number: 25J0154-13 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Diuron	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
EPTC (Eptam)	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Fenbuconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenhexamid	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fenpyroximate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenthion	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Flonicamid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluazifop-P-Butyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluazinam	Not Detected		0.051	ug/g	SOP-PEST-0048 QuEChERS
Flubendiamide	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fludioxonil	Not Detected		0.13	ug/g	SOP-PEST-0048 QuEChERS
Flumioxazin	Not Detected		0.081	ug/g	SOP-PEST-0048 QuEChERS
Fluopyram	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluridone	0.00044	Est Range, LOD Est	0.00044	ug/g	SOP-PEST-0048 QuEChERS
Fluthiacet Methyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluxapyroxad	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Halosulfuron methyl	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Hexazinone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Imazalil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Imidacloprid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Kresoxim-Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Lactofen	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Linuron	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Malathion	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Malathion oxon	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 2 Plant Tissue (Continued)

Lab Number: 25J0154-13 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Mandipropamid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Mefentrifluconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Mesotrione	Not Detected		0.16	ug/g	SOP-PEST-0048 QuEChERS
Metconazole	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Methamidiphos	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Methiocarb	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Methomyl	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Methoxyfenozide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Metribuzin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Myclobutanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Naled	Not Detected		0.82	ug/g	SOP-PEST-0048 QuEChERS
Oryzalin	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Oxamyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Oxamyl Oxime	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Paclbutrazol	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Phorate	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Phosmet	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Picoxystrobin	Not Detected		0.0021	ug/g	SOP-PEST-0048 QuEChERS
Prometon	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Prometryn	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Propamacarb HCl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Propiconazole	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Prothioconazole - desthio	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Pydiflumetofen	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pymetrozine	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*


Sample Seal:* Bass 2 Plant Tissue (Continued)

Lab Number: 25J0154-13 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Pyraclostrobin	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyrimethanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyriproxyfen	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyroxasulfone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Simazine	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spinetoram (Total)	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spinosad (Total)	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Spirodiclofen	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spiromesifen	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Spirotetramat	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Spiroxamine	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Sulfentrazone	Not Detected		0.071	ug/g	SOP-PEST-0048 QuEChERS
Tebuconazole	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tebuthiuron	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Terbacil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tetraconazole	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Thiacloprid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Thiamethoxam	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Thiencarbazone Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Trifloxystrobin	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Aminopyralid	Not Detected		0.20	ug/g	SOP-PEMTA - QuEChERS
Imazamox	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Imazapic	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Imazaquin	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Imazethapyr	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer


Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 2 Plant Tissue (Continued)

Lab Number: 25J0154-13 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Naphthalene Acetic Acid	Not Detected		0.42	ug/g	SOP-PEMTA - QuEChERS
Quinclorac	Not Detected		0.018	ug/g	SOP-PEMTA - QuEChERS
Imazapyr	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Diquat	Not Detected		0.099	ug/g	SOP-PEMTL - Paraquat/Diquat
Paraquat	Not Detected		0.099	ug/g	SOP-PEMTL - Paraquat/Diquat

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

** Information Provided by Customer*

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*


Sample Seal:* Bass 3 Plant Tissue

Lab Number: 25J0154-14 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
2,4-DB	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
5-OH Dicamba	Not Detected		0.20	ug/g	SOP-PEMTA - QuEChERS
Bromoxynil	Not Detected		0.023	ug/g	SOP-PEMTA - QuEChERS
Chloramben	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
Clopyralid	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
DCSA	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
Dicamba	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
Fluroxypyr	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
MCPA	Not Detected		0.026	ug/g	SOP-PEMTA - QuEChERS
MCPP	Not Detected		0.021	ug/g	SOP-PEMTA - QuEChERS
Picloram	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
Triclopyr	Not Detected		0.014	ug/g	SOP-PEMTA - QuEChERS
2,4-D	Not Detected	LOD Est	0.00020	ug/g	SOP-PEMTA - QuEChERS
1-Naphthol	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
2,6-DIPN	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Acequinocyl	Not Detected		1.0	ug/g	SOP-PEST-0048 QuEChERS
Acetochlor	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Acibenzolar-S-Methyl	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Alachlor	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Aldrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Allethrin	Not Detected		0.16	ug/g	SOP-PEST-0048 QuEChERS
Anthraquinone	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Benoxacor	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
BHC, alpha-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
BHC, delta-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer


Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 3 Plant Tissue (Continued)

Lab Number: 25J0154-14 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
BHC, epsilon-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Bifenthrin	Not Detected	LOD Est	0.00069	ug/g	SOP-PEST-0048 QuEChERS
Biphenyl	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Boscalid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Broflanilide	Not Detected		0.14	ug/g	SOP-PEST-0048 QuEChERS
Captan	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Chlorantraniliprole	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Chlordane, cis-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Chlordane, trans-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Chlorfenapyr	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Chlorpropham	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Chlorpyrifos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Clomazone	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyantraniliprole	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Cyflumetofen	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Cyfluthrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyhalothrin (Total)	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Cypermethrin	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Cyphenothrin	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Cyprodinil	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
DCPA	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
DDD, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDD, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDE, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDE, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 3 Plant Tissue (Continued)

Lab Number: 25J0154-14 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
DDT, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDT, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DEET	0.0047	LOD Est	0.0028	ug/g	SOP-PEST-0048 QuEChERS
Deltamethrin	Not Detected		0.14	ug/g	SOP-PEST-0048 QuEChERS
Desmedipham	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Diazinon	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Diazinon Oxon	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dichlobenil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dichlormid	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Dichlorvos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dicloran	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Dicofol (Total)	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Dieldrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Dimethenamid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dimethomorph	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Diphenylamine	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan I	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan II	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan Sulfate	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Endrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
EPN	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Esfenvalerate	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Ethalfuralin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Ethion	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Ethofumesate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*


Sample Seal:* Bass 3 Plant Tissue (Continued)

Lab Number: 25J0154-14 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Etofenprox	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Etoxazole	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Etridiazole	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Famoxadone	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Fenamidone	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fenarimol	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenoxycarb	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Fenpropathrin	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fipronil	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fluensulfone	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Fluopicolide	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flupyradifurone	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Flutianil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flutolanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flutriafol	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluvalinate	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Folpet	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Fonofos	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Heptachlor	Not Detected		0.051	ug/g	SOP-PEST-0048 QuEChERS
Heptachlor Epoxide (Total)	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Hexachlorobenzene	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Hydroprene	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Imiprothrin	Not Detected		0.092	ug/g	SOP-PEST-0048 QuEChERS
Iprodione	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Isoxaflutole	Not Detected		0.82	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer


Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 3 Plant Tissue (Continued)

Lab Number: 25J0154-14 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Kinoprene	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Lindane (BHC, gamma-)	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Metalaxyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Methoprene	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Methoxychlor (Total)	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Metolachlor	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Metrafenone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
MGK-264	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
MGK-326	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Napropamide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Nitrapyrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
o-Phenylphenol	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Oxyfluorfen	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Parathion Ethyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Parathion Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
PCNB (Quintozene)	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pendimethalin	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Pentachloroaniline	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pentachlorobenzene	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pentachlorophenyl Methyl Sulfide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Permethrin, cis-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Permethrin, trans-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Phenothrin	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Picaridin	Not Detected	LOD Est	0.00045	ug/g	SOP-PEST-0048 QuEChERS
Piperonyl Butoxide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 3 Plant Tissue (Continued)

Lab Number: 25J0154-14 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Pirimiphos Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Prallethrin	Not Detected		0.093	ug/g	SOP-PEST-0048 QuEChERS
Prochloraz	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Procymidone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Prodiamine	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Profenofos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pronamide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Propargite	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Pyraflufen Ethyl	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Pyrasulfotole	Not Detected		2.1	ug/g	SOP-PEST-0048 QuEChERS
Pyrethrins (Total)	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Pyridalyl	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Resmethrin	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Rimsulfuron	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Tefluthrin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tetradifon	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Tetrahydrophthalimide (THPI)	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Tetramethrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Tolfenpyrad	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Tolyfluanid	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Trifluralin	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Vinclazolin	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Acephate	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Acetamiprid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Aldicarb	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965, as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 3 Plant Tissue (Continued)

Lab Number: 25J0154-14 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Atrazine	Not Detected		0.0021	ug/g	SOP-PEST-0048 QuEChERS
Azadirachtin	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Azinphos-Me	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Azoxystrobin	0.000092	Est Range, LOD Est	0.000092	ug/g	SOP-PEST-0048 QuEChERS
Bentazon	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Bifenazate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Bromacil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Carbaryl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Carbendazim	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Carbofuran	Not Detected	LOD Est	0.00026	ug/g	SOP-PEST-0048 QuEChERS
Carfentrazone ethyl	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Chlorpyrifos OA	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Clethodim	Not Detected		0.071	ug/g	SOP-PEST-0048 QuEChERS
Clofentezine	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Clothianidin	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Cyfluprol	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyflufenamid	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cymoxanil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Cyproconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Daminozide	Not Detected		0.58	ug/g	SOP-PEST-0048 QuEChERS
Difenoconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Diflubenzuron	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Dimethoate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Dinotefuran	Not Detected		0.030	ug/g	SOP-PEST-0048 QuEChERS
Dithiopyr	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 3 Plant Tissue (Continued)

Lab Number: 25J0154-14 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Diuron	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
EPTC (Eptam)	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Fenbuconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenhexamid	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fenpyroximate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenthion	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Flonicamid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluazifop-P-Butyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluazinam	Not Detected		0.051	ug/g	SOP-PEST-0048 QuEChERS
Flubendiamide	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fludioxonil	Not Detected		0.13	ug/g	SOP-PEST-0048 QuEChERS
Flumioxazin	Not Detected		0.081	ug/g	SOP-PEST-0048 QuEChERS
Fluopyram	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluridone	0.0013	LOD Est	0.00044	ug/g	SOP-PEST-0048 QuEChERS
Fluthiacet Methyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluxapyroxad	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Halosulfuron methyl	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Hexazinone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Imazalil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Imidacloprid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Kresoxim-Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Lactofen	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Linuron	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Malathion	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Malathion oxon	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 3 Plant Tissue (Continued)

Lab Number: 25J0154-14 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Mandipropamid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Mefentrifluconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Mesotrione	Not Detected		0.16	ug/g	SOP-PEST-0048 QuEChERS
Metconazole	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Methamidiphos	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Methiocarb	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Methomyl	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Methoxyfenozide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Metribuzin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Myclobutanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Naled	Not Detected		0.82	ug/g	SOP-PEST-0048 QuEChERS
Oryzalin	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Oxamyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Oxamyl Oxime	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Paclbutrazol	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Phorate	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Phosmet	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Picoxystrobin	Not Detected		0.0021	ug/g	SOP-PEST-0048 QuEChERS
Prometon	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Prometryn	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Propamacarb HCl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Propiconazole	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Prothioconazole - desthio	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Pydiflumetofen	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pymetrozine	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*


Sample Seal:* Bass 3 Plant Tissue (Continued)

Lab Number: 25J0154-14 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Pyraclostrobin	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyrimethanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyriproxyfen	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyroxasulfone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Simazine	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spinetoram (Total)	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spinosad (Total)	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Spirodiclofen	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spiromesifen	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Spirotetramat	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Spiroxamine	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Sulfentrazone	Not Detected		0.071	ug/g	SOP-PEST-0048 QuEChERS
Tebuconazole	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tebuthiuron	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Terbacil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tetraconazole	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Thiacloprid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Thiamethoxam	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Thiencarbazone Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Trifloxystrobin	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Aminopyralid	Not Detected		0.20	ug/g	SOP-PEMTA - QuEChERS
Imazamox	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Imazapic	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Imazaquin	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Imazethapyr	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer


Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 3 Plant Tissue (Continued)

Lab Number: 25J0154-14 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Naphthalene Acetic Acid	Not Detected		0.42	ug/g	SOP-PEMTA - QuEChERS
Quinclorac	Not Detected		0.018	ug/g	SOP-PEMTA - QuEChERS
Imazapyr	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Diquat	Not Detected		0.099	ug/g	SOP-PEMTL - Paraquat/Diquat
Paraquat	Not Detected		0.099	ug/g	SOP-PEMTL - Paraquat/Diquat

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

** Information Provided by Customer*

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965, as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 4 Plant Tissue

Lab Number: 25J0154-15 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
2,4-DB	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
5-OH Dicamba	Not Detected		0.20	ug/g	SOP-PEMTA - QuEChERS
Bromoxynil	Not Detected		0.023	ug/g	SOP-PEMTA - QuEChERS
Chloramben	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
Clopyralid	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
DCSA	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
Dicamba	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
Fluroxypyr	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
MCPA	Not Detected		0.026	ug/g	SOP-PEMTA - QuEChERS
MCPP	Not Detected		0.021	ug/g	SOP-PEMTA - QuEChERS
Picloram	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
Triclopyr	Not Detected		0.014	ug/g	SOP-PEMTA - QuEChERS
2,4-D	Not Detected	LOD Est	0.00020	ug/g	SOP-PEMTA - QuEChERS
1-Naphthol	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
2,6-DIPN	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Acequinocyl	Not Detected		1.0	ug/g	SOP-PEST-0048 QuEChERS
Acetochlor	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Acibenzolar-S-Methyl	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Alachlor	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Aldrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Allethrin	Not Detected		0.16	ug/g	SOP-PEST-0048 QuEChERS
Anthraquinone	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Benoxacor	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
BHC, alpha-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
BHC, delta-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 4 Plant Tissue (Continued)

Lab Number: 25J0154-15 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
BHC, epsilon-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Bifenthrin	Not Detected	LOD Est	0.00069	ug/g	SOP-PEST-0048 QuEChERS
Biphenyl	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Boscalid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Broflanilide	Not Detected		0.14	ug/g	SOP-PEST-0048 QuEChERS
Captan	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Chlorantraniliprole	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Chlordane, cis-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Chlordane, trans-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Chlorfenapyr	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Chlorpropham	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Chlorpyrifos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Clomazone	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyantraniliprole	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Cyflumetofen	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Cyfluthrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyhalothrin (Total)	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Cypermethrin	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Cyphenothrin	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Cyprodinil	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
DCPA	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
DDD, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDD, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDE, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDE, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 4 Plant Tissue (Continued)

Lab Number: 25J0154-15 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
DDT, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDT, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DEET	0.010	LOD Est	0.0030	ug/g	SOP-PEST-0048 QuEChERS
Deltamethrin	Not Detected		0.14	ug/g	SOP-PEST-0048 QuEChERS
Desmedipham	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Diazinon	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Diazinon Oxon	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dichlobenil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dichlormid	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Dichlorvos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dicloran	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Dicofol (Total)	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Dieldrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Dimethenamid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dimethomorph	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Diphenylamine	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan I	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan II	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan Sulfate	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Endrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
EPN	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Esfenvalerate	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Ethalfuralin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Ethion	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Ethofumesate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 4 Plant Tissue (Continued)

Lab Number: 25J0154-15 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Etofenprox	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Etoxazole	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Etridiazole	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Famoxadone	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Fenamidone	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fenarimol	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenoxycarb	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Fenpropathrin	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fipronil	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fluensulfone	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Fluopicolide	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flupyradifurone	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Flutianil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flutolanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flutriafol	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluvalinate	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Folpet	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Fonofos	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Heptachlor	Not Detected		0.051	ug/g	SOP-PEST-0048 QuEChERS
Heptachlor Epoxide (Total)	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Hexachlorobenzene	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Hydroprene	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Imiprothrin	Not Detected		0.092	ug/g	SOP-PEST-0048 QuEChERS
Iprodione	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Isoxaflutole	Not Detected		0.82	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 4 Plant Tissue (Continued)

Lab Number: 25J0154-15 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Kinoprene	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Lindane (BHC, gamma-)	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Metalaxyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Methoprene	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Methoxychlor (Total)	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Metolachlor	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Metrafenone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
MGK-264	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
MGK-326	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Napropamide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Nitrapyrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
o-Phenylphenol	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Oxyfluorfen	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Parathion Ethyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Parathion Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
PCNB (Quintozone)	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pendimethalin	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Pentachloroaniline	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pentachlorobenzene	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pentachlorophenyl Methyl Sulfide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Permethrin, cis-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Permethrin, trans-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Phenothrin	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Picaridin	Not Detected	LOD Est	0.00045	ug/g	SOP-PEST-0048 QuEChERS
Piperonyl Butoxide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965, as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 4 Plant Tissue (Continued)

Lab Number: 25J0154-15 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Pirimiphos Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Prallethrin	Not Detected		0.093	ug/g	SOP-PEST-0048 QuEChERS
Prochloraz	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Procymidone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Prodiamine	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Profenofos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pronamide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Propargite	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Pyraflufen Ethyl	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Pyrasulfotole	Not Detected		2.1	ug/g	SOP-PEST-0048 QuEChERS
Pyrethrins (Total)	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Pyridalyl	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Resmethrin	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Rimsulfuron	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Tefluthrin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tetradifon	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Tetrahydrophthalimide (THPI)	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Tetramethrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Tolfenpyrad	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Tolyfluanid	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Trifluralin	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Vinclazolin	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Acephate	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Acetamiprid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Aldicarb	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 4 Plant Tissue (Continued)

Lab Number: 25J0154-15 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Atrazine	Not Detected		0.0021	ug/g	SOP-PEST-0048 QuEChERS
Azadirachtin	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Azinphos-Me	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Azoxystrobin	0.00029	Est Range, LOD Est	0.000096	ug/g	SOP-PEST-0048 QuEChERS
Bentazon	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Bifenazate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Bromacil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Carbaryl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Carbendazim	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Carbofuran	Not Detected	LOD Est	0.00026	ug/g	SOP-PEST-0048 QuEChERS
Carfentrazone ethyl	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Chlorpyrifos OA	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Clethodim	Not Detected		0.071	ug/g	SOP-PEST-0048 QuEChERS
Clofentezine	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Clothianidin	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Cyfluprol	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyflufenamid	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cymoxanil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Cyproconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Daminozide	Not Detected		0.58	ug/g	SOP-PEST-0048 QuEChERS
Difenoconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Diflubenzuron	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Dimethoate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Dinotefuran	Not Detected		0.030	ug/g	SOP-PEST-0048 QuEChERS
Dithiopyr	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 4 Plant Tissue (Continued)

Lab Number: 25J0154-15 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Diuron	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
EPTC (Eptam)	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Fenbuconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenhexamid	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fenpyroximate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenthion	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Flonicamid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluazifop-P-Butyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluazinam	Not Detected		0.051	ug/g	SOP-PEST-0048 QuEChERS
Flubendiamide	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fludioxonil	Not Detected		0.13	ug/g	SOP-PEST-0048 QuEChERS
Flumioxazin	Not Detected		0.081	ug/g	SOP-PEST-0048 QuEChERS
Fluopyram	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluridone	0.00078	Est Range, LOD Est	0.00046	ug/g	SOP-PEST-0048 QuEChERS
Fluthiacet Methyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluxapyroxad	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Halosulfuron methyl	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Hexazinone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Imazalil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Imidacloprid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Kresoxim-Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Lactofen	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Linuron	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Malathion	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Malathion oxon	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 4 Plant Tissue (Continued)

Lab Number: 25J0154-15 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Mandipropamid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Mefentrifluconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Mesotrione	Not Detected		0.16	ug/g	SOP-PEST-0048 QuEChERS
Metconazole	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Methamidiphos	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Methiocarb	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Methomyl	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Methoxyfenozide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Metribuzin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Myclobutanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Naled	Not Detected		0.82	ug/g	SOP-PEST-0048 QuEChERS
Oryzalin	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Oxamyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Oxamyl Oxime	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Paclbutrazol	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Phorate	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Phosmet	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Picoxystrobin	Not Detected		0.0021	ug/g	SOP-PEST-0048 QuEChERS
Prometon	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Prometryn	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Propamacarb HCl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Propiconazole	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Prothioconazole - desthio	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Pydiflumetofen	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pymetrozine	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 4 Plant Tissue (Continued)

Lab Number: 25J0154-15 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Pyraclostrobin	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyrimethanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyriproxyfen	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyroxasulfone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Simazine	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spinetoram (Total)	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spinosad (Total)	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Spirodiclofen	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spiromesifen	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Spirotetramat	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Spiroxamine	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Sulfentrazone	Not Detected		0.071	ug/g	SOP-PEST-0048 QuEChERS
Tebuconazole	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tebuthiuron	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Terbacil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tetraconazole	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Thiacloprid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Thiamethoxam	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Thiencarbazone Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Trifloxystrobin	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Aminopyralid	Not Detected		0.20	ug/g	SOP-PEMTA - QuEChERS
Imazamox	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Imazapic	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Imazaquin	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Imazethapyr	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*


Sample Seal:* Bass 4 Plant Tissue (Continued)

Lab Number: 25J0154-15 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Naphthalene Acetic Acid	Not Detected		0.42	ug/g	SOP-PEMTA - QuEChERS
Quinclorac	Not Detected		0.018	ug/g	SOP-PEMTA - QuEChERS
Imazapyr	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Diquat	Not Detected		0.14	ug/g	SOP-PEMTL - Paraquat/Diquat
Paraquat	Not Detected		0.14	ug/g	SOP-PEMTL - Paraquat/Diquat

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer


Brian Regan

(In Accordance with Act 380.
Public Acts 1965, as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 1 Plant Tissue Anchor

Lab Number: 25J0154-16 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
2,4-DB	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
5-OH Dicamba	Not Detected		0.20	ug/g	SOP-PEMTA - QuEChERS
Bromoxynil	Not Detected		0.023	ug/g	SOP-PEMTA - QuEChERS
Chloramben	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
Clopyralid	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
DCSA	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
Dicamba	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
Fluroxypyr	Not Detected		0.10	ug/g	SOP-PEMTA - QuEChERS
MCPA	Not Detected		0.026	ug/g	SOP-PEMTA - QuEChERS
MCPP	Not Detected		0.021	ug/g	SOP-PEMTA - QuEChERS
Picloram	Not Detected		0.21	ug/g	SOP-PEMTA - QuEChERS
Triclopyr	Not Detected		0.014	ug/g	SOP-PEMTA - QuEChERS
2,4-D	Not Detected	LOD Est	0.00020	ug/g	SOP-PEMTA - QuEChERS
1-Naphthol	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
2,6-DIPN	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Acequinocyl	Not Detected		1.0	ug/g	SOP-PEST-0048 QuEChERS
Acetochlor	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Acibenzolar-S-Methyl	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Alachlor	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Aldrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Allethrin	Not Detected		0.16	ug/g	SOP-PEST-0048 QuEChERS
Antraquinone	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Benoxacor	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
BHC, alpha-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
BHC, delta-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 1 Plant Tissue Anchor (Continued)

Lab Number: 25J0154-16 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
BHC, epsilon-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Bifenthrin	Not Detected	LOD Est	0.00069	ug/g	SOP-PEST-0048 QuEChERS
Biphenyl	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Boscalid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Broflanilide	Not Detected		0.14	ug/g	SOP-PEST-0048 QuEChERS
Captan	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Chlorantraniliprole	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Chlordane, cis-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Chlordane, trans-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Chlorfenapyr	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Chlorpropham	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Chlorpyrifos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Clomazone	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyantraniliprole	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Cyflumetofen	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Cyfluthrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyhalothrin (Total)	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Cypermethrin	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Cyphenothrin	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Cyprodinil	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
DCPA	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
DDD, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDD, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDE, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDE, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 1 Plant Tissue Anchor (Continued)

Lab Number: 25J0154-16 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
DDT, o,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DDT, p,p-	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
DEET	Not Detected	LOD Est	0.0028	ug/g	SOP-PEST-0048 QuEChERS
Deltamethrin	Not Detected		0.14	ug/g	SOP-PEST-0048 QuEChERS
Desmedipham	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Diazinon	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Diazinon Oxon	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dichlobenil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dichlormid	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Dichlorvos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dicloran	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Dicofol (Total)	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Dieldrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Dimethenamid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Dimethomorph	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Diphenylamine	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan I	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan II	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Endosulfan Sulfate	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Endrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
EPN	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Esfenvalerate	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Ethalfuralin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Ethion	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Ethofumesate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 1 Plant Tissue Anchor (Continued)

Lab Number: 25J0154-16 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Etofenprox	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Etoxazole	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Etridiazole	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Famoxadone	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Fenamidone	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fenarimol	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenoxycarb	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Fenpropathrin	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fipronil	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fluensulfone	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Fluopicolide	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flupyradifurone	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Flutianil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flutolanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Flutriafol	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluvalinate	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Folpet	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Fonofos	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Heptachlor	Not Detected		0.051	ug/g	SOP-PEST-0048 QuEChERS
Heptachlor Epoxide (Total)	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Hexachlorobenzene	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Hydroprene	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Imiprothrin	Not Detected		0.092	ug/g	SOP-PEST-0048 QuEChERS
Iprodione	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Isoxaflutole	Not Detected		0.82	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 1 Plant Tissue Anchor (Continued)

Lab Number: 25J0154-16 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Kinoprene	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Lindane (BHC, gamma-)	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Metalaxyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Methoprene	Not Detected		0.12	ug/g	SOP-PEST-0048 QuEChERS
Methoxychlor (Total)	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Metolachlor	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Metrafenone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
MGK-264	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
MGK-326	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Napropamide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Nitrapyrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
o-Phenylphenol	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Oxyfluorfen	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Parathion Ethyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Parathion Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
PCNB (Quintozone)	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pendimethalin	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Pentachloroaniline	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pentachlorobenzene	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pentachlorophenyl Methyl Sulfide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Permethrin, cis-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Permethrin, trans-	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Phenothrin	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Picaridin	Not Detected	LOD Est	0.00045	ug/g	SOP-PEST-0048 QuEChERS
Piperonyl Butoxide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*


Sample Seal:* Bass 1 Plant Tissue Anchor (Continued)

Lab Number: 25J0154-16 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Pirimiphos Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Prallethrin	Not Detected		0.093	ug/g	SOP-PEST-0048 QuEChERS
Prochloraz	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Procymidone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Prodiamine	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Profenofos	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pronamide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Propargite	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Pyraflufen Ethyl	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Pyrasulfotole	Not Detected		2.1	ug/g	SOP-PEST-0048 QuEChERS
Pyrethrins (Total)	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Pyridalyl	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Resmethrin	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Rimsulfuron	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Tefluthrin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tetradifon	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Tetrahydrophthalimide (THPI)	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Tetramethrin	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Tolfenpyrad	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Tolyfluanid	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Trifluralin	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Vinclozolin	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Acephate	Not Detected		0.15	ug/g	SOP-PEST-0048 QuEChERS
Acetamiprid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Aldicarb	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer


Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 1 Plant Tissue Anchor (Continued)

Lab Number: 25J0154-16 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Atrazine	Not Detected		0.0021	ug/g	SOP-PEST-0048 QuEChERS
Azadirachtin	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Azinphos-Me	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Azoxystrobin	Not Detected	LOD Est	0.000092	ug/g	SOP-PEST-0048 QuEChERS
Bentazon	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Bifenazate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Bromacil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Carbaryl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Carbendazim	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Carbofuran	Not Detected	LOD Est	0.00026	ug/g	SOP-PEST-0048 QuEChERS
Carfentrazone ethyl	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Chlorpyrifos OA	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Clethodim	Not Detected		0.071	ug/g	SOP-PEST-0048 QuEChERS
Clofentezine	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Clothianidin	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Cyclaniliprole	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cyflufenamid	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Cymoxanil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Cyproconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Daminozide	Not Detected		0.58	ug/g	SOP-PEST-0048 QuEChERS
Difenoconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Diflubenzuron	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Dimethoate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Dinotefuran	Not Detected		0.030	ug/g	SOP-PEST-0048 QuEChERS
Dithiopyr	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 1 Plant Tissue Anchor (Continued)

Lab Number: 25J0154-16 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Diuron	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
EPTC (Eptam)	Not Detected		0.072	ug/g	SOP-PEST-0048 QuEChERS
Fenbuconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenhexamid	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Fenpyroximate	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fenthion	Not Detected		0.062	ug/g	SOP-PEST-0048 QuEChERS
Flonicamid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluazifop-P-Butyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluazinam	Not Detected		0.051	ug/g	SOP-PEST-0048 QuEChERS
Flubendiamide	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fludioxonil	Not Detected		0.13	ug/g	SOP-PEST-0048 QuEChERS
Flumioxazin	Not Detected		0.081	ug/g	SOP-PEST-0048 QuEChERS
Fluopyram	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluridone	0.0011	LOD Est	0.00044	ug/g	SOP-PEST-0048 QuEChERS
Fluthiacet Methyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Fluxapyroxad	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Halosulfuron methyl	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Hexazinone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Imazalil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Imidacloprid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Kresoxim-Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Lactofen	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS
Linuron	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Malathion	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Malathion oxon	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 1 Plant Tissue Anchor (Continued)

Lab Number: 25J0154-16 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Mandipropamid	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Mefentrifluconazole	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Mesotrione	Not Detected		0.16	ug/g	SOP-PEST-0048 QuEChERS
Metconazole	Not Detected		0.020	ug/g	SOP-PEST-0048 QuEChERS
Methamidiphos	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Methiocarb	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Methomyl	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Methoxyfenozide	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Metribuzin	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Myclobutanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Naled	Not Detected		0.82	ug/g	SOP-PEST-0048 QuEChERS
Oryzalin	Not Detected		0.41	ug/g	SOP-PEST-0048 QuEChERS
Oxamyl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Oxamyl Oxime	Not Detected		0.082	ug/g	SOP-PEST-0048 QuEChERS
Paclbutrazol	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Phorate	Not Detected		0.21	ug/g	SOP-PEST-0048 QuEChERS
Phosmet	Not Detected		0.031	ug/g	SOP-PEST-0048 QuEChERS
Picoxystrobin	Not Detected		0.0021	ug/g	SOP-PEST-0048 QuEChERS
Prometon	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Prometryn	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Propamacarb HCl	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Propiconazole	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Prothioconazole - desthio	Not Detected		0.052	ug/g	SOP-PEST-0048 QuEChERS
Pydiflumetofen	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Pymetrozine	Not Detected		0.10	ug/g	SOP-PEST-0048 QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 1 Plant Tissue Anchor (Continued)

Lab Number: 25J0154-16 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Pyraclostrobin	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyrimethanil	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyriproxyfen	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Pyroxasulfone	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Simazine	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spinetoram (Total)	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spinosad (Total)	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Spirodiclofen	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Spiromesifen	Not Detected		0.041	ug/g	SOP-PEST-0048 QuEChERS
Spirotetramat	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Spiroxamine	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Sulfentrazone	Not Detected		0.071	ug/g	SOP-PEST-0048 QuEChERS
Tebuconazole	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tebuthiuron	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Terbacil	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Tetraconazole	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Thiacloprid	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Thiamethoxam	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Thiencarbazone Methyl	Not Detected		0.021	ug/g	SOP-PEST-0048 QuEChERS
Trifloxystrobin	Not Detected		0.010	ug/g	SOP-PEST-0048 QuEChERS
Aminopyralid	Not Detected		0.20	ug/g	SOP-PEMTA - QuEChERS
Imazamox	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Imazapic	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Imazaquin	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Imazethapyr	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer


Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Sample Results (Continued)

Case #:*

Inspector Name:* Lisa Huberty

Delivery: Inspector

Description:*

Sample Seal:* Bass 1 Plant Tissue Anchor (Continued)

Lab Number: 25J0154-16 (Foliage)

Analyte	Result	Qual	LOD	Units	Method
Naphthalene Acetic Acid	Not Detected		0.42	ug/g	SOP-PEMTA - QuEChERS
Quinclorac	Not Detected		0.018	ug/g	SOP-PEMTA - QuEChERS
Imazapyr	Not Detected		0.010	ug/g	SOP-PEMTA - QuEChERS
Diquat	Not Detected		0.099	ug/g	SOP-PEMTL - Paraquat/Diquat
Paraquat	Not Detected		0.099	ug/g	SOP-PEMTL - Paraquat/Diquat

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

* Information Provided by Customer

Brian Regan
Brian Regan

(In Accordance with Act 380.
Public Acts 1965. as amended.)

Michigan Department of Agriculture and Rural
Development
Laboratory & Consumer Protection Bureau



GEAGLEY LABORATORY
1615 S Harrison Rd,
East Lansing, MI 48823

Phone:(517)284-0500
Fax:(517)284-0457

This report shall not be reproduced, except in full, without written approval of the Laboratory Division. Lab not responsible for sampling or interpretation of results. These results relate only to the samples tested.

Test Report

Project: PE Use Investigation

Reported:
23-December-2025

Notes and Definitions

Item	Definition
Est QA/QC	Passes confirmation criteria for compound identification. QA/QC criteria not met; estimated value.
Est Range	Passes confirmation criteria for compound identification. Concentration is outside of calibrated range; estimated value.
LOD Est	A limit of detection estimated from lowest spike recovery, standard, or residue able to be confirmed.
RPD	Relative Percent Difference
%REC	Percent Recovery
Source	Sample that was matrix spiked or duplicated.

Unless the Laboratory is notified in writing, these sample(s) and containers will be destroyed in 30 calendar days

** Information Provided by Customer*

Brian Regan